RALPH LAUREN

LIGHTING

TABLE OF CONTENTS

TABLE 02

FLOOR 38

CEILING 64

WALL 148

OUTDOOR 204

INDEX 208

EU INDEX 213

TABLE LAMPS

RL3633ICO-WP
Halifax Small Table Lamp in Coconut with White Paper Shade
Height: 27.5"
Width: 19"
Base: 10.75" Round

Finishes:
BC, BLK, ICO
Shade Treatments: WP
Shade Details:
14" x 19" x 13"

Socket: E26 Dimmer
Wattage: 100 A

RL3633ICO-WP-EU
(European Wiring)

RL3633BC-WP
Halifax Small Table Lamp in Blue Ceramic with White Paper Shade

RL3633BC-WP-EU
(European Wiring)

RL3634ICO-WP
Halifax Large Table Lamp in Coconut with White Paper Shade
Height: 36.25"
Width: 25"
Base: 14" Round

Finishes:
BLC, BLK, ICO
Shade Treatments: WP
Shade Details:
19" x 25" x 18"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL3634ICO-WP-EU
(European Wiring)

RL3634BC-WP
Halifax Large Table Lamp in Blue Ceramic with White Paper Shade

RL3634BC-WP-EU
(European Wiring)

RL3634BLK-WP
Halifax Large Table Lamp in Black Ceramic with White Paper Shade

RL3634BLK-WP-EU
(European Wiring)

RL3622CBZ-L
Isla Small Table Lamp in Crystal Bronze Ceramic with Linen Shade

Note: Reactive Ceramic Glazes Will Vary in Color and Texture

RL3622CBZ-L-EU
(European Wiring)

RL3622WLC-L
Isla Small Table Lamp in White Leather Ceramic with Linen Shade
Height: 28"
Width: 19"
Base: 7.5" Square

Finishes: CBZ, WLC
Shade Treatments: L
Shade Details:
17" x 19" x 12"

Socket: E26 Dimmer
Wattage: 150 A

RL3622WLC-L-EU
(European Wiring)

RL3770AI/ALB-L
Michaela Small Table Lamp in Aged Iron and Alabaster with Linen Shade
Height: 21.75"
Width: 18"
Base: 11.5" Decorative

Finishes: AI/ALB
Shade Treatments: L
Shade Details:
16" x 18" x 10.5"

Socket: E26 Dimmer
Wattage: 100 A

RL3770AI/ALB-L-EU
(European Wiring)

RL3660LTS-L
Monterey Large Table Lamp in Light Silt with Linen Shade
Height: 32"
Width: 21.5"
Base: 6.75" Round

Finishes: LTS, MBZ
Shade Treatments: L
Shade Details:
16.5" x 21.5" x 14"

Socket: E26 Dimmer
Wattage: 100 A

RL3660LTS-L-EU
(European Wiring)

RL3660MBZ-L
Monterey Large Table Lamp in Matte Bronze with Linen Shade

Note: Reactive Ceramic Glazes Will Vary in Color and Texture

RL3660MBZ-L-EU
(European Wiring)

RL3625WT-WP
Carter Small Table Lamp in White Porcelain with White Paper Shade
Height: 25"
Width: 19"
Base: 7" Round

Finishes: BLK, WHT
Shade Treatments: WP
Shade Details:
14" x 19" x 13"

Socket: E26 Dimmer
Wattage: 150 A

RL3625WT-WP-EU
(European Wiring)

RL3625BLK-WP
Carter Small Table Lamp in Black Porcelain with White Paper Shade

RL3625BLK-WP-EU
(European Wiring)

RL3627WT-WP
Carter Large Table Lamp in White Porcelain with White Paper Shade
Height: 36.5"
Width: 22"
Base: 12" Round

Finishes: BLK, WHT
Shade Treatments: WP
Shade Details:
19" x 22" x 15"

Socket: E26 Dimmer
Wattage: 150 A

RL3627WT-WP-EU
(European Wiring)

RL3627BLK-WP
Carter Large Table Lamp in Black Porcelain with White Paper Shade

RL3627BLK-WP-EU
(European Wiring)

RL3625BLK-WP
Carter Small Table Lamp in Black Porcelain with White Paper Shade

RL3625BLK-WP-EU
(European Wiring)

RL3677BLK-L
Ilona Medium Table Lamp in Black with Linen shade
Height: 24.5"
Width: 18"
Base: 7" Square

Finishes: BLK, WHT
Shade Treatments: L
Shade Details:
14.5" x 18" x 12"

Socket: E26 Dimmer
Wattage: 100 A

RL3677BLK-L-EU
(European Wiring)

RL3678WHT-L
Ilona Large Table Lamp in White with Linen Shade
Height: 32.75"
Width: 22"
Base: 5" Square

Finishes: BLK, WHT
Shade Treatments: L
Shade Details:
18" x 22" x 12.75"

Socket: E26 Dimmer
Wattage: 100 A

RL3678WHT-L-EU
(European Wiring)

RL3542BRT-WP
Lohan Medium Table Lamp in Black Rattan with White Paper Shade
Height: 27"
Width: 21"
Base: 8.5" Round

Finishes: BRT
Shade Treatments: WP
Shade Details:
16" x 21" x 15"
Closed Top

Socket: E26 Dimmer
Wattage: 100 A

RL3542BRT-WP-EU
(European Wiring)

RL3543BRT-WP
Lohan Large Table Lamp in Black Rattan with White Paper Shade
Height: 32.5"
Width: 24"
Base: 8" Round

Finishes: BRT
Shade Treatments: WP
Shade Details:
18" x 24" x 14.25"
Closed Top

Socket: E26 Dimmer
Wattage: 100 A

RL3543BRT-WP-EU
(European Wiring)

RL15032BKP
Gable Table Lamp in Black and Gold Porcelain with Silk Shade
Height: 34"
Width: 21"
Base: 9.75" Round

Finishes: BLK
Shade Treatments: S
Shade Details:
10" x 21" x 13"

Socket: E26 3-Way
Wattage: 150 A

RL15032BKP-EU
(European Wiring)

RL3649BW-S
Foo Dog Medium Table Lamp in Blue and White Porcelain with Silk Shade

RL3649BW-S-EU
(European Wiring)

RL3649BW-S
Foo Dog Medium Table Lamp in Blue and White Porcelain with Silk Shade
Height: 27.25" - 29"
Width: 21"
Base: 9" Round

Finishes: BLW
Shade Treatments: S
Shade Details:
7" x 21" x 13"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 75 A

RL3649BW-S-EU
(European Wiring)

RL3653BW-S
Sydnee Large Gourd Table Lamp in Blue and White Porcelain with Silk Pleated Shade
Height: 32"
Width: 19.25"
Base: 8" Round

Finishes: BW
Shade Treatments: S
Shade Details:
9.75" x 19.25" x 15"

Socket: E26 Dimmer
Wattage: 100 A

RL3653BW-S-EU
(European Wiring)

RL3651BW-S
Blythe Medium Table Lamp in Blue and White Porcelain with Silk Pleated Shade
Height: 27"
Width: 16.75"
Base: 7.5" Round

Finishes: BW
Shade Treatments: S
Shade Details:
8.5" x 16.75" x 13"

Socket: E26 Dimmer
Wattage: 100 A

RL3651BW-S-EU
(European Wiring)

RL3652BW-S
Blythe Large Table Lamp in Blue and White Porcelain with Silk Pleated Shade
Height: 36"
Width: 21.75"
Base: 10" Round

Finishes: BW
Shade Treatments: S
Shade Details:
11.75" x 21.75" x 16"

Socket: E26 Dimmer
Wattage: 100 A

RL3652BW-S-EU
(European Wiring)

RL14040PN-S
Daniela Table Lamp in Crystal with Silk Shade

RL14040PN-S-EU
(European Wiring)

RL14040PN-S
Daniela Table Lamp in Crystal with Silk Shade
Height: 29.5"
Width: 21"
Base: 7" Round

Finishes: CG
Shade Treatments: S
Shade Details:
10" x 21" x 13.25"

Socket: E26 Dimmer
Wattage: 150 A

Note: French Wired

RL14040PN-S-EU
(European Wiring)

RL3920CG-WP
Brookings Large Table Lamp in Crystal and Polished Nickel with White Paper Shade
Height: 29"
Width: 18"
Base: 12" Round

Finishes: CG
Shade Treatments: WP
Shade Details:
17" x 18" x 10.5"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL3920CG-WP-EU
(European Wiring)

RL3921CCG-P
Cagan Small Table Lamp in Clear Carved Glass with Percale Shade
Height: 21.5"
Width: 18"
Base: 7.75" Round

Finishes: CCG
Shade Treatments: P
Shade Details:
15" x 18" x 10"

Socket: E26 Dimmer
Wattage: 100 A

RL3921CCG-P-EU
(European Wiring)

RL3936CG-S
Metropolis Table Lamp in Clear Glass with Silk Shade
Height: 29"
Width: 21"
Base: 8" Round

Finishes: CG
Shade Treatments: S
Shade Details:
7" x 21" x 13"

Socket: E26 Dimmer
Wattage: 100 A

RL3936CG-S-EU
(European Wiring)

RL3965NB/Q-P
Ellis Bedside Lamp in Natural Brass and Quartz with Percale Shade
Height: 22.5"
Width: 15"
Base: 6.5" x 9.5" Rec.

Finishes: NB, PN
Shade Treatments: P
Shade Details:
14" x 15" x 10" Rec.

Socket: E26 Dimmer
Wattage: 75 A

RL3965NB/Q-P-EU
(European Wiring)

RL3965PN/Q-P
Ellis Bedside Lamp in Polished Nickel and Quartz with Percale Shade

RL3965PN/Q-P-EU
(European Wiring)

RL3966NB/Q-P
Ellis Table Lamp in Natural Brass and Quartz with Percale Shade
Height: 30.5"
Width: 17"
Base: 6" Square

Finishes: NB, PN
Shade Treatments: P
Shade Details:
16" x 17" x 12" Square

Socket: E26 Dimmer
Wattage: 75 A

RL3966NB/Q-P-EU
(European Wiring)

RL3966PN/Q-P
Ellis Table Lamp in Polished Nickel and Quartz with Percale Shade

RL3966PN/Q-P-EU
(European Wiring)

RL3941CG/NB-P
Varick Table Lamp in Crystal and Natural Brass with Percale Shade
Height: 32.75"
Width: 15"
Base: 6.5" Square

Finishes:
CG/NB, CG/PN
Shade Treatments: P
Shade Details:
10" x 12" x 10" Rec.

Socket: E26 Dimmer
Wattage: 60 A

RL3941CG/NB-P-EU
(European Wiring)

RL3941CG/PN-P
Varick Table Lamp in Crystal and Polished Nickel with Percale Shade

RL3941CG/PN-P-EU
(European Wiring)

RL3082NB-WP
Allen Table Lamp in Natural Brass and Glass Rods with White Paper Shade
Height: 30"
Width: 18"
Base: 8.5" Round

Finishes: NB, PN
Shade Treatments: WP
Shade Details:
16" x 18" x 12"

Socket: E26 Dimmer
Wattage: 100 A

RL3082NB-WP-EU
(European Wiring)

RL3082PN-WP
Allen Table Lamp in Polished Nickel and Glass Rods with White Paper Shade

RL3082PN-WP-EU
(European Wiring)

RL3031NB/EC-NB
Barton Desk Lamp in Natural Brass and Etched Crystal with Natural Brass Shade
Height: 20.25"
Width: 15.5"
Base: 8" Round

Finishes:
BZ, NB, PN
Shade Treatments:
BZ, NB, PN
Shade Details:
15.5" x 15.5" x 7.5"

LED: 11w

RL3031NB/EC-NB-EU
(European Wiring)

RL3031PN/EC-PN
Barton Desk Lamp in Polished Nickel and Etched Crystal with Polished Nickel Shade

RL3031PN/EC-PN-EU
(European Wiring)

RL11167BN-P
Modern Table Lamp in Natural Brass with White Paper Shade
Height: 30" - 33"
Width: 26"
Base: 9.25" Round

Finishes:
BZ, NB, PS
Shade Treatments: WP
Shade Details:
7" x 26" x 14.5"

Socket: E26 3-Way
Wattage: 150 A

RL11167BN-P-EU
(European Wiring)

RL11167PS-P
Modern Table Lamp in Polished Silver with White Paper Shade

RL11167PS-P-EU
(European Wiring)

RL11167BZ-P
Modern Table Lamp in Bronze with White Paper Shade

RL11167BZ-P-EU
(European Wiring)

RL3570NB/NRO-L
Radford Buffet Lamp
in Natural Brass
and Natural Rift Oak
with Linen Shade
Height: 35.75"
Width: 12.5"
Base: 6.5" Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3" x 12.5" x 7.25"

Socket:
E12 Candelabara
w/Line Switch
Wattage: 60 B

RL3570NB/NRO-L-EU
(European Wiring)

RL3570PN/BKE-L
Radford Buffet Lamp
in Polished Nickel
and Black Ebony
with Linen Shade

RL3570PN/BKE-L-EU
(European Wiring)

RL3592MCE/NB-P
Hardy Table Lamp
in Macassar Ebony
and Natural Brass
with Percale Shade
Height: 26.25"
Width: 18.25"
Base: 5" Square

Finishes:
BKE/PN, MCE/NB
Shade Treatments: P
Shade Details:
16.5" x 18" x 10.25" Rec.
Closed Top

Socket: E26 Dimmer
Wattage: 100 A

RL3592MCE/NB-P-EU
(European Wiring)

RL3592BKE/PN-P
Hardy Table Lamp
in Black Ebony
and Polished Nickel
with Percale Shade

RL3592BKE/PN-P-EU
(European Wiring)

RL3467BZ-L
Beckford Table
Lamp in Bronze
with Linen Shade
Height: 25.5"
Width: 15"
Base: 8.5" Round

Finishes: BZ
Shade Treatments: L
Shade Details:
14" x 15" x 10"

Socket: E26 Dimmer
Wattage: 150 A

RL3467BZ-L-EU
(European Wiring)

RL14042PN-L
Beckford Table Lamp in Saddle Leather with Linen Shade
Height: 24"
Width: 15"
Base: 8.5" Round

Finishes:
BK, CHC, SDL
Shade Treatments: L
Shade Details:
14" x 15" x 10"
Closed Top

Socket: E26 Dimmer
Wattage: 150 A

RL14042PN-L-EU
(European Wiring)

RL3533NB/SDL-L
Cody Medium Table Lamp in Natural Brass and Saddle Leather with Linen Shade
Height: 28.5"
Width: 19"
Base: 9" Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
17" x 19" x 12"
Closed Top

Socket: E26 Keyless
Wattage: 100 A

RL3533NB/SDL-L-EU
(European Wiring)

RL3533PN/CHC-L
Cody Medium Table Lamp in Polished Nickel and Chocolate Leather with Linen Shade

RL3533PN/CHC-L-EU
(European Wiring)

RL3491NB/NVY-P
Garner Table Lamp in Natural Brass and Navy Leather with Percale Shade
Height: 30"
Width: 20"
Base: 7.5" Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: P
Shade Details:
6" x 20" x 11.25"

Socket:
2 - E26 Keyless w/Pull Chain
Wattage: 2 - 40 B

RL3491NB/NVY-P-EU
(European Wiring)

RL3491PN/CHC-P
Garner Table Lamp in Polished Nickel and Chocolate Leather with Percale Shade

RL3491PN/CHC-P-EU
(European Wiring)

RL3040NB-PW
Cara Sculpted Table Lamp in Natural Brass with Plaster White Shade

RL3040NB-PW-EU
(European Wiring)

RL3183NB-L
Westbury Table Lamp in Natural Brass with Linen Shade
Height: 25.5"
Width: 16.75"
Base: 6.5" x 10" Oval

Finishes: NB, PN
Shade Treatments: L
Shade Details:
15" x 16.75" x 10.5" Oval

Socket: E26 Dimmer
Wattage: 150 A

RL3183NB-L-EU
(European Wiring)

RL3183PN-L
Westbury Table Lamp in Polished Nickel with Linen Shade

RL3183PN-L-EU
(European Wiring)

RL3040NB-PW
Cara Sculpted Table Lamp in Natural Brass with Plaster White Shade
Height: 21"
Width: 18"
Base: 8" Round

Finishes:
BZ, NB, PN
Shade Treatments: PW

LED: 12w

RL3040NB-PW-EU
(European Wiring)

RL3040PN-PW
Cara Sculpted Table Lamp in Polished Nickel with Plaster White Shade

RL3040PN-PW-EU
(European Wiring)

RL3094PN-L
Barrett Medium Knurled Table Lamp in Polished Nickel with Linen Shade

RL3094PN-L-EU
(European Wiring)

RL3094NB-L
Barrett Medium Knurled Table Lamp in Natural Brass with Linen Shade
Height: 28.5"
Width: 17.5"
Base: 9" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
16.75" x 17.5" x 11.25"
Closed Top

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL3094NB-L-EU
(European Wiring)

RL3346NB
Barrett Mini Desk Lamp in Natural Brass
Height: 9.5" - 17.5"
Width: 5.75"
Extension: 7.75" - 10.75"
Base: 5" Round

Finishes: NB, PN

LED: 9w

Note: Dimmer

RL3346NB-EU
(European Wiring)

RL3346PN
Barrett Mini Desk Lamp in Polished Nickel

RL3346PN-EU
(European Wiring)

RL3393NB-NB
Barrett Knurled Buffet Lamp in Natural Brass with Natural Brass Shade
Height: 33"
Width: 11.5"
Base: 7" Round

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
4" x 11.5" x 7"

Socket: E26 Dimmer
Wattage: 60 A

RL3393NB-NB-EU
(European Wiring)

RL3393PN-PN
Barrett Knurled Buffet Lamp in Polished Nickel with Polished Nickel Shade

RL3393PN-PN-EU
(European Wiring)



RL3250NB
Anette Table Lamp
in Natural Brass

RL3250NB-EU
(European Wiring)

RL11094BN
Carthage Table Lamp
in Natural Brass
Height: 23" - 30"
Width: 12.25"
Base: 7" Round

Finishes: NB, PN

Socket: E26 3-Way
Wattage: 100 A

RL11094BN-EU
(European Wiring)

RL3805PN
Carthage Mini Lamp
in Polished Nickel
Height: 16.25" - 20.25"
Width: 8.75"
Base: 4.75" Round

Finishes: NB, PN

Socket: E12 Candelabra
w/Dimmer on Base
Wattage: 60 B

RL3805PN-EU
(European Wiring)



RL3250NB
Anette Table Lamp
in Natural Brass
Height: 19.25" - 24.5"
Width: 6.75"
Extension: 11.5" - 13"
Base: 5" Round

Finishes: NB, PN

Socket: E12 Candelabra
w/Line Switch
Wattage: 40 B

RL3250NB-EU
(European Wiring)



RL3250PN
Anette Table Lamp
in Polished Nickel

RL3250PN-EU
(European Wiring)



RL3501BZ-L
Brompton Swing Arm Table Lamp in Bronze with Linen Shade

RL3501BZ-L-EU
(European Wiring)

RL3501NB-L
Brompton Swing Arm Table Lamp in Natural Brass with Linen Shade
Height: 20" - 30"
Width: 14"
Extension: 21.5"
Base: 8.5" Round

Finishes:
BZ, NB, PN
Shade Treatments: L
Shade Details:
6" x 14" x 9"

Socket: E26 On-Off
Wattage: 18 LED A

RL3501NB-L-EU
(European Wiring)

RL3501PN-L
Brompton Swing Arm Table Lamp in Polished Nickel with Linen Shade

RL3501PN-L-EU
(European Wiring)

RL3450NB-NVY
Benton Adjustable Desk Lamp in Natural Brass with Navy Leather Shade
Height: 19" - 29.25"
Width: 7"
Extension: 17" - 23"
Base: 7" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Wattage: 40 A

RL3450NB-NVY-EU
(European Wiring)

RL3450PN-CHC
Benton Adjustable Desk Lamp in Polished Nickel with Chocolate Leather Shade

RL3450PN-CHC-EU
(European Wiring)

RL3345NB
Barrett Knurled Boom Arm Desk Light in Natural Brass
Height: 17" - 30"
Width: 9"
Extension: 36"
Base: 9" Round

Finishes: NB, PN

LED: 24w

Note: Dimmer

RL3345NB-EU
(European Wiring)

RL3345PN
Barrett Knurled Boom Arm Desk Light in Polished Nickel

RL3345PN-EU
(European Wiring)

RL3320NB-CA
Daley Adjustable Desk Lamp in Natural Brass with Clear Acrylic
Height: 25" - 36"
Width: 8"
Extension: 34"
Base: 8" Round

Finishes: NB, PN
Glass Options: CA

LED: 8w

Note:
Memory Dimmer Switch

RL3320NB-CA-EU
(European Wiring)

RL3320PN-CA
Daley Adjustable Desk Lamp in Polished Nickel with Clear Acrylic

RL3320PN-CA-EU
(European Wiring)

RL3345NB
Barrett Knurled Boom Arm Desk Light in Natural Brass

RL3345NB-EU
(European Wiring)

RL14030BN
RL'67 Boom Arm
Desk Lamp in
Natural Brass
Height: 35"
Extension: 28"
Base: 8" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14030BN-EU
(European Wiring)

RL14030PN
RL'67 Boom Arm
Desk Lamp in
Polished Nickel

RL14030PN-EU
(European Wiring)

RL3388NB
Langham Table Lamp
in Natural Brass
Height: 29.5"
Width: 12"
Extension: 9.5" - 10.25"
Base: 8" x 10" Rec.

Finishes:
BZ, NB, PN

LED: 9w

Note:
Dimmer on Cord

RL3388NB-EU
(European Wiring)

RL3388BZ
Langham Table Lamp
in Bronze

RL3388BZ-EU
(European Wiring)

RL3388PN
Langham Table Lamp
in Polished Nickel

RL3388PN-EU
(European Wiring)

RL14030BZ
RL'67 Boom Arm
Desk Lamp in Bronze

RL14030BZ-EU
(European Wiring)

RL11173PN
Equilibrium Table Lamp in Polished Nickel

RL11173PN-EU
(European Wiring)

RL11173PN
Equilibrium Table Lamp in Polished Nickel
Height: 45"
Extension: 38"
Base: 8" Round

Finishes: BLK, PN

Socket: E26 Keyless w/Dimmer
Wattage: 75 A

RL11173PN-EU
(European Wiring)

RL11173BLK
Equilibrium Table Lamp in Black Nickel

RL11173BLK-EU
(European Wiring)

FLOOR LAMPS

RL1250NB
Anette Floor Lamp in Natural Brass
Height: 53" - 63"
Width: 8"
Extension: 6.5" - 11"
Base: 8" Round

Finishes: NB, PN

Socket:
E12 Candelabra w/Foot Switch
Wattage: 40 B

RL1250NB-EU
(European Wiring)

RL1250PN
Anette Floor Lamp in Polished Nickel

RL1250PN-EU
(European Wiring)



RL11165BN
Fairfield Pharmacy Floor Lamp in Natural Brass
Height: 41" - 56"
Extension: 15"
Base: 10" Round

Finishes: NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL11165BN-EU
(European Wiring)

RL11165PN
Fairfield Pharmacy Floor Lamp in Polished Nickel

RL11165PN-EU
(European Wiring)



RL14028BN
RL'67 Boom
Arm Floor Lamp
in Natural Brass
Height: 44.5" - 66.5"
Extension: 30.5"
Base: 10" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14028BN-EU
(European Wiring)

RL14028PN
RL'67 Boom
Arm Floor Lamp
in Polished Nickel

RL14028PN-EU
(European Wiring)

RL14028BZ
RL'67 Boom
Arm Floor Lamp
in Bronze

RL14028BZ-EU
(European Wiring)

RL11170BLK
Equilibrium Floor Lamp
in Black Nickel
Height: 44" - 66"
Extension: 33"
Base: 11.25" Round

Finishes: BLK, PN

Socket: E26 Dimmer
Wattage: 75 A

RL11170BLK-EU
(European Wiring)

RL11170PN
Equilibrium Floor Lamp
in Polished Nickel

RL11170PN-EU
(European Wiring)

RL11170PN
Equilibrium Floor Lamp
in Polished Nickel

RL11170PN-EU
(European Wiring)

RL1450NB-SDL
Benton Adjustable Floor Lamp in Natural Brass with Saddle Leather Shade
Height: 53.25"
Width: 10"
Extension: 17" - 20"
Base: 10" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Wattage: 40 A

RL1450NB-SDL-EU
(European Wiring)



RL1450PN-CHC
Benton Adjustable Floor Lamp in Polished Nickel with Chocolate Leather Shade

RL1450PN-CHC-EU
(European Wiring)

RL1145CG/NB
Warner Pharmacy Floor Lamp in Crystal and Natural Brass
Height: 40.5" - 53.75"
Width: 16.75"
Base: 10.75" x 12.5"
T - Shaped

Finishes:
CG/NB, CG/PN

Socket: E26 Dimmer
Wattage: 60 T

RL1145CG/NB-EU
(European Wiring)

RL1145CG/PN
Warner Pharmacy Floor Lamp in Crystal and Polished Nickel

RL1145CG/PN-EU
(European Wiring)

RL1345NB
Barrett Knurled Boom Arm Floor Light in Natural Brass
Height: 46.25"
Width: 10"
Extension: 27.5"
Base: 10" Round

Finishes: NB, PN

LED: 12w

Note: Dimmer

RL1345NB-EU
(European Wiring)

RL1345PN
Barrett Knurled Boom Arm Floor Light in Polished Nickel

RL1345PN-EU
(European Wiring)

RL1320NB-CA
Daley Adjustable Floor Lamp in Natural Brass with Clear Acrylic
Height: 44.25" - 57.25"
Width: 11"
Extension: 13.25"
Base: 11" Round

Finishes: NB, PN
Glass Options: CA

LED: 9w

Note:
Memory Dimmer Switch

RL1320NB-CA-EU
(European Wiring)

RL1320PN-CA
Daley Adjustable Floor Lamp in Polished Nickel with Clear Acrylic

RL1320PN-CA-EU
(European Wiring)

RL1020PN
Colin Easel Floor Lamp in Polished Nickel
Height: 65" - 81.5"
Width: 24"
Base: 17" x 24"
U-Shaped

Finishes: PN

Socket:
3 - E12 Candelabra w/Dimmer
Wattage: 3 - 40 B

RL1020PN-EU
(European Wiring)

RL1388NB
Langham Display Floor Lamp in Natural Brass
Height: 72"
Width: 24"
Extension: 15.75" - 18"
Base: 14" x 24" Rec.

Finishes:
BZ, NB, PN

LED: 9w

Note:
Dimmer on Cord

RL1388NB-EU
(European Wiring)

RL1388PN
Langham Display Floor Lamp in Polished Nickel

RL1388PN-EU
(European Wiring)



RL1730PN
Ames Extra Large Pivoting Reflector Floor Light in Polished Nickel
Height: 61" - 88.5"
Width: 26.5"
Base:
27.5" - 43" Tripod

Finishes: PN

LED: 12w

RL1730PN-EU
(European Wiring)

RL11182PN-PN
Layne Torchiere Floor Lamp in Polished Nickel
Height: 71.25"
Width: 14"
Base: 12" Round

Finishes: PN
Shade Treatments: PN

Socket: E26 3-Way
Wattage: 150 A

RL11182PN-PN-EU
(European Wiring)



RL11182PN-PN
Layne Torchiere Floor Lamp in Polished Nickel

RL11182PN-PN-EU
(European Wiring)

RL11180PN
Montauk Search Light Floor Lamp in Mahogany and Polished Nickel

RL11180PN-EU
(European Wiring)

RL11180PN
Montauk Search Light Floor Lamp in Mahogany and Polished Nickel
Height: 65" - 77.5"
Width: 24"
Base: 24" Tripod

Finishes: EBO, MHG
Glass Options: CG

Socket: E26 Dimmer
Wattage: 100 A

RL11180PN-EU
(European Wiring)

RL11180EBO
Montauk Search Light Floor Lamp in Ebony and Polished Nickel

RL11180EBO-EU
(European Wiring)

RL1716VO-WP
Quincy Floor Lamp
in Vintage Oak with
White Paper Shade
Height: 75.5"
Width: 30"
Base: 21.75" Tripod

Finishes: VO
Shade Treatments: WP
Shade Details:
20" x 30" x 18"

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1716VO-WP-EU
(European Wiring)

RL1716VO-WP
Quincy Floor Lamp
in Vintage Oak with
White Paper Shade

RL1716VO-WP-EU
(European Wiring)

RL1151PN-P
Nolan Loft Floor Lamp
in Polished Nickel
with Percale Shade
Height: 45.5" - 63"
Extension: 26.75" - 42"
Base: 12" Round

Finishes: BLK, PN
Shade Treatments: P
Shade Details:
14" x 19" x 11.5"

Socket: 2 - E26 Keyless
w/Line Switch
Wattage: 2 - 60 A

RL1151PN-P-EU
(European Wiring)

RL1151BLK-P
Nolan Loft Floor Lamp
in Black Nickel
with Percale Shade

RL1151BLK-P-EU
(European Wiring)

RL1151BLK-P
Nolan Loft Floor Lamp
in Black Nickel
with Percale Shade

RL1151BLK-P-EU
(European Wiring)

RL1533NB/NVY-L
Cody Large Floor Lamp in Natural Brass and Navy Leather with Linen Shade
Height: 64"
Width: 22"
Base: 12" Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
20" x 22" x 13.25"
Closed Top

Socket: 2 - E26 Keyless
Wattage: 2 - 60 A

RL1533NB/NVY-L-EU
(European Wiring)

RL1533PN/CHC-L
Cody Large Floor Lamp in Polished Nickel and Chocolate Leather with Linen Shade

RL1533PN/CHC-L-EU
(European Wiring)

RL1491NB/SDL-P
Garner Floor Lamp in Natural Brass and Saddle Leather with Percale Shade
Height: 54" - 70"
Width: 22"
Base: 10" Square

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: P
Shade Details:
6.75" x 22" x 12.25"

Socket: 2 - E26 Keyless w/Pull Chain
Wattage: 2 - 40 B

RL1491NB/SDL-P-EU
(European Wiring)

RL1491PN/CHC-P
Garner Floor Lamp in Polished Nickel and Chocolate Leather with Percale Shade

RL1491PN/CHC-P-EU
(European Wiring)



RL1090NB-L
Barrett Large Knurled Floor Lamp in Natural Brass with Linen Shade
Height: 63.75" - 65.5"
Width: 21"
Base: 12" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
20" x 21" x 13.5"
Closed Top

Socket:
2 - E26 Pull Chain
Wattage: 2 - 60 A

RL1090NB-L-EU
(European Wiring)

RL1090PN-L
Barrett Large Knurled Floor Lamp in Polished Nickel with Linen Shade

RL1090PN-L-EU
(European Wiring)

RL11102BN-S
Darien Floor Lamp in Natural Brass with Silk Shade
Height: 62.25" - 66.5"
Width: 20"
Base: 10" Round

Finishes: NB, PS
Shade Treatments: S
Shade Details:
11" x 20" x 14"

Socket: E26 3-Way
Wattage: 150 A

RL11102BN-S-EU
(European Wiring)

RL11102PS-S
Darien Floor Lamp in Polished Silver with Silk Shade

RL11102PS-S-EU
(European Wiring)

CEILING

RL5610NB/NVY-L
Riley Medium Ring Chandelier in Natural Brass and Navy Leather with Leather Trimmed Linen Shades
Height: 32"
Width: 36"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 B

RL5610NB/NVY-L-EU
(European Wiring)

RL5612NB/NVY-L
Riley Large Ring Chandelier in Natural Brass and Navy Leather with Leather Trimmed Linen Shades
Height: 40"
Width: 47.75"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5612NB/NVY-L-EU
(European Wiring)

RL5610NB/SDL-L
Riley Medium Ring Chandelier in Natural Brass and Saddle Leather with Leather Trimmed Linen Shades

RL5610NB/SDL-L-EU
(European Wiring)

RL5612NB/SDL-L
Riley Large Ring Chandelier in Natural Brass and Saddle Leather with Leather Trimmed Linen Shades

RL5612NB/SDL-L-EU
(European Wiring)

RL5614NB/NVY-L
Riley Large Two Tier Chandelier in Natural Brass and Navy Leather with Leather Trimmed Linen Shades
Height: 54"
Width: 48"
Canopy: 6.5" Round

Finishes:
NB/CHC, NB/NVY, NB/SDL
Shade Treatments: L

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5614NB/NVY-L-EU
(European Wiring)



RL5614PN/CHC-L
Riley Large Two Tier Chandelier in Nickel and Chocolate Leather with Leather Trimmed Linen Shades

RL5614PN/CHC-L-EU
(European Wiring)

RL5181PN-L
Westbury Chandelier in Polished Nickel and Chocolate Leather with Linen Shades
Height: 31"
Width: 30.25"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5181PN-L-EU
(European Wiring)

RL5183PN-L
Westbury Double Tier Chandelier in Polished Nickel and Chocolate Leather with Linen Shades
Height: 45"
Width: 43"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5183PN-L-EU
(European Wiring)

RL5181NB-L
Westbury Chandelier in Natural Brass and Saddle Leather with Linen Shades

RL5181NB-L-EU
(European Wiring)

RL5183NB-L
Westbury Double Tier Chandelier in Natural Brass and Saddle Leather with Linen Shades

RL5183NB-L-EU
(European Wiring)

RL5184NB-L
Westbury Triple Tier Chandelier in Natural Brass and Saddle Leather with Linen Shades
Height: 57"
Width: 57"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
24 - E12 Candelabra
Wattage: 24 - 40 B

RL5184NB-L-EU
(European Wiring)

RL5571NB/NRO-L
Radford Medium Chandelier in Natural Brass and Natural Rift Oak with Linen Shades
Height: 24"
Width: 30"
Canopy: 5.5" Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3" x 7.75" x 4.75"

Socket:
6 - E12 Candelabra
Wattage: 6 - 25 B

RL5571NB/NRO-L-EU
(European Wiring)

RL5571PN/BKE-L
Radford Medium Chandelier in Polished Nickel and Black Ebony with Linen Shades

RL5571PN/BKE-L-EU
(European Wiring)

RL5572NB/NRO-L
Radford Large Two Tier Chandelier in Natural Brass and Natural Rift Oak with Linen Shades
Height: 28"
Width: 41.25"
Canopy: 5.5" Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3" x 7.75" x 4.75"

Socket:
12 - E12 Candelabra
Wattage: 12 - 25 B

RL5572NB/NRO-L-EU
(European Wiring)

RL5330CG/NB-L
Sable Small Chandelier in Crystal and Natural Brass with Linen Shades
Height: 23.5"
Width: 29.5"
Canopy: 6" Round

Finishes:
CG/NB, CG/PN
Shade Treatments: L
Shade Details:
3.75" x 5" x 4.75"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5330CG/NB-L-EU
(European Wiring)

RL5330CG/PN-L
Sable Small Chandelier in Crystal and Polished Nickel with Linen Shades

RL5330CG/PN-L-EU
(European Wiring)

RL5332CG/NB-L
Sable Large Chandelier in Crystal and Natural Brass with Linen Shades
Height: 29"
Width: 39.5"
Canopy: 6" Round

Finishes:
CG/NB, CG/PN
Shade Treatments: L
Shade Details:
3.75" x 5" x 4.75"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

Note: Requires Special Assembly and Installation

RL5332CG/NB-L-EU
(European Wiring)

RL5321NB-CA
Daley Large Six Light Chandelier in Natural Brass with Clear Acrylic
O/A Height: 49.75"
Fixture Height: 12.25"
Min. Custom Height: 22"
Width: 55"
Canopy: 8" Round

Finishes: NB, PN
Glass Options: CA

LED: 30w

RL5321NB-CA-EU
(European Wiring)

RL5321PN-CA
Daley Large Six Light Chandelier in Polished Nickel with Clear Acrylic

RL5321PN-CA-EU
(European Wiring)

RL5322NB-CA
Daley Medium Six Light Chandelier in Natural Brass with Clear Acrylic
O/A Height: 53.5"
Fixture Height: 16"
Min. Custom Height: 26"
Width: 40"
Canopy: 8" Round

Finishes: NB, PN
Glass Options: CA

LED: 33w

Note: Requires Special Assembly and Installation | Custom Height Available

RL5322NB-CA-EU
(European Wiring)

RL5322PN-CA
Daley Medium Six Light Chandelier in Polished Nickel with Clear Acrylic

RL5322PN-CA-EU
(European Wiring)

RL5032BN
RL'67 Extra Large Triple Arm Chandelier in Natural Brass
O/A Height: 54"
Fixture Height: 26"
Min. Custom Height: 43"
Width: 66.75"
Canopy: 8" Round

Finishes:
BZ, NB, PN

Socket:
6 - E26 Keyless
Wattage: 6 - 40 A

Note:
Custom Height Available

RL5032BN-EU
(European Wiring)

RL5032PN
RL'67 Extra Large Triple Arm Chandelier in Polished Nickel

RL5032PN-EU
(European Wiring)

RL5032PN
RL'67 Extra Large Triple Arm Chandelier in Polished Nickel

RL5032PN-EU
(European Wiring)

RL5470NB-WG
McCarren Single Tier Chandelier in Natural Brass with White Glass
O/A Height: 55.25"
Fixture Height: 29.5"
Min. Custom Height: 39"
Width: 36"
Canopy: 5.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
5 - E26 Keyless
Wattage: 5 - 60 A

Note: Custom Height Available | Requires A-15 Bulb.

RL5470NB-WG-EU
(European Wiring)

RL5470BZ-WG
McCarren Single Tier Chandelier in Bronze with White Glass

RL5470BZ-WG-EU
(European Wiring)

RL5470PN-WG
McCarren Single Tier Chandelier in Polished Nickel with White Glass

RL5470PN-WG-EU
(European Wiring)

RL5197IS
Archer Extra Large Chandelier in Industrial Steel
Height: 42"
Width: 48.5"
Canopy: 9" Round

Finishes: IS, PN

Socket:
16 - E26 Keyless
Wattage: 16 - 40 A

RL5197IS-EU
(European Wiring)

RL5197PN
Archer Extra Large Chandelier in Polished Nickel

RL5197PN-EU
(European Wiring)

RL5131PN
Roark 30" Modular Ring Chandelier in Polished Nickel

RL5131PN-EU
(European Wiring)

RL5131AI
Roark 30" Modular Ring Chandelier in Aged Iron
Height: 21.5"
Width: 30"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
16 - E26 Keyless
Wattage: 16 - 40 A

Note: Bulb Sold Separately (B-30M)

RL5131AI-EU
(European Wiring)



RL5130PN
Roark 20" Modular Ring Chandelier in Polished Nickel
Height: 19"
Width: 20"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
12 - E26 Keyless
Wattage: 12 - 40 A

Note: Bulb Sold Separately (B-30M)

RL5130PN-EU
(European Wiring)

RL5132NB
Roark 40" Modular Ring Chandelier in Natural Brass
Height: 24.5"
Width: 40"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
20 - E26 Keyless
Wattage: 20 - 40 A

Note: Bulb Sold Separately (B-30M)

RL5132NB-EU
(European Wiring)

RL5133AI
Roark 50" Modular Ring Chandelier in Aged Iron
Height: 31.5"
Width: 50"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
24 - E26 Keyless
Wattage: 24 - 40 A

Note: Bulb Sold Separately (B-30M)

RL5133AI-EU
(European Wiring)

RL5133PN
Roark 50" Modular Ring Chandelier in Polished Nickel

RL5133PN-EU
(European Wiring)

RL5134NB
Roark Rectangular Chandelier in Natural Brass
Height: 22"
Width: 45" x 16.5"
Canopy: 6.5" Round

Finishes:
AI, NB, PN

Socket:
24 - E26 Keyless
Wattage: 24 - 40 A

Note: Bulb Sold Separately (B-30M)

RL5134NB-EU
(European Wiring)

RL5134PN
Roark Rectangular Chandelier in Polished Nickel

RL5134PN-EU
(European Wiring)

RL5670NB
Paxton 24" Ring Chandelier in Natural Brass
Height: 20" - 123"
Width: 24"
Canopy: 6.75" Round

Finishes: NB, PN

LED: 55w

RL5670NB-EU
(European Wiring)



RL5670PN
Paxton 24" Ring Chandelier in Polished Nickel

RL5670PN-EU
(European Wiring)

RL5671NB
Paxton 32" Ring Chandelier in Natural Brass
Height: 20" - 123"
Width: 32"
Canopy: 6.75" Round

Finishes: NB, PN

LED: 65w

RL5671NB-EU
(European Wiring)



RL5671PN
Paxton 32" Ring Chandelier in Polished Nickel

RL5671PN-EU
(European Wiring)

RL5672PN
Paxton 40" Ring Chandelier in Polished Nickel
Height: 20" - 123"
Width: 40"
Canopy: 6.75" Round

Finishes: NB, PN

LED: 85w

RL5672PN-EU
(European Wiring)

RL5673NB
Paxton 48" Ring Chandelier in Natural Brass
Height: 20" - 123"
Width: 48"
Canopy: 6.75" Round

Finishes: NB, PN

LED: 95w

RL5673NB-EU
(European Wiring)

RL5226PN-PN
Barrett Large Knurled Linear Chandelier in Polished Nickel with Polished Nickel Shades
O/A Height: 38"
Fixture Height: 12"
Min. Custom Height: 20"
Width: 59"
Canopy: 6" x 42.75" Oval

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5" x 7" x 4.75"

Socket:
5 - E12 Candelabra
Wattage: 5 - 40 C

RL5226PN-PN-EU
(European Wiring)

RL5226NB-NB
Barrett Large Knurled Linear Chandelier in Natural Brass with Natural Brass Shades

RL5226NB-NB-EU
(European Wiring)



RL5224NB-NB
Barrett Medium Knurled Chandelier in Natural Brass
O/A Height: 47"
Fixture Height: 19.5"
Min. Custom Height: 30"
Width: 37"
Canopy: 6" Round

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5" x 7" x 4.75"

Socket:
9 - E12 Candelabra
Wattage: 9 - 40 T

RL5224NB-NB-EU
(European Wiring)

RL5224PN-PN
Barrett Medium Knurled Chandelier in Polished Nickel with Polished Nickel Shades

RL5224PN-PN-EU
(European Wiring)

RL5225NB-NB
Barrett Large Knurled Chandelier in Natural Brass with Natural Brass Shades
O/A Height: 46.75"
Fixture Height: 19.5"
Min. Custom Height: 30"
Width: 43.5"
Canopy: 6" Round

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5" x 7" x 4.75"

Socket:
15 - E12 Candelabra
Wattage: 15 - 40 T

RL5225NB-NB-EU
(European Wiring)

RL5341NB/PW-CG
Hailee Medium Sculpted Chandelier in Natural Brass and Plaster White with Crystal
Height: 58.5"
Width: 32"
Canopy: 10.5" Round

Finishes:
NB/PW, PN/PW
Trim Options: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 T

RL5341NB/PW-CG-EU
(European Wiring)

RL5340PN/PW-CG
Hailee Small Sculpted Chandelier in Polished Nickel and Plaster White with Crystal
Height: 52.25"
Width: 16"
Canopy: 5.5" Round

Finishes:
NB/PW, PN/PW
Trim Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 T

RL5340PN/PW-CG-EU
(European Wiring)

RL5621NB-ALB
Kayla Medium Sculpted Chandelier in Natural Brass with Alabaster
Height: 53.5"
Width: 28"
Canopy: 6.25" Round

Finishes: NB, PN
Trim Options: ALB

Socket:
3 - E12 Candelabra
Wattage: 3 - 9w LED B

RL5621NB-ALB-EU
(European Wiring)

RL5620PN-ALB
Kayla Small Sculpted Chandelier in Polished Nickel with Alabaster
Height: 38.5"
Width: 20.5"
Canopy: 6.25" Round

Finishes: NB, PN
Trim Options: ALB

Socket:
2 - E12 Candelabra
Wattage: 2 - 9w LED B

RL5620PN-ALB-EU
(European Wiring)

RL5630NB
Natalie Large Chandelier
in Natural Brass
Height: 46.75"
Width: 36.75"
Canopy: 6" Round

Finishes: NB, PN

Socket:
8 - E12 Candelabra
Wattage: 8 - 60 C

RL5630NB-EU
(European Wiring)



RL5630PN
Natalie Large Chandelier
in Polished Nickel

RL5630PN-EU
(European Wiring)

RL5114BS
Evalina Chandelier
in Butler's Silver
Height: 47.5"
Width: 36"
Canopy: 4" Round

Finishes: BS, SN
Trim Options: CG

Socket:
12 - E12 Candelabra
Wattage: 12 - 60 C

RL5114BS-EU
(European Wiring)

RL5230GI-S
Adrianna Small Chandelier in Gilded Iron and Crystal with Silk Shades
Height: 34.25"
Width: 29"
Canopy: 6.75" Round

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5230GI-S-EU
(European Wiring)

RL5230AG-S
Adrianna Small Chandelier in Antique Gild with Antiqued Crystals and Silk Shades

RL5230AG-S-EU
(European Wiring)

RL5230ASL-S
Adrianna Small Chandelier in Antique Silver Leaf and Crystal with Silk Shades

RL5230ASL-S-EU
(European Wiring)

RL5231GI-S
Adrianna Medium Chandelier in Gilded Iron and Crystal with Silk Shades
Height: 44"
Width: 37.75"
Canopy: 6.75" Round

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
18 - E12 Candelabra
Wattage: 18 - 40 B

RL5231GI-S-EU
(European Wiring)

RL5231ASL-S
Adrianna Medium Chandelier in Antique Silver Leaf and Crystal with Silk Shades

RL5231ASL-S-EU
(European Wiring)

RL5233GI-S
Adrianna Large Chandelier in Gilded Iron and Crystal with Silk Shades
Height: 54"
Width: 44"
Canopy: 6.75" Round

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
24 - E12 Candelabra
Wattage: 24 - 40 B

RL5233GI-S-EU
(European Wiring)

RL5233ASL-S
Adrianna Large Chandelier in Antique Silver Leaf with Antiqued Crystals and Silk Shades

RL5233ASL-S-EU
(European Wiring)

RL5311NB
Antoinette Medium Chandelier in Natural Brass and Crystal
Height: 37.75"
Width: 35"
Canopy: 5" Round

Finishes: NB

Socket:
18 - E12 Candelabra
Wattage: 18 - 40 B

Note:
Shades Sold Separately

RL5311NB-EU
(European Wiring)

RL5262CG-L
Alexandra Large Chandelier in Crystal Glass and Natural Brass with Linen Shades
Height: 40"
Width: 41.25"
Canopy: 5.75" Round

Finishes: CG
Shade Treatments: L
Shade Details:
4" x 6" x 5.5"

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5262CG-L-EU
(European Wiring)

RL5010CG
Daniela Twenty Four-Light Chandelier in Crystal
Height: 60.5"
Width: 50"
Canopy: 7.5" Round

Finishes: CG

Socket:
24 - E12 Candelabra
Wattage: 24 - 40 B

RL5010CG-EU
(European Wiring)

RL5008CG
Daniela Two-Tier Chandelier in Crystal
Height: 50.25"
Width: 45.5"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5008CG-EU
(European Wiring)

RL5007CG
Daniela Wide Chandelier in Crystal
Height: 41"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5007CG-EU
(European Wiring)

RL5006CG
Daniela Medium Two-Tier Chandelier in Crystal
Height: 50.25"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Wattage: 12 - 60 C

RL5006CG-EU
(European Wiring)

RL5004CG
Daniela 4-Light Chandelier in Crystal
Height: 30.5"
Width: 21"
Canopy: 7.5" Round

Finishes: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5004CG-EU
(European Wiring)

RL5005CG
Daniela Medium One-Tier Chandelier in Crystal
Height: 41"
Width: 27.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5005CG-EU
(European Wiring)

RL5964CG
Crowley Grande Chandelier in Crystal
Height: 50"
Width: 43.5"
Canopy: 5.5" Round

Finishes: CG
Trim Options: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 C

RL5964CG-EU
(European Wiring)

RL5205BS
Lillianne Single Tier Chandelier in Butler's Silver

RL5205BS-EU
(European Wiring)

RL5205NB
Lillianne Single Tier Chandelier in Natural Brass
Height: 34.5"
Width: 44"
Canopy: 6.5" Round

Finishes: BS, NB

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 C

Note: SH3X6X5NS Sold Separately | Use 40 Watt Frosted Type "B" with Clip On Shade

RL5205NB-EU
(European Wiring)

RL5680ITG-S
Marylea Large Hand Carved Chandelier in Italian Gilt with Silk Pleated Shades
Height: 43"
Width: 39.75"
Canopy: 8" Round

Finishes: ITG
Shade Treatments: S
Shade Details:
4" x 6" x 5.5"

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 B

RL5680ITG-S-EU
(European Wiring)

RL5528BN-CG
Straton Single Tier Chandelier in Natural Bone with Antiqued Crystal

RL5528BN
Straton Single Tier Chandelier in Natural Bone
Height: 36"
Width: 36"
Canopy: 6.75" Round

Finishes: BN
Trim Option: ACG

Socket:
8 - E12 Candelabra
Wattage: 8 - 60 C

Note: UL Only

RL5529BN-CG
Straton Double Tier Chandelier in Natural Bone with Antiqued Crystal
Height: 44"
Width: 42"
Canopy: 6.75" Round

Finishes: BN
Trim Option: ACG

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 C

Note: UL Only

RL5531BN
Straton Wide Chandelier in Natural Bone
Height: 35"
Width: 57"
Canopy: 6.75" Round

Finishes: BN
Trim Option: ACG

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 C

Note: UL Only

RL5531BN-CG
Straton Wide Chandelier in Natural Bone with Antiqued Crystal

RL5530BN-CG
Straton Triple Tier Chandelier in Natural Bone with Antiqued Crystal
Height: 56"
Width: 53"
Canopy: 6.75" Round

Finishes: BN
Trim Option: ACG

Socket:
18 - E12 Candelabra
Wattage: 18 - 40 C

Note: UL Only

RL5730AI
Allegra Large
Two-Tiered
Chandelier in
Aged Iron

RL5730AI-EU
(European Wiring)

RL5729AI
Allegra Medium
Chandelier in
Aged Iron
Height: 35"
Width: 44"
Canopy: 7.5" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 B

RL5729AI-EU
(European Wiring)

RL5728AI
Allegra Small
Chandelier in
Aged Iron
Height: 26.25"
Width: 33.25"
Canopy: 7.5" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Wattage: 6 - 40 B

RL5728AI-EU
(European Wiring)

RL5730AI
Allegra Large
Two-Tiered Chandelier
in Aged Iron
Height: 37.5"
Width: 69"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5730AI-EU
(European Wiring)

RL5750AI
Branson Small
One-Tier Ring
Torch Chandelier
in Aged Iron
Height: 30.5"
Width: 28.25"
Canopy: 7.5" Round

Finishes: AI

Socket:
8 - E12 Candelabra
Wattage: 8 - 40 B

RL5750AI-EU
(European Wiring)

RL5752AI
Branson Medium
Two-Tiered Ring
Torch Chandelier
in Aged Iron
Height: 54.5"
Width: 48.5"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5752AI-EU
(European Wiring)



RL5753AI
Branson Large
One-Tier Ring
Torch Chandelier
in Aged Iron
Height: 38.25"
Width: 68.25"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Wattage: 12 - 40 B

RL5753AI-EU
(European Wiring)

RL5754AI
Branson Large
Two-Tier Ring
Torch Chandelier
in Aged Iron
Height: 63"
Min. Custom Height: 75"
Width: 68.5"
Canopy: 8" Round

Finishes: AI

Socket:
20 - E12 Candelabra
Wattage: 20 - 60 C

RL5754AI-EU
(European Wiring)



RL5540NR
Robertson Single Tier Chandelier in Natural Rust
Height: 27.5"
Width: 43"
Canopy: 8" Octagon

Finishes: NR

Socket:
8 - E12 Candelabra
Wattage: 8 - 60 C

RL5540NR-EU
(European Wiring)

RL5542NR
Robertson Double Tier Chandelier in Natural Rust
Height: 40.25"
Width: 65.75"
Canopy: 8" Octagon

Finishes: NR

Socket:
16 - E12 Candelabra
Wattage: 16 - 60 C

RL5542NR-EU
(European Wiring)

RL5545NR
Robertson Linear Chandelier in Natural Rust
Height: 26"
Width: 54"
Canopy: 7.5" Octogon

Finishes: NR

Socket:
10 - E12 Candelabra
Wattage: 10 - 40 B

RL5545NR-EU
(European Wiring)

RL5742AI-RG
Beatrice Large Lantern in Aged Iron with Restoration Glass
Height: 41.5"
Width: 24"
Canopy: 8" Round

Finishes: AI, GI
Glass Options: RG

Socket:
4 - E12 Candelabra
Wattage: 4 - 40 B

RL5742AI-RG-EU
(European Wiring)

RL5783AI
Ancaster Grande Blacksmith Lantern in Aged Iron
Height: 61"
Width: 34.75"
Canopy: 5.75" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

Note: Special Installation Required

RL5783AI-EU
(European Wiring)

RL5780AI
Ancaster Small Blacksmith Lantern in Aged Iron
Height: 21"
Width: 12"
Canopy: 5.75" Round

Finishes: AI

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

RL5780AI-EU
(European Wiring)

RL5782AI
Ancaster Large Blacksmith Lantern in Aged Iron
Height: 41"
Width: 23"
Canopy: 5.75" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5782AI-EU
(European Wiring)

RL5781AI
Ancaster Medium Blacksmith Lantern in Aged Iron
Height: 31.25"
Width: 17.25"
Canopy: 5.75" Round

Finishes: AI

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5781AI-EU
(European Wiring)

RL5060BZ-WG
Cannes Pendant in Bronze with White Glass
Height: 30.5"
Width: 22"
Canopy: 6" Octagon

Finishes: BZ, PN
Glass Options: AM, WG

Socket:
4 - E26 Keyless
Wattage: 4 - 40 A

RL5060BZ-WG-EU
(European Wiring)

RL5060PN-WG
Cannes Pendant in Polished Nickel with White Glass

RL5060PN-WG-EU
(European Wiring)

RL5642BZ-CG
Edmund Medium Lantern in Bronze with Clear Beveled Glass
Height: 34.5"
Width: 23.75"
Canopy: 7" Octagon

Finishes:
BZ, NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5642BZ-CG-EU
(European Wiring)

RL5642NB-CG
Edmund Medium Lantern in Natural Brass with Clear Beveled Glass

RL5642NB-CG-EU
(European Wiring)

RL5643PN-CG
Edmund Large Lantern in Polished Nickel with Clear Beveled Glass
Height: 43.5"
Width: 31"
Canopy: 7" Octagon

Finishes:
BZ, NB, PN
Glass Options: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5643PN-CG-EU
(European Wiring)

RL5643NB-CG
Edmund Large Lantern in Natural Brass with Clear Beveled Glass

RL5643NB-CG-EU
(European Wiring)

RL5064NB-CG
Rivington Medium
Eight-Paneled Chandelier
in Natural Brass
with Clear Glass
O/A Height: 37.5"
Fixture Height: 12.5"
Min. Custom Height: 29"
Width: 31.75"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket: 8 - E26 Keyless
Wattage: 8 - 40 A

RL5064NB-CG-EU
(European Wiring)

RL5064BZ-CG
Rivington Medium
Eight-Paneled Chandelier
in Bronze with
Clear Ribbed Glass

RL5064BZ-CG-EU
(European Wiring)

RL5064NB-WG
Rivington Medium
Eight-Paneled Chandelier
in Natural Brass
with White Glass

RL5064NB-WG-EU
(European Wiring)

RL5064PN-WG
Rivington Medium
Eight-Paneled Chandelier
in Polished Nickel
with White Glass

RL5064PN-WG-EU
(European Wiring)

RL5065NB
Rivington Large
Ten-Paneled Chandelier
in Natural Brass with
Antiqued Ribbed Mirror
O/A Height: 44.75"
Fixture Height: 16"
Min. Custom Height: 30"
Width: 42"
Canopy: 8" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket:
10 - E26 Keyless
Wattage: 10 - 60 A

RL5065NB-EU
(European Wiring)

RL5065PN
Rivington Large
Ten-Paneled Chandelier
in Polished Nickel
with Ribbed Mirror

RL5065PN-EU
(European Wiring)

RL5067NB-AM
Rivington Large Billiard Chandelier in Natural Brass with Antiqued Ribbed Mirror
O/A Height: 46.5"
Fixture Height: 23.5"
Min. Custom Height: 35"
Width: 56.25"
Canopy:
7.5" x 30.25" Rec.

Finishes:
BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket:
7 - E26 Keyless
Wattage: 7 - 40 A

RL5067NB-AM-EU
(European Wiring)

RL5067PN-CG
Rivington Large Billiard Chandelier in Polished Nickel with Clear Ribbed Glass

RL5067PN-CG-EU
(European Wiring)

RL5067BZ-WG
Rivington Large Billiard Chandelier in Bronze with White Glass

RL5067BZ-WG-EU
(European Wiring)

RL5075NB-FA
Perry Medium Linear Pendant in Natural Brass and Glass Rods with White Glass
O/A Height: 25"
Fixture Height: 5"
Min. Custom Height: 10"
Width: 55" x 18"
Canopy:
7" x 25.5" Rec.

Finishes: NB, PN
Glass Options: WG

Socket:
16 - E26 Keyless
Wattage: 16 - 40 T

RL5075NB-FA-EU
(European Wiring)

RL5075PN-FA
Perry Medium Linear Pendant in Polished Nickel and Glass Rods with White Glass

RL5075PN-FA-EU
(European Wiring)

RL5089NB
Allen Medium Linear Pendant in Natural Brass and Glass Rods
O/A Height: 42"
Fixture Height: 8"
Min. Custom Height: 10.5"
Width: 48.25" x 8"
Canopy:
4.5" x 20.25" Oval

Finishes: NB, PN

Socket:
6 - E26 Keyless
Wattage: 6 - 40 T

Note: Requires Special Assembly and Installation | Custom Height Available

RL5089NB-EU
(European Wiring)

RL5089PN
Allen Medium Linear Pendant in Polished Nickel and Glass Rods

RL5089PN-EU
(European Wiring)

RL5082NB
Allen Large Chandelier in Natural Brass and Glass Rods
O/A Height: 44"
Fixture Height: 16"
Min. Custom Height: 21"
Width: 18"
Canopy: 4.5" Round

Finishes: NB, PN
Glass Options: CG

Socket:
8 - E26 Keyless
Wattage: 8 - 40 A

RL5082NB-EU
(European Wiring)

RL5082PN
Allen Large Chandelier in Polished Nickel and Glass Rods

RL5082PN-EU
(European Wiring)

RL5086NB
Allen Large Tiered Chandelier in Natural Brass and Glass Rods
O/A Height: 48.25"
Fixture Height: 13"
Min. Custom Height: 21"
Width: 32"
Canopy: 12.25" Round

Finishes: NB, PN
Glass Options: CG

Socket:
20 - E17 Keyless
Wattage: 20 - 25 T

RL5086NB-EU
(European Wiring)

RL5086PN
Allen Large Tiered Chandelier in Polished Nickel and Glass Rods

RL5086PN-EU
(European Wiring)

RL5081NB
Allen Small Pendant in Natural Brass and Glass Rods
O/A Height: 47.5"
Fixture Height: 13.25"
Min. Custom Height: 16.25"
Width: 5.75"
Canopy: 4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 60 T

Note:
Custom Height Available

RL5081NB-EU
(European Wiring)

RL5081PN
Allen Small Pendant in Polished Nickel and Glass Rods

RL5081PN-EU
(European Wiring)

RL5080NB
Allen Mini Pendant in Natural Brass and Glass Rods
O/A Height: 45"
Fixture Height: 11"
Min. Custom Height: 17"
Width: 3.25"
Canopy: 4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 40 T

Note:
Custom Height Available

RL5080NB-EU
(European Wiring)

RL5080PN
Allen Mini Pendant in Polished Nickel and Glass Rods

RL5080PN-EU
(European Wiring)

RL5087NB
Allen Medium Pendant in Natural Brass and Glass Rods with White Glass
O/A Height: 46.5"
Fixture Height: 20.5"
Min. Custom Height: 23.25"
Width: 12.25"
Canopy: 4.5" Round

Finishes: NB, PN
Glass Options: WG

Socket:
6 - E26 Keyless
Wattage: 6 - 60 T

RL5087NB-EU
(European Wiring)

RL5087PN
Allen Medium Pendant in Polished Nickel and Glass Rods with White Glass

RL5087PN-EU
(European Wiring)

RL5222NB-CG
Barrett Small Knurled Pendant in Natural Brass with Clear Glass
O/A Height: 54"
Fixture Height: 19"
Min. Custom Height: 28"
Width: 7"
Canopy: 6" Round

Finishes: NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

Note:
Custom Height Available

RL5222NB-CG-EU
(European Wiring)

RL5220PN-CG
Barrett Medium Knurled Pendant in Polished Nickel with Clear Glass
O/A Height: 56.5"
Fixture Height: 20.25"
Min. Custom Height: 30"
Width: 13"
Canopy: 6" Round

Finishes: NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

Note:
Custom Height Available

RL5220PN-CG-EU
(European Wiring)

RL5030NB-EC
Barton Mini Single Pendant in Natural Brass with Etched Crystal
O/A Height: 49"
Fixture Height: 13.25"
Min. Custom Height: 21"
Width: 2.5"
Canopy: 4.5" Round

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 12w

Note:
Custom Height Available

RL5030NB-EC-EU
(European Wiring)

RL5030BZ-EC
Barton Mini Single Pendant in Bronze with Etched Crystal

RL5030BZ-EC-EU
(European Wiring)

RL5030PN-EC
Barton Mini Single Pendant in Polished Nickel with Etched Crystal

RL5030PN-EC-EU
(European Wiring)

RL5652NB/SDL-CG
Julian Medium Lantern in Natural Brass and Saddle Leather with Clear Glass
Height: 25.5"
Width: 14"
Canopy: 6" Round

Finishes:
NB/SDL, PN/CHC
Glass Options:
CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 B

RL5652NB/SDL-CG-EU
(European Wiring)

RL5652PN/CHC-CG
Julian Medium Lantern in Polished Nickel and Chocolate Leather with Clear Glass

RL5652PN/CHC-CG-EU
(European Wiring)

RL5653NB/SDL-CG
Julian Large Lantern in Natural Brass and Saddle Leather with Clear Glass
Height: 33.5"
Width: 18.5"
Canopy: 6" Round

Finishes:
NB/SDL, PN/CHC
Glass Options:
CG

Socket:
3 - E26 Keyless
Wattage: 3 - 60 T

RL5653NB/SDL-CG-EU
(European Wiring)

RL5653PN/CHC-CG
Julian Large Lantern in Polished Nickel and Chocolate Leather with Clear Glass

RL5653PN/CHC-CG-EU
(European Wiring)

RL5147NB-CG
Chatham Small Lantern
in Natural Brass
with Clear Glass
O/A Height: 44"
Fixture Height: 12.75"
Min. Custom Height: 27"
Width: 13.25"
Canopy: 5.75" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

RL5147NB-CG-EU
(European Wiring)

RL5147PN-CG
Chatham Small Lantern
in Polished Nickel
with Clear Glass

RL5147PN-CG-EU
(European Wiring)

RL5148NB-CG
Chatham Large Lantern
in Natural Brass
with Clear Glass
O/A Height: 44"
Fixture Height: 17"
Min. Custom Height: 32"
Width: 18.5"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 T

RL5148NB-CG-EU
(European Wiring)

RL5148PN-CG
Chatham Large Lantern
in Polished Nickel
with Clear Glass

RL5148PN-CG-EU
(European Wiring)

RL5147PN-CG
Chatham Small Lantern
in Polished Nickel
with Clear Glass

RL5147PN-CG-EU
(European Wiring)

RL5180NB
Westbury Lantern in Natural Brass and Saddle Leather
Height: 36"
Width: 16"
Canopy: 7.5" Round

Finishes: NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5180NB-EU
(European Wiring)

RL5180PN
Westbury Lantern in Polished Nickel and Chocolate Leather

RL5180PN-EU
(European Wiring)

RL5175NB
Modern Small Lantern in Natural Brass
O/A Height: 55.25"
Fixture Height: 17"
Min. Custom Height: 23"
Width: 9"
Canopy: 6" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

RL5175NB-EU
(European Wiring)

RL5175BZ
Modern Small Lantern in Bronze

RL5175BZ-EU
(European Wiring)

RL5175PN
Modern Small Lantern in Polished Nickel

RL5175PN-EU
(European Wiring)

RL5177NB
Modern Large Lantern in Natural Brass
O/A Height: 71.5"
Fixture Height: 31"
Min. Custom Height: 39"
Width: 15.25"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5177NB-EU
(European Wiring)

RL5177BZ
Modern Large Lantern in Bronze

RL5177BZ-EU
(European Wiring)

RL5177PN
Modern Large Lantern in Polished Nickel

RL5177PN-EU
(European Wiring)

RL5156BZ
Upton Large Lantern in Bronze with Clear and White Glass
O/A Height: 36" - 78"
Fixture Height: 28.5"
Width: 14"
Canopy: 8" Round

Finishes: BZ, PN

Socket: E26 Keyless
Wattage: 60 T

RL5156BZ-EU
(European Wiring)

RL5156PN
Upton Large Lantern in Polished Nickel with Clear and White Glass

RL5156PN-EU
(European Wiring)

RL5810BZ-CG
Ollie Medium Hurricane Lantern in Bronze with Clear Glass
Height: 28"
Width: 12"
Canopy: 5.75" Round

Finishes: BZ
Glass Options: CG

LED: 18w

RL5810BZ-CG-EU
(European Wiring)

RL5811BZ-CG
Ollie Large Hurricane Lantern in Bronze with Clear Glass
Height: 35.5"
Width: 18"
Canopy: 5.75" Round

Finishes: BZ
Glass Options: CG

LED: 30w

RL5811BZ-CG-EU
(European Wiring)

RL5771AI/ALB
Michaela Small Elongated Chandelier in Aged Iron and Alabaster
Height: 46"
Width: 18"
Canopy: 6" Square

Finishes: AI/ALB

LED: 27w

RL5771AI/ALB-EU
(European Wiring)

RL5770AI/ALB
Michaela Small Wide Chandelier in Aged Iron and Alabaster
Height: 20.5"
Width: 18"
Canopy: 6" Square

Finishes: AI/ALB

LED: 27w

RL5770AI/ALB-EU
(European Wiring)

RL5773AI/ALB
Michaela Large Chandelier in Aged Iron and Alabaster
Height: 39"
Width: 28"
Canopy: 6" Square

Finishes: AI/ALB

LED: 36w

RL5773AI/ALB-EU
(European Wiring)



RL5042NB-PW
Cara Large Sculpted Pendant in Natural Brass with Plaster White Shade
O/A Height: 47.75"
Min. Custom Height: 31"
Width: 40"
Canopy: 7" Round

Finishes:
BZ, NB, PN
Shade Treatments: PW

LED: 18w

Note:
Cannot Be Modified in the Field | Custom Height Available

RL5042NB-PW-EU
(European Wiring)

RL5041BZ-PW
Cara Medium Sculpted Pendant in Bronze with Plaster White Shade
O/A Height: 34"
Min. Custom Height: 23"
Width: 28"
Canopy: 6.25" Round

Finishes:
BZ, NB, PN
Shade Treatments: PW

LED: 18w

Note:
Cannot Be Modified in the Field | Custom Height Available

RL5041BZ-PW-EU
(European Wiring)



RL5041PN-PW
Cara Medium Sculpted Pendant in Polished Nickel with Plaster White Shade

RL5041PN-PW-EU
(European Wiring)

RL5739AI
Naomi Hand-Forged Hanging Shade in Aged Iron
O/A Height: 40.25"
Fixture Height: 12"
Min. Custom Height: 24.75"
Width: 26.25"
Canopy: 5.5" Round

Finishes: AI

Socket: 3 - E26 Keyless
Wattage: 3 - 60 B

RL5739AI-EU
(European Wiring)

RL5532NB-SDL
Karlie Large Hanging Shade in Natural Brass with Saddle Leather and Acrylic Diffuser
Height: 51"
Min. Custom Height: 34.5"
Width: 30.25"
Canopy: 5.75" Round

Finishes:
NB/SDL, PN/CHC

Socket:
3 - E26 Keyless
Wattage: 3 - 60 B

RL5532NB-SDL-EU
(European Wiring)

RL5532PN-CHC
Karlie Large Hanging Shade in Polished Nickel with Chocolate Leather Shade and Acrylic Diffuser

RL5532PN-CHC-EU
(European Wiring)

RL5252BZ-SP
Windsor Large Hanging Shade in Bronze with Boxpleat Silk Shade
Height: 43"
Min. Custom Height: 28"
Width: 30"
Canopy: 7" Octagon

Finishes:
BZ, NB, PN
Shade Treatments: SP

Socket:
8 - E12 Candelabra
Wattage: 8 - 60 B

RL5252BZ-SP-EU
(European Wiring)

RL5252NB-SP
Windsor Large Hanging Shade in Natural Brass with Boxpleat Silk Shade

RL5252NB-SP-EU
(European Wiring)

RL5252PN-SP
Windsor Large Hanging Shade in Polished Nickel with Boxpleat Silk Shade

RL5252PN-SP-EU
(European Wiring)

RL5534NB/SDL-L/SDL
Cody Large Hanging Shade in Natural Brass with Linen Shade and Saddle Leather Trim
Height: 20.75"
O/A Height: 43"
Min. Custom Height: 26.75"
Width: 32"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
30" x 32" x 14.75"

Socket: 3 - E26 Keyless
Wattage: 3 - 60 A

Note: Custom Height Available | Chain Available

RL5534NB/SDL-L/SDL-EU
(European Wiring)

RL5533NB/NVY-L/NVY
Cody Medium Hanging Shade in Natural Brass with Linen Shade and Navy Leather Trim
O/A Height: 41.5"
Min. Custom Height: 25"
Width: 24"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
22.5" x 24" x 12"

Socket: 3 - E26 Keyless
Wattage: 3 - 60 A

Note: Custom Height Available | Chain Available

RL5533NB/NVY-L/NVY-EU
(European Wiring)

RL5533PN/CHC-L/CHC
Cody Medium Hanging Shade in Polished Nickel with Linen Shade and Chocolate Leather Trim

RL5533PN/CHC-L/CHC-EU
(European Wiring)

RL5162NB-L
Broomfield Large Hanging Shade in Natural Brass and Saddle Leather with Linen Shade
Height: 28.25"
Width: 32"
Canopy: 7.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
32" x 32" x 14"

Socket:
4 - E26 Keyless
Wattage: 4 - 60 A

RL5162NB-L-EU
(European Wiring)

RL5161NB-L
Broomfield Small Hanging Shade in Natural Brass and Saddle Leather with Linen Shade
Height: 22.25"
Width: 24"
Canopy: 7.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
24" x 24" x 11"

Socket:
3 - E26 Keyless
Wattage: 3 - 60 A

RL5161NB-L-EU
(European Wiring)

RL5161PN-L
Broomfield Small Hanging Shade in Polished Nickel and Chocolate Leather with Linen Shade

RL5161PN-L-EU
(European Wiring)

RL5122IS-BK
Fulton Large Pendant in Industrial Steel with Black Enamel Shade
O/A Height: 62.25"
Fixture Height: 23.5"
Min. Custom Height: 34.5"
Width: 22"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

Note:
Custom Height Available

RL5122IS-BK-EU
(European Wiring)

RL5122PN-PN
Fulton Large Pendant in Polished Nickel

RL5122PN-PN-EU
(European Wiring)

RL5122PN-WT
Fulton Large Pendant in Polished Nickel with White Enamel Shade

RL5122PN-WT-EU
(European Wiring)

RL5121IS-BK
Fulton Medium Pendant in Industrial Steel with Black Enamel Shade
O/A Height: 56.75"
Fixture Height: 18.5"
Min. Custom Height: 29"
Width: 17"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

Note:
Custom Height Available

RL5121IS-BK-EU
(European Wiring)

RL5121PN-PN
Fulton Medium Pendant in Polished Nickel

RL5121PN-PN-EU
(European Wiring)

RL5121PN-WT
Fulton Medium Pendant in Polished Nickel with White Enamel Shade

RL5121PN-WT-EU
(European Wiring)

RL5120IS-BK
Fulton Small Pendant in Industrial Steel with Black Enamel Shade
O/A Height: 52.25"
Fixture Height: 13"
Min. Custom Height: 19.25"
Width: 13"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

Note:
Custom Height Available

RL5120IS-BK-EU
(European Wiring)

RL5120PN-PN
Fulton Small Pendant in Polished Nickel

RL5120PN-PN-EU
(European Wiring)

RL5120PN-WT
Fulton Small Pendant in Polished Nickel with White Enamel Shade

RL5120PN-WT-EU
(European Wiring)

RL5119IS-BK
Fulton Mini Pendant in Industrial Steel with Black Enamel Shade
O/A Height: 46.5"
Fixture Height: 8"
Min. Custom Height: 18"
Width: 6.75"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 60 A

Note:
Custom Height Available

RL5119IS-BK-EU
(European Wiring)

RL5119PN-PN
Fulton Mini Pendant in Polished Nickel

RL5119PN-PN-EU
(European Wiring)

RL5119PN-WT
Fulton Mini Pendant in Polished Nickel with White Enamel Shade

RL5119PN-WT-EU
(European Wiring)

RL5101NB-CG
Cambridge Medium Smoke Bell Lantern in Natural Brass with Clear Glass

RL5101NB-CG-EU
(European Wiring)

RL5101NB-CG
Cambridge Medium Smoke Bell Lantern in Natural Brass with Clear Glass
Height: 30.5"
Width: 14.25"
Canopy: 5" Round

Finishes: BS, NB
Glass Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

RL5101NB-CG-EU
(European Wiring)

RL5103BS-CG
Cambridge Large Smoke Bell Lantern in Butler's Silver with Clear Glass
Height: 38.5"
Width: 19.25"
Canopy: 7" Round

Finishes: BS, NB
Glass Options: CG

Socket:
6 - E12 Candelabra
Wattage: 6 - 60 C

RL5103BS-CG-EU
(European Wiring)

RL5400NB-WG
Hendricks Small Globe Pendant in Natural Brass with White Glass
O/A Height: 49"
Fixture Height: 16.5"
Min. Custom Height: 21"
Width: 12"
Canopy: 6.75" Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

Note:
Custom Height Available

RL5400NB-WG-EU
(European Wiring)

RL5402PN-WG
Hendricks Large Globe Pendant in Polished Nickel with White Glass
O/A Height: 55"
Fixture Height: 23"
Min. Custom Height: 27"
Width: 18"
Canopy: 6.75" Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

Note:
Custom Height Available

RL5402PN-WG-EU
(European Wiring)

RL5415BS-WG
Xavier Small Pendant in Butler's Silver with White Glass
Height: 23.5"
Width: 14"
Canopy: 4.75" Round

Finishes:
BS, BZ, NB
Glass Options: WG

Socket: E26 Keyless
Wattage: 75 A

RL5415BS-WG-EU
(European Wiring)

RL5415NB-WG
Xavier Small Pendant in Natural Brass with White Glass

RL5415NB-WG-EU
(European Wiring)

RL5415BZ-WG
Xavier Small Pendant in Bronze with White Glass

RL5415BZ-WG-EU
(European Wiring)

RL5460NB-WG
McCarren Small Globe Pendant in Natural Brass with White Glass
O/A Height: 46.5"
Fixture Height: 17.25"
Min. Custom Height: 26"
Width: 12"
Canopy: 5.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 75 A

Note: Custom Height Available | Requires A-15 Bulb.

RL5460NB-WG-EU
(European Wiring)

RL5460BZ-WG
McCarren Small Globe Pendant in Bronze with White Glass

RL5460BZ-WG-EU
(European Wiring)

RL5460PN-WG
McCarren Small Globe Pendant in Polished Nickel with White Glass

RL5460PN-WG-EU
(European Wiring)

RL4462NB-WG
McCarren Large Flush Mount in Natural Brass with White Glass
Height: 20.75"
Width: 16.25"
Canopy: 7.75" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL4462NB-WG-EU
(European Wiring)

RL4462PN-WG
McCarren Large Flush Mount in Polished Nickel with White Glass

RL4462PN-WG-EU
(European Wiring)

RL4461NB-WG
McCarren Medium Flush Mount in Natural Brass with White Glass
Height: 16"
Width: 12"
Canopy: 6" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL4461NB-WG-EU
(European Wiring)

RL4461PN-WG
McCarren Medium Flush Mount in Polished Nickel with White Glass

RL4461PN-WG-EU
(European Wiring)

RL4460NB-WG
McCarren Small Flush Mount in Natural Brass with White Glass
Height: 11.75"
Width: 8"
Canopy: 6" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL4460NB-WG-EU
(European Wiring)

RL4460PN-WG
McCarren Small Flush Mount in Polished Nickel with White Glass

RL4460PN-WG-EU
(European Wiring)

RL19024BN
Marine Porthole Large Flush Mount in Natural Brass with White Glass
Height: 5.5"
Width: 16"

Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19024BN-EU
(European Wiring)

RL19024PN
Marine Porthole Large Flush Mount in Polished Nickel with White Glass

RL19024PN-EU
(European Wiring)

RL19025BN
Marine Porthole Medium Flush Mount in Natural Brass with White Glass
Height: 5"
Width: 12.5"

Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19025BN-EU
(European Wiring)

RL19025PN
Marine Porthole Medium Flush Mount in Polished Nickel with White Glass

RL19025PN-EU
(European Wiring)

RL19026BN
Marine Porthole Small Flush Mount in Natural Brass with White Glass
Height: 4.5"
Width: 9.5"

Finishes: NB, PN
Glass Options: FG

Socket: E26 Keyless
Wattage: 60 A

RL19026BN-EU
(European Wiring)

RL19026PN
Marine Porthole Small Flush Mount in Polished Nickel with White Glass

RL19026PN-EU
(European Wiring)

RL4800NB
Allen Medium Round Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 7.5"
Width: 12.25"

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Wattage: 3 - 40 A

RL4800NB-EU
(European Wiring)

RL4800PN
Allen Medium Round Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4800PN-EU
(European Wiring)

RL4802NB
Allen Large Round Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 7"
Width: 18"

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Wattage: 3 - 60 T

RL4802NB-EU
(European Wiring)

RL4802PN
Allen Large Round Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4802PN-EU
(European Wiring)

RL4804PN
Allen Grande Flush Mount in Polished Nickel and Glass Rods with White Glass
Height: 9.25"
Width: 24"

Finishes: NB, PN
Glass Options: WG

Socket:
6 - E26 Keyless
Wattage: 6 - 40 T

RL4804PN-EU
(European Wiring)

RL4801NB
Allen Small Round Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 4.5"
Width: 12"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 B

RL4801NB-EU
(European Wiring)

RL4801PN
Allen Small Round Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4801PN-EU
(European Wiring)

RL4072NB-FA
Perry Large Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 4"
Width: 14"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

RL4072NB-FA-EU
(European Wiring)

RL4072PN-FA
Perry Large Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4072PN-FA-EU
(European Wiring)

RL4803NB
Allen Square Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 4.5"
Width: 12.25"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 T

RL4803NB-EU
(European Wiring)

RL4803PN
Allen Square Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4803PN-EU
(European Wiring)

RL4090PN-WG
Ella Woven Small Flush Mount in Polished Nickel with White Glass
Height: 6"
Width: 14"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL4090PN-WG-EU
(European Wiring)

RL4090NB-WG
Ella Woven Small Flush Mount in Natural Brass with White Glass

RL4090NB-WG-EU
(European Wiring)

RL4143PN-WG
Crosby Flush Mount in Polished Nickel with White Glass
Height: 8.25"
Width: 13"

Finishes: AI, PN
Glass Options: CG, WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL4143PN-WG-EU
(European Wiring)

RL4143AI-CG
Crosby Flush Mount in Aged Iron with Clear Glass

RL4143AI-CG-EU
(European Wiring)

RL19023PN
Berling Large Flush Mount in Polished Nickel with Frosted Glass
Height: 4.5"
Width: 18"

Finishes: PN
Glass Options: FG

Socket:
3 - E26 Keyless
Wattage: 3 - 60 A

RL19023PN-EU
(European Wiring)

RL19022PN
Berling Small Flush Mount in Polished Nickel with Frosted Glass
Height: 4.25"
Width: 12.75"

Finishes: PN
Glass Options: FG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

RL19022PN-EU
(European Wiring)

RL4127NB
Grant 4.5" Solitaire Flush Mount in Natural Brass
Height: 1.5"
Width: 4.5"
Canopy: 4.5" Round

Finishes:
BZ, NB, PN

LED: 12w

RL4127NB-EU
(European Wiring)

RL4127PN
Grant 4.5" Solitaire Flush Mount in Polished Nickel

RL4127PN-EU
(European Wiring)

RL4128BZ
Grant 6.25" Solitaire Flush Mount in Bronze
Height: 1.75"
Width: 6.25"
Canopy: 6.25" Round

Finishes:
BZ, NB, PN

LED: 15w

RL4128BZ-EU
(European Wiring)

RL4128PN
Grant 6.25" Solitaire Flush Mount in Polished Nickel

RL4128PN-EU
(European Wiring)

RL4967NB/Q
Ellis Petite Flush Mount in Natural Brass and Natural Quartz
Height: 3"
Width: 5"

Finishes: NB, PN
Glass Options: Q

LED: 6w

RL4967NB/Q-EU
(European Wiring)

RL4967PN/Q
Ellis Petite Flush Mount in Polished Nickel and Natural Quartz

RL4967PN/Q-EU
(European Wiring)

WALL

RL2262CG-L
Alexandra Large Sconce in Crystal Glass and Natural Brass with Linen Shades
Height: 26.5"
Width: 23.75"
Extension: 10.75"
Backplate:
6" Semi-Circle

Finishes: CG
Shade Treatments: L
Shade Details:
4" x 6" x 5.5"

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2262CG-L-EU
(European Wiring)

RL2311NB
Antoinette Large Sconce in Natural Brass and Crystal
Height: 24.75"
Width: 17"
Extension: 13"
Backplate: 5" Round

Finishes: NB

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

Note:
Shades Sold Separately

RL2311NB-EU
(European Wiring)

RL2005CG
Daniela Medium Double Sconce in Crystal
Height: 23.5"
Width: 18.5"
Extension: 12.5"
Backplate: 5.5" Round

Finishes: CG

Socket:
2 - E12 Candelabra
Wattage: 2 - 60 C

RL2005CG-EU
(European Wiring)

RL2262CG-L
Alexandra Large Sconce in Crystal Glass and Natural Brass with Linen Shades

RL2262CG-L-EU
(European Wiring)

RL2280GI-CG
Alessandra Large Chandelier Sconce in Gilded Iron with Crystal
Height: 24.25"
Width: 12.5"
Extension: 8"
Backplate: 5" Round

Finishes:
AG, ASL, GI
Trim Options: CG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2280GI-CG-EU
(European Wiring)

RL2280ASL-CG
Alessandra Large Chandelier Sconce in Antique Silver Leaf with Crystal

RL2280ASL-CG-EU
(European Wiring)

RL2231AG-S
Adrianna Double Sconce in Antique Gild with Antiqued Crystals and Silk Shades
Height: 25"
Width: 14"
Extension: 10"
Backplate:
5.5" x 7.5" Oval

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2231AG-S-EU
(European Wiring)

RL2231ASL-S
Adrianna Double Sconce in Antique Silver Leaf and Crystal with Silk Shades

RL2231ASL-S-EU
(European Wiring)

RL2232GI-S
Adrianna Triple Sconce in Gilded Iron and Crystal with Silk Shades
Height: 27.5"
Width: 16.5"
Extension: 11.25"
Backplate:
5.5" x 7.5" Oval

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
3 - E12 Candelabra
Wattage: 3 - 40 B

RL2232GI-S-EU
(European Wiring)

RL2232AG-S
Adrianna Triple Sconce in Antique Gild with Antiqued Crystals and Silk Shades

RL2232AG-S-EU
(European Wiring)

RL2232ASL-S
Adrianna Triple Sconce in Antique Silver Leaf and Crystal with Silk Shades

RL2232ASL-S-EU
(European Wiring)

RL2105BS-S
Aymeline Single Sconce in Butler's Silver with Silk Shade
Height: 10"
Width: 7"
Extension: 12"
Backplate: 6" Round

Finishes: BS
Shade Treatments: S
Shade Details:
4" x 7" x 5.5"

Socket:
E12 Candelabra
Wattage: 60 B

RL2105BS-S-EU
(European Wiring)

RL2160NB
Westbury Mirrored Sconce in Natural Brass
Height: 11"
Width: 7.75"
Extension: 4.25"
Backplate:
3" x 4" Rec.

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 60 A

Note: Requires Smaller Outlet Box

RL2160NB-EU
(European Wiring)

RL2160PN
Westbury Mirrored Sconce in Polished Nickel

RL2160PN-EU
(European Wiring)

RL2330CG/NB-L
Sable Tail Sconce in Crystal and Natural Brass with Linen Shade
Height: 15.25"
Width: 5"
Extension: 7"
Backplate: 4.5" Round

Finishes:
CG/NB, CG/PN
Shade Treatments: L
Shade Details:
3.75" x 5" x 4.75"

Socket:
E12 Candelabra
Wattage: 40 B

RL2330CG/NB-L-EU
(European Wiring)

RL2330CG/PN-L
Sable Tail Sconce in Crystal and Polished Nickel with Linen Shade

RL2330CG/PN-L-EU
(European Wiring)

RL2007NB-P
Evans Double Arm Sconce in Natural Brass with Percale Shade
Height: 9.5"
Width: 12.75"
Extension: 6.75"
Backplate: 4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 4.5"

Socket:
2 - E12 Candelabra
Wattage: 2 - 25 B

RL2007NB-P-EU
(European Wiring)

RL2004NB-P
Evans Library Sconce in Natural Brass with Percale Shade
Height: 9.5"
Width: 5"
Extension: 7.25"
Backplate:
2.5" x 4.25" Rec.

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 4.5"

Socket:
E12 Candelabra
Wattage: 25 B

Note: Requires Smaller Outlet Box

RL2004NB-P-EU
(European Wiring)

RL2003PN-P
Evans Single Arm Sconce in Polished Nickel with Percale Shade
Height: 9.5"
Width: 5"
Extension: 7.25"
Backplate:
4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 5"

Socket:
E12 Candelabra
Wattage: 25 B

Note: Requires Smaller Outlet Box

RL2003PN-P-EU
(European Wiring)

RL2010NB-P
Evans Swing Arm Sconce in Natural Brass with Percale Shade
Height: 12.75"
Width: 10"
Extension: 11" - 19.5"
Backplate:
4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
8" x 10" x 7.5" Nordy

Socket: E26 Dimmer
Wattage: 60 A

Note:
Cord Cover Included

RL2010NB-P-EU
(European Wiring)

RL2010PN-P
Evans Swing Arm Sconce in Polished Nickel with Percale Shade

RL2010PN-P-EU
(European Wiring)

RL14021BN
Payson Sconce in Natural Brass with Silk Shade
Height: 11"
Width: 6"
Extension: 7"
Backplate:
2.5" x 5" Rec.

Finishes:
BZ, NB, PN
Shade Treatments: S
Shade Details:
4" x 6" x 5.25"

Socket:
E12 Candelabra
Wattage: 40 B

Note: Requires Smaller Outlet Box

RL14021BN-EU
(European Wiring)

RL14021PN
Payson Sconce in Polished Nickel with Silk Shade

RL14021PN-EU
(European Wiring)

RL2620NB-ALB
Kayla Medium Sculpted Sconce in Natural Brass with Alabaster
Height: 18"
Width: 10.5"
Extension: 8.5"
Backplate:
4.5" x 15.25" Rec.

Finishes: NB, PN
Trim Options: ALB

Socket:
E12 Candelabra
Wattage: 9w LED B

RL2620NB-ALB-EU
(European Wiring)

RL2620PN-ALB
Kayla Medium Sculpted Sconce in Polished Nickel with Alabaster

RL2620PN-ALB-EU
(European Wiring)

RL2066NB
Rivington Shield Sconce in Natural Brass with Ribbed Mirror
Height: 12.5"
Width: 6"
Extension: 7.5"
Backplate: 5" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, MG

Socket: E26 Keyless
Wattage: 60 A

RL2066NB-EU
(European Wiring)

RL2066PN
Rivington Shield Sconce in Polished Nickel with Ribbed Mirror

RL2066PN-EU
(European Wiring)

RL2064NB
Rivington Small Round Sconce in Natural Brass with Ribbed Mirror
Height: 12.25"
Width: 10"
Extension: 5"
Backplate: 4.25" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, MG

Socket: E26 Keyless
Wattage: 60 A

RL2064NB-EU
(European Wiring)

RL2064PN
Rivington Small Round Sconce in Polished Nickel with Ribbed Mirror

RL2064PN-EU
(European Wiring)

RL2066BZ
Rivington Shield Sconce in Bronze with Antiqued Ribbed Mirror

RL2066BZ-EU
(European Wiring)

RL2220NB
Barrett Small Single Knurled Sconce in Natural Brass
Height: 8"
Width: 4.5"
Extension: 5"
Backplate:
4.5" x 1" Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
E12 Candelabra
Wattage: 40 T

RL2220NB-EU
(European Wiring)

RL2220PN
Barrett Small Single Knurled Sconce in Polished Nickel

RL2220PN-EU
(European Wiring)

RL2220NB-NB
Barrett Small Single Knurled Sconce in Natural Brass with Natural Brass Shades
Height: 12.5"
Width: 7"
Extension: 9"
Backplate:
4.5" x 1" Round

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5" x 7" x 4.75"

Socket:
E12 Candelabra
Wattage: 40 T

RL2220NB-NB-EU
(European Wiring)

RL2220PN-PN
Barrett Small Single Knurled Sconce in Polished Nickel with Polished Nickel Shades

RL2220PN-PN-EU
(European Wiring)

RL2729NB
Barrett Mini Bed Light in Natural Brass
Height: 5.75" - 8.25"
Width: 3"
Extension: 8.5" - 9.25"
Backplate:
3" x 4.75" Rec.

Finishes: NB, PN

LED: 9w

RL2729NB-EU
(European Wiring)

RL2729PN
Barrett Mini Bed Light in Polished Nickel

RL2729PN-EU
(European Wiring)

RL2721NB
Barrett Mini Double Arm Bed Light in Natural Brass
Height: 7" - 9"
Width: 3"
Extension: 6.5" - 18.5"
Backplate:
3" x 4.75" Rec.

Finishes: NB, PN

LED: 12w

RL2721NB-EU
(European Wiring)

RL2721PN
Barrett Mini Double Arm Bed Light in Polished Nickel

RL2721PN-EU
(European Wiring)

RL2611NB/SDL-L
Riley Single Sconce in Natural Brass and Saddle Leather with Leather Trimmed Linen Shades
Height: 12.25"
Width: 6"
Extension: 7.75"
Backplate: 5.25" Round

Finishes: NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details: 4" x 6" x 5.75"

Socket: E12 Candelabra
Wattage: 40 B

RL2611NB/SDL-L-EU
(European Wiring)

RL2611NB/NVY-L
Riley Single Sconce in Natural Brass and Navy Leather with Leather Trimmed Linen Shades

RL2611NB/NVY-L-EU
(European Wiring)

RL2611PN/CHC-L
Riley Single Sconce in Polished Nickel and Chocolate Leather with Leather Trimmed Linen Shades

RL2611PN/CHC-L-EU
(European Wiring)

RL2452NB-SDL
Benton Single Library Sconce in Natural Brass with Saddle Leather Shade
Height: 7" - 13.5"
Width: 5"
Extension: 14" - 18"
Backplate: 4.75" Round

Finishes: NB, PN
Shade Treatments: CHC, NVY, SDL

Socket: E26 On/Off
Wattage: 40 A

RL2452NB-SDL-EU
(European Wiring)

RL2452PN-CHC
Benton Single Library Sconce in Polished Nickel with Chocolate Leather Shade

RL2452PN-CHC-EU
(European Wiring)

RL2454NB-NVY
Benton Double Library Sconce in Natural Brass with Navy Leather Shade
Height: 7" - 14.5"
Width: 5"
Extension: 11" - 27.25"
Backplate: 4.75" Round

Finishes: NB, PN
Shade Treatments: CHC, NVY, SDL

Socket: E26 On/Off
Wattage: 40 A

RL2454NB-NVY-EU
(European Wiring)

RL2454PN-CHC
Benton Double Library Sconce in Polished Nickel with Chocolate Leather Shade

RL2454PN-CHC-EU
(European Wiring)

RL2590NB/NRO-L
Mitchell Tail Sconce
in Natural Brass
and Natural Rift Oak
with Linen Shade
Height: 30"
Width: 12.5"
Extension: 8"
Backplate:
4.25" Square

Finishes: NB, PN
Shade Treatments: L
Shade Details:
11.75" x 12.5" x 8.25"

Socket: E26 Keyless
Wattage: 40 A

RL2590NB/NRO-L-EU
(European Wiring)

RL2590PN/BKE-L
Mitchell Tail Sconce
in Polished Nickel
and Black Ebony
with Linen Shade

RL2590PN/BKE-L-EU
(European Wiring)

RL2570NB/NRO-L
Radford Small Sconce
in Natural Brass
and Natural Rift Oak
with Linen Shade
Height: 13.75"
Width: 7.25"
Extension: 8.25"
Backplate: 4.5" Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3" x 7.75" x 4.75"

Socket:
E12 Candelabara
Wattage: 25 B

RL2570NB/NRO-L-EU
(European Wiring)

RL2570PN/BKE-L
Radford Small Sconce
in Polished Nickel
and Black Ebony
with Linen Shade

RL2570PN/BKE-L-EU
(European Wiring)

RL2500NB-L
Brompton Extension
Swing Arm in
Natural Brass
with Linen Shade
Height: 18.75"
Width: 14"
Extension: 22" - 36"
Backplate:
3" x 12" Rec.

Finishes:
BZ, NB, PN
Shade Treatments: L
Shade Details:
6" x 14" x 9"

Socket: E26 Hi-Lo
Wattage: 18 LED A

Note: Portable Only |
Cannot be Hard-Wired

RL2500NB-L-EU
(European Wiring)

RL2500PN-L
Brompton Extension
Swing Arm in
Polished Nickel
with Linen Shade

RL2500PN-L-EU
(European Wiring)

RL2250NB
Anette Single Sconce in Natural Brass
Height: 10"
Width: 6.75"
Extension: 11.75" - 16.25"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Wattage: 40 B

RL2250NB-EU
(European Wiring)

RL2250PN
Anette Single Sconce in Polished Nickel

RL2250PN-EU
(European Wiring)

RL2260NB
Anette Swing Arm Sconce in Natural Brass
Height: 10"
Width: 6.75"
Extension: 17.5" - 22"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Wattage: 40 B

RL2260NB-EU
(European Wiring)

RL2260PN
Anette Swing Arm Sconce in Polished Nickel

RL2260PN-EU
(European Wiring)

RL2270NB
Anette Library Light in Natural Brass
Height: 12"
Width: 6.75"
Extension: 15" - 27.25"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Wattage: 40 B

RL2270NB-EU
(European Wiring)

RL2270PN
Anette Library Light in Polished Nickel

RL2270PN-EU
(European Wiring)

RL2252NB
Anette Double Sconce in Natural Brass
Height: 10"
Width: 15" - 18.5"
Extension: 7" - 10.25"
Backplate: 4.75" Round

Finishes: NB, PN

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2252NB-EU
(European Wiring)

RL2252PN
Anette Double Sconce in Polished Nickel

RL2252PN-EU
(European Wiring)

RL14029PN
RL'67 Boom
Arm Wall Lamp
in Polished Nickel

RL14029PN-EU
(European Wiring)

RL14034NB
RL'67 Swing
Arm Wall Lamp
in Natural Brass
Height: 12.5"
Extension: 23"
Backplate: 5" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14034NB-EU
(European Wiring)

RL14034OB
RL'67 Swing
Arm Wall Lamp
in Bronze

RL14034OB-EU
(European Wiring)

RL14029BN
RL'67 Boom
Arm Wall Lamp
in Natural Brass
Height: 9" - 17"
Extension: 12" - 32"
Backplate: 5" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Wattage: 60 A

RL14029BN-EU
(European Wiring)

RL14029BZ
RL'67 Boom
Arm Wall Lamp
in Bronze

RL14029BZ-EU
(European Wiring)

RL2181NB
Grant Large Sconce
in Natural Brass
with Industrial
Prismatic Glass
Height: 10.5"
Width: 7.5"
Extension: 6.25"
Backplate:
10" x 7.5" Triangle

Finishes:
BZ, NB, PN, WZ
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 A

RL2181NB-EU
(European Wiring)

RL2181BZ
Grant Large Sconce
in Bronze
with Industrial
Prismatic Glass

RL2181BZ-EU
(European Wiring)

RL2180PN
Grant Small Sconce
in Polished Nickel
with Industrial
Prismatic Glass
Height: 7.5"
Width: 5.25"
Extension: 4.75"
Backplate:
5.25" x 7" Triangle

Finishes:
BZ, NB, PN, WZ
Glass Options: CG

Socket:
E12 Candelabra
Wattage: 60 B

RL2180PN-EU
(European Wiring)

RL2180WZ
Grant Small Sconce
in Weathered Zinc
with Industrial
Prismatic Glass

RL2180WZ-EU
(European Wiring)

RL2181BZ
Grant Large Sconce
in Bronze
with Industrial
Prismatic Glass

RL2181BZ-EU
(European Wiring)

RL2175BZ
Upton Large Sconce in Bronze with Clear and White Glass
Height: 13.25"
Width: 7.5"
Extension: 9"
Backplate: 5" Round

Finishes: BZ, PN
Glass Options: CG/WG

Socket: E26 Keyless
Wattage: 60 T

RL2175BZ-EU
(European Wiring)

RL2175PN
Upton Large Sconce in Polished Nickel with Clear and White Glass

RL2175PN-EU
(European Wiring)

RL2120IS-BK
Fulton Small Sconce in Industrial Steel with Black Enamel Shade
Height: 8.25"
Width: 6.75"
Extension: 9.25"
Backplate: 4.25" Round

Finishes: IS, PN
Shade Treatments: BK, IS, PN, WT

Socket: E26 Keyless
Wattage: 75 A

RL2120IS-BK-EU
(European Wiring)

RL2120PN-PN
Fulton Small Sconce in Polished Nickel

RL2120PN-PN-EU
(European Wiring)

RL2120PN-WT
Fulton Small Sconce in Polished Nickel with White Enamel Shade

RL2120PN-WT-EU
(European Wiring)

RL2175PN
Upton Large Sconce in Polished Nickel with Clear and White Glass

RL2175PN-EU
(European Wiring)

RL2329AI-L
Allegra Medium Torch Tail Sconce in Aged Iron with Linen Shade
Height: 35"
Width: 13"
Extension: 7.75"
Backplate:
5" x 5.25" Rec.

Finishes: AI
Shade Treatments: L
Shade Details:
7.75" x 12.5" x 8.75" Shield

Socket: E26 Keyless
Wattage: 40 A

RL2329AI-L-EU
(European Wiring)

RL2370AI-CG
Cheyenne Medium Lantern in Aged Iron with Clear Glass
Height: 23"
Width: 9.5"
Extension: 11"
Backplate: 5" Round

Finishes: AI
Glass Options: CG

Socket: E26 Keyless
Wattage: 60 A

RL2370AI-CG-EU
(European Wiring)

RL2810BZ-CG
Ollie Small Wall Lantern in Bronze with Clear Glass
Height: 16.5"
Width: 8"
Extension: 8.75"
Backplate:
7" x 15.5" Rec.

Finishes: BZ
Glass Options: CG

LED: 12w

RL2810BZ-CG-EU
(European Wiring)

RL2770AI/ALB
Michaela Large Sconce in Aged Iron and Alabaster
Height: 18"
Width: 10"
Extension: 5.5"
Backplate:
9" x 18" Rec.

Finishes: AI/ALB

LED: 9w

RL2770AI/ALB-EU
(European Wiring)

RL2530NB
Modern Hurricane Sconce in Natural Brass
Height: 13"
Width: 6"
Extension: 7.5"
Backplate: 4" Round

Finishes:
BZ, NB, PN
Glass Options:
CG/WG

Socket:
E26 Keyless
Wattage: 60 B

RL2530NB-EU
(European Wiring)

RL2530BZ
Modern Hurricane Sconce in Bronze

RL2530BZ-EU
(European Wiring)

RL2530PN
Modern Hurricane Sconce in Polished Nickel

RL2530PN-EU
(European Wiring)

RL2162NB-WG
Westbury Double Sconce in Natural Brass with White Glass
Height: 12"
Width: 6"
Extension: 3.75"
Backplate: 4.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2162NB-WG-EU
(European Wiring)

RL2162BZ-WG
Westbury Double Sconce in Bronze with White Glass

RL2162BZ-WG-EU
(European Wiring)

RL2162PN-WG
Westbury Double Sconce in Polished Nickel with White Glass

RL2162PN-WG-EU
(European Wiring)

RL2551NB-WG
McCarren Single Sconce in Natural Brass with White Glass
Height: 15.25"
Width: 8"
Extension: 11"
Backplate: 5.25" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Wattage: 60 A

Note:
Requires A-15 Bulb

RL2551NB-WG-EU
(European Wiring)

RL2551BZ-WG
McCarren Single Sconce in Bronze with White Glass

RL2551BZ-WG-EU
(European Wiring)

RL2551PN-WG
McCarren Single Sconce in Polished Nickel with White Glass

RL2551PN-WG-EU
(European Wiring)

RL2550NB-WG
McCarren Double Sconce in Natural Brass with White Glass
Height: 20"
Width: 8"
Extension: 11"
Backplate: 5.25" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 A

Note:
Requires A-15 Bulb

RL2550NB-WG-EU
(European Wiring)

RL2550BZ-WG
McCarren Double Sconce in Bronze with White Glass

RL2550BZ-WG-EU
(European Wiring)

RL2550PN-WG
McCarren Double Sconce in Polished Nickel with White Glass

RL2550PN-WG-EU
(European Wiring)

RL2165NB-WG
Keating Large Sconce
in Natural Brass
\with White Glass
Height: 35.75"
Width: 5"
Extension: 5.5"
Backplate:
3.25" x 33" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Wattage: 4 - 25 T

Note: Requires
Smaller Outlet Box

RL2165NB-WG-EU
(European Wiring)

RL2165PN-WG
Keating Large Sconce
in Polished Nickel
with White Glass

RL2165PN-WG-EU
(European Wiring)

RL2164NB-WG
Keating Medium Sconce
in Natural Brass
with White Glass
Height: 23.75"
Width: 5"
Extension: 5.5"
Backplate:
3.25" x 21" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 60 T

Note: Requires
Smaller Outlet Box

RL2164NB-WG-EU
(European Wiring)

RL2164PN-WG
Keating Medium Sconce
in Polished Nickel
with White Glass

RL2164PN-WG-EU
(European Wiring)

RL2027NB-WG
Geneva Large Sconce
in Natural Brass
with White Glass
Height: 34"
Width: 5"
Extension: 4"
Backplate:
4" x 30.5" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Wattage: 4 - 60 T

RL2027NB-WG-EU
(European Wiring)

RL2027BZ-WG
Geneva Large Sconce
in Bronze
with White Glass

RL2027BZ-WG-EU
(European Wiring)

RL2027PN-WG
Geneva Large Sconce
in Polished Nickel
with White Glass

RL2027PN-WG-EU
(European Wiring)

RL2026NB-WG
Geneva Medium Sconce
in Natural Brass
with White Glass
Height: 26"
Width: 5"
Extension: 4"
Backplate:
4" x 22" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Wattage: 3 - 40 B

RL2026NB-WG-EU
(European Wiring)

RL2026BZ-WG
Geneva Medium Sconce
in Bronze
with White Glass

RL2026BZ-WG-EU
(European Wiring)

RL2026PN-WG
Geneva Medium Sconce
in Polished Nickel
with White Glass

RL2026PN-WG-EU
(European Wiring)

RL2025NB-WG
Geneva Small Sconce
in Natural Brass
with White Glass
Height: 17"
Width: 5"
Extension: 4"
Backplate:
4" x 13" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Wattage: 2 - 40 B

RL2025NB-WG-EU
(European Wiring)

RL2025BZ-WG
Geneva Small Sconce
in Bronze
with White Glass

RL2025BZ-WG-EU
(European Wiring)

RL2025PN-WG
Geneva Small Sconce
in Polished Nickel
with White Glass

RL2025PN-WG-EU
(European Wiring)

RL2535NB-WG
Bleeker Triple Bath Sconce in Natural Brass with White Glass
Height: 34.5"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 34" Rec.

Finishes: NB, PN
Glass Options: WG

LED: 18w

RL2535NB-WG-EU
(European Wiring)

RL2535PN-WG
Bleeker Triple Bath Sconce in Polished Nickel with White Glass

RL2535PN-WG-EU
(European Wiring)

RL2534NB-WG
Bleeker Double Bath Sconce in Natural Brass with White Glass
Height: 23.25"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 23.25" Rec.

Finishes: NB, PN
Glass Options: WG

LED: 12w

RL2534NB-WG-EU
(European Wiring)

RL2534PN-WG
Bleeker Double Bath Sconce in Polished Nickel with White Glass

RL2534PN-WG-EU
(European Wiring)

RL2533NB-WG
Bleeker Single Bath Sconce in Natural Brass with White Glass
Height: 12"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 12" Rec.

Finishes: NB, PN
Glass Options: WG

LED: 6w

RL2533NB-WG-EU
(European Wiring)

RL2533PN-WG
Bleeker Single Bath Sconce in Polished Nickel with White Glass

RL2533PN-WG-EU
(European Wiring)

RL2042NB-WG
Jones Small Single Sconce in Natural Brass with White Glass
Height: 11.5"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes: NB, PN
Glass Options: WG

LED: 11w

RL2042NB-WG-EU
(European Wiring)

RL2042PN-WG
Jones Small Single Sconce in Polished Nickel with White Glass

RL2042PN-WG-EU
(European Wiring)

RL2043NB-WG
Jones Medium Double Sconce in Natural Brass with White Glass
Height: 5"
Width: 18.25"
Extension: 9"
Backplate: 5" Round

Finishes: NB, PN
Glass Options: WG

LED: 18w

RL2043NB-WG-EU
(European Wiring)



RL2043PN-WG
Jones Medium Double Sconce in Polished Nickel with White Glass

RL2043PN-WG-EU
(European Wiring)

RL2092NB
Lichfield Single Sconce in Natural Brass
Height: 11.25"
Width: 4.5"
Extension: 5"
Backplate: 4.5" Round

Finishes: NB, PN
Glass Options: WG

Socket:
E12 Candelabra
Wattage: 40 T

RL2092NB-EU
(European Wiring)

RL2092PN
Lichfield Single Sconce in Polished Nickel

RL2092PN-EU
(European Wiring)

RL2093NB
Lichfield Double Sconce in Natural Brass
Height: 4.5"
Width: 17.75"
Extension: 5"
Backplate: 4.5" Round

Finishes: NB, PN
Glass Options: WG

Socket: E12 Candelabra
Wattage: 40 T

RL2093NB-EU
(European Wiring)



RL2093PN
Lichfield Double Sconce in Polished Nickel

RL2093PN-EU
(European Wiring)



RL2080NB
Allen Single Sconce in Natural Brass and Glass Rods
Height: 11"
Width: 4.5"
Extension: 5"
Backplate: 4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Wattage: 40 T

RL2080NB-EU
(European Wiring)

RL2080PN
Allen Single Sconce in Polished Nickel and Glass Rods

RL2080PN-EU
(European Wiring)

RL2082NB
Allen Double Light Sconce in Natural Brass and Glass Rods
Height: 4.5"
Width: 17.5"
Extension: 5"
Backplate: 4.5" Round

Finishes: NB, PN

Socket: 2 - E26 Keyless
Wattage: 2 - 40 T

RL2082NB-EU
(European Wiring)



RL2082PN
Allen Double Light Sconce in Polished Nickel and Glass Rods

RL2082PN-EU
(European Wiring)



RL2077NB
Allen Double Sconce in Natural Brass and Glass Rods
Height: 9.75"
Width: 10.25"
Extension: 4.75"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
2 - E12 Candelabra
Wattage: 2 - 40 B

RL2077NB-EU
(European Wiring)

RL2077PN
Allen Double Sconce in Polished Nickel and Glass Rods

RL2077PN-EU
(European Wiring)

RL2078NB
Allen Triple Sconce in Natural Brass and Glass Rods
Height: 9.75"
Width: 18"
Extension: 4.75"
Backplate: 4.5" Round

Finishes: NB, PN

Socket:
3 - E12 Candelabra
Wattage: 3 - 40 B

RL2078NB-EU
(European Wiring)

RL2086NB
Allen Large Linear Sconce in Natural Brass and Glass Rods
Height: 27.5"
Width: 6"
Extension: 5"
Backplate:
4.25" x 21" Rec.

Finishes: NB, PN

Socket:
3 - E26 Keyless
Wattage: 3 - 60 B

RL2086NB-EU
(European Wiring)

RL2086PN
Allen Large Linear Sconce in Polished Nickel and Glass Rods

RL2086PN-EU
(European Wiring)

RL2085NB
Allen Medium Linear Sconce in Natural Brass and Glass Rods
Height: 18.5"
Width: 6"
Extension: 5"
Backplate:
4.25" x 18" Rec.

Finishes: NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 60 B

RL2085NB-EU
(European Wiring)

RL2085PN
Allen Medium Linear Sconce in Polished Nickel and Glass Rods

RL2085PN-EU
(European Wiring)

RL2084NB
Allen Small Linear Sconce in Natural Brass and Glass Rods
Height: 12"
Width: 6"
Extension: 5"
Backplate:
4.25" x 11.5" Rec.

Finishes: NB, PN

Socket: 2 - E26 Keyless
Wattage: 2 - 60 B

RL2084NB-EU
(European Wiring)

RL2084PN
Allen Small Linear Sconce in Polished Nickel and Glass Rods

RL2084PN-EU
(European Wiring)

RL2035NB-EC
Barton Single Arm Sconce in Natural Brass with Etched Crystal
Height: 13"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 9w

RL2035NB-EC-EU
(European Wiring)

RL2035BZ-EC
Barton Single Arm Sconce in Bronze with Etched Crystal

RL2035BZ-EC-EU
(European Wiring)

RL2035PN-EC
Barton Single Arm Sconce in Polished Nickel with Etched Crystal

RL2035PN-EC-EU
(European Wiring)

RL2032NB-EC
Barton Medium Bath Sconce in Natural Brass with Etched Crystal
Height: 16"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 13.25" Rec.

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 18w

Note: Requires Smaller Outlet Box

RL2032NB-EC-EU
(European Wiring)

RL2031BZ-EC
Barton Small Bath Sconce in Bronze with Etched Crystal
Height: 13"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 9.75" Rec.

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 12w

Note: Requires Smaller Outlet Box

RL2031BZ-EC-EU
(European Wiring)

RL2031PN-EC
Barton Small Bath Sconce in Polished Nickel with Etched Crystal

RL2031PN-EC-EU
(European Wiring)

RL2034NB-EC
Barton Grande Bath Sconce in Natural Brass with Etched Crystal
Height: 30"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 26.25" Rec.

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 24w

Note: Requires Smaller Outlet Box

RL2034NB-EC-EU
(European Wiring)

RL2033BZ-EC
Barton Large Bath Sconce in Bronze with Etched Crystal
Height: 24"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 20.75" Rec.

Finishes:
BZ, NB, PN
Glass Options: EC

LED: 24w

Note: Requires Smaller Outlet Box

RL2033BZ-EC-EU
(European Wiring)

RL2033PN-EC
Barton Large Bath Sconce in Polished Nickel with Etched Crystal

RL2033PN-EC-EU
(European Wiring)

RL2321NB-CG
Daley Medium Linear Sconce in Natural Brass with Crystal
Height: 18"
Width: 4.25"
Extension: 3.25"
Backplate:
4.25" x 17.5" Rec.

Finishes: NB, PN
Glass Options: CG

LED: 10w

RL2321NB-CG-EU
(European Wiring)

RL2321PN-CG
Daley Medium Linear Sconce in Polished Nickel with Crystal

RL2321PN-CG-EU
(European Wiring)

RL2320NB-CG
Daley Small Linear Sconce in Natural Brass with Crystal
Height: 12"
Width: 4.25"
Extension: 2.5"
Backplate:
4.25" x 11.5" Rec.

Finishes: NB, PN
Glass Options: CG

LED: 7w

RL2320NB-CG-EU
(European Wiring)

RL2320PN-CG
Daley Small Linear Sconce in Polished Nickel with Crystal

RL2320PN-CG-EU
(European Wiring)

RL2969NB/Q
Ellis Medium Linear Sconce in Natural Brass and Natural Quartz
Height: 18.75"
Width: 5"
Extension: 3"
Backplate:
5" x 18.75" Rec.

Finishes: NB, PN
Glass Options: Q

LED: 18w

RL2969NB/Q-EU
(European Wiring)

RL2969PN/Q
Ellis Medium Linear Sconce in Polished Nickel and Natural Quartz

RL2969PN/Q-EU
(European Wiring)

RL2788NB
Langham Large Picture Light in Natural Brass
Height: 2.5"
Width: 36"
Extension:
5.25" - 6.75"
Backplate:
24" x 2.5" Rec.

Finishes:
BZ, NB, PN

LED: 27w

RL2788NB-EU
(European Wiring)

RL2788BZ
Langham Large Picture Light in Bronze

RL2788BZ-EU
(European Wiring)

RL2788PN
Langham Large Picture Light in Polished Nickel

RL2788PN-EU
(European Wiring)

RL2787NB
Langham Medium Picture Light in Natural Brass
Height: 2.5"
Width: 24"
Extension:
5.25" - 6.75"
Backplate:
12" x 2.5" Rec.

Finishes:
BZ, NB, PN

LED: 18w

RL2787NB-EU
(European Wiring)

RL2787BZ
Langham Medium Picture Light in Bronze

RL2787BZ-EU
(European Wiring)

RL2786NB
Langham Small Picture Light in Natural Brass
Height: 2.5"
Width: 13"
Extension:
5" - 5.75"
Backplate:
4.75" x 2.5" Rec.

Finishes:
BZ, NB, PN

LED: 9w

RL2786NB-EU
(European Wiring)

RL2786PN
Langham Small Picture Light in Polished Nickel

RL2786PN-EU
(European Wiring)

RL2277NB
Anette 24" Picture Light
in Natural Brass
Height: 2.25"
Width: 24"
Extension: 12.25"
Backplate:
2.375" x 19.5" Rec.

Finishes:
BZ, NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

Note: Requires
Smaller Outlet Box

RL2277NB-EU
(European Wiring)



RL2277BZ
Anette 24" Picture Light
in Bronze

RL2277BZ-EU
(European Wiring)

RL2277PN
Anette 24" Picture Light
in Polished Nickel

RL2277PN-EU
(European Wiring)

RL2276NB
Anette 16" Picture Light
in Natural Brass
Height: 2.25"
Width: 16"
Extension: 12.25"
Backplate:
2.375" x 11.25" Rec.

Finishes:
BZ, NB, PN

Socket:
2 - E26 Keyless
Wattage: 2 - 40 T

Note: Requires
Smaller Outlet Box

RL2276NB-EU
(European Wiring)

RL2276BZ
Anette 16" Picture Light
in Bronze

RL2276BZ-EU
(European Wiring)

RL2275NB
Anette 9" Picture Light
in Natural Brass
Height: 2.25"
Width: 9"
Extension: 12.25"
Backplate:
2.375" x 3.5" Rec.

Finishes:
BZ, NB, PN

Socket: E26 Keyless
Wattage: 40 T

Note: Requires
Smaller Outlet Box

RL2275NB-EU
(European Wiring)



RL2275PN
Anette 9" Picture Light
in Polished Nickel

RL2275PN-EU
(European Wiring)



RL2724NB
Barrett 24" Picture
Light in Natural Brass
Height: 4.25"
Width: 24"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN

LED: 32w

Note: Requires
Smaller Outlet Box

RL2724NB-EU
(European Wiring)

RL2724PN
Barrett 24" Picture
Light in Polished Nickel

RL2724PN-EU
(European Wiring)

RL2723NB
Barrett 18" Picture
Light in Natural Brass
Height: 4.25"
Width: 18"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN

LED: 23w

Note: Requires
Smaller Outlet Box

RL2723NB-EU
(European Wiring)



RL2723PN
Barrett 18" Picture
Light in Polished Nickel

RL2723PN-EU
(European Wiring)

RL2722NB
Barrett 12" Picture
Light in Natural Brass
Height: 4.25"
Width: 12"
Extension: 8.5"
Backplate: 4.25" Round

Finishes: NB, PN

LED: 14w

Note: Requires
Smaller Outlet Box

RL2722NB-EU
(European Wiring)

RL2722PN
Barrett 12"
Picture Light in
Polished Nickel

RL2722PN-EU
(European Wiring)

RL2783NB
Langley 40" Picture Light
in Natural Brass
Height: 2.5"
Width: 40"
Extension: 8"
Backplate: 3" x 8.25" Rec.

Finishes: NB, PN

LED: 36w

RL2783NB-EU
(European Wiring)

RL2782PN
Langley 32" Picture Light
in Polished Nickel
Height: 2.5"
Width: 32"
Extension: 8"
Backplate: 3" x 8.25" Rec.

Finishes: NB, PN

LED: 36w

RL2782PN-EU
(European Wiring)

RL2782NB
Langley 32" Picture Light
in Natural Brass

RL2782NB-EU
(European Wiring)

RL2781NB
Langley 24" Picture Light
in Natural Brass
Height: 2.5"
Width: 24"
Extension: 8"
Backplate: 3" x 8.25" Rec.

Finishes: NB, PN

LED: 36w

RL2781NB-EU
(European Wiring)

RL2781PN
Langley 24" Picture Light
in Polished Nickel

RL2781PN-EU
(European Wiring)

RL2780NB
Langley 12" Picture Light
in Natural Brass
Height: 2.5"
Width: 12"
Extension: 8"
Backplate: 3" x 8.25" Rec.

Finishes: NB, PN

LED: 12w

RL2780NB-EU
(European Wiring)



RL2780PN
Langley 12" Picture Light
in Polished Nickel

RL2780PN-EU
(European Wiring)



OUTDOOR

RL5733WVG-CG
Carrington Small Lantern in Weathered Verdigris with Clear Glass
Fixture Height: 34.5"
Width: 16"
Canopy:
5.25" Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5733WVG-CG-EU
(European Wiring)

RL5733FR-CG
Carrington Small Lantern in French Rust with Clear Glass

RL5733FR-CG-EU
(European Wiring)

RL5735WVG-CG
Carrington Large Lantern in Weathered Verdigris with Clear Glass
Fixture Height: 48.5"
Width: 22.5"
Canopy: 6.75" Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Wattage: 4 - 60 C

RL5735WVG-CG-EU
(European Wiring)

RL5735FR-CG
Carrington Large Lantern in French Rust with Clear Glass

RL5735FR-CG-EU
(European Wiring)

RL2732WVG-CG
Carrington Small Wall Lantern in Weathered Verdigris with Clear Glass
Height: 18.5"
Width: 10.25"
Extension: 7.25"
Backplate:
9" x 11" Rec.

Finishes: FR, WVG
Glass Options: CG

Socket:
E12 Candelabra
Wattage: 60 C

RL2732WVG-CG-EU
(European Wiring)

RL2732FR-CG
Carrington Small Wall Lantern in French Rust with Clear Glass

RL2732FR-CG-EU
(European Wiring)

RL2733WVG-CG
Carrington Medium Sconce in Weathered Verdigris with Clear Glass
Height: 24.25"
Width: 13.5"
Extension: 9.25"
Backplate:
8.5" x 13.5" Trapezoid

Finishes: FR, WVG
Glass Options: CG

Socket:
3 - E12 Candelabra
Wattage: 3 - 60 C

RL2733WVG-CG-EU
(European Wiring)

RL2733FR-CG
Carrington Medium Sconce in French Rust with Clear Glass

RL2733FR-CG-EU
(European Wiring)

INDEX

RL1020 50
RL1090 62
RL11094 29
RL11102 63
RL11165 41
RL11167 18, 19
RL11170 44, 45
RL11173 36, 37
RL11180 54, 55
RL11182 52, 53
RL1145 47
RL1151 58, 59
RL1250 38, 40
RL1320 49
RL1345 48
RL1388 51
RL14021 157
RL14028 42, 43
RL14029 170, 171
RL14030 34, 35
RL14034 171
RL14040 14, 15
RL14042 22
RL1450 46
RL1491 61
RL15032 11
RL1533 60
RL1716 56, 57
RL1730 52
RL19022 146
RL19023 146
RL19024 143
RL19025 143
RL19026 143
RL2003 157
RL2004 157
RL2005 150
RL2007 156
RL2010 157
RL2025 183
RL2026 183
RL2027 182
RL2031 192
RL2032 192
RL2033 193
RL2034 193
RL2035 192
RL2042 186
RL2043 186
RL2064 160
RL2066 160, 161
RL2077 189
RL2078 189
RL2080 188
RL2082 188
RL2084 191
RL2085 191
RL2086 190
RL2092 187
RL2093 187
RL2105 154
RL2120 174
RL2160 155
RL2162 178
RL2164 181
RL2165 180
RL2175 174, 175
RL2180 172
RL2181 172, 173
RL2220 162
RL2231 152
RL2232 153
RL2250 168
RL2252 169
RL2260 168
RL2262 148, 150, 151
RL2270 169
RL2275 199
RL2276 199
RL2277 198
RL2280 152
RL2311 150
RL2320 194
RL2321 194
RL2329 176
RL2330 155
RL2370 176
RL2452 165
RL2454 165
RL2500 167
RL2530 178
RL2533 185
RL2534 185
RL2535 184
RL2550 179
RL2551 179
RL2570 167
RL2590 166
RL2611 164
RL2620 158, 159
RL2721 163
RL2722 201
RL2723 201
RL2724 200
RL2729 163
RL2732 207
RL2733 207
RL2770 177
RL2780 203
RL2781 203
RL2782 202
RL2783 202
RL2786 197
RL2787 197
RL2788 196
RL2810 177
RL2969 195
RL3031 18
RL3040 24, 25
RL3082 17
RL3094 26, 27
RL3183 25
RL3250 28, 29
RL3320 32
RL3345 32, 33
RL3346 27
RL3388 34
RL3393 27
RL3450 31
RL3467 21
RL3491 23
RL3501 30, 31
RL3533 23
RL3542 10
RL3543 10
RL3570 20
RL3592 20
RL3622 6, 7
RL3625 8, 9
RL3627 8
RL3633 4
RL3634 2, 4, 5
RL3649 12, 13
RL3651 13
RL3652 13
RL3653 13
RL3660 7
RL3677 10
RL3678 10
RL3770 7
RL3805 29
RL3920 15
RL3921 15
RL3936 15
RL3941 17
RL3965 16
RL3966 16
RL4072 145
RL4090 146
RL4127 147
RL4128 147
RL4143 146
RL4460 142
RL4461 142
RL4462 142
RL4800 144
RL4801 145
RL4802 144

RALPH LAUREN

INDEX

RL4803 145
RL4804 144
RL4967 147
RL5004 96
RL5005 96
RL5006 96
RL5007 95
RL5008 95
RL5010 94
RL5030 122
RL5032 74, 75
RL5041 131
RL5042 131
RL5060 112
RL5064 114
RL5065 115
RL5067 116, 117
RL5075 118
RL5080 121
RL5081 121
RL5082 120
RL5086 120
RL5087 121
RL5089 119
RL5101 138, 139
RL5103 139
RL5114 89
RL5119 137
RL5120 137
RL5121 136
RL5122 136
RL5130 79
RL5131 78, 79
RL5132 79
RL5133 80
RL5134 81
RL5147 124, 125
RL5148 124
RL5156 128
RL5161 135
RL5162 135
RL5175 127
RL5177 127
RL5180 126
RL5181 68
RL5183 68
RL5184 69
RL5197 77
RL5205 98, 99
RL5220 122
RL5222 122
RL5224 85
RL5225 85
RL5226 84
RL5230 90
RL5231 91
RL5233 92
RL5252 133
RL5262 93
RL5311 93
RL5321 72
RL5322 73
RL5330 71
RL5332 71
RL5340 86
RL5341 86
RL5400 139
RL5402 139
RL5415 140
RL5460 141
RL5470 76
RL5528 100, 101
RL5529 101
RL5530 103
RL5531 102
RL5532 132
RL5533 134
RL5534 134
RL5540 108
RL5542 108
RL5545 109
RL5571 70
RL5572 70
RL5610 66
RL5612 64, 66
RL5614 67
RL5620 87
RL5621 87
RL5630 88
RL5642 113
RL5643 113
RL5652 123
RL5653 123
RL5670 82
RL5671 82
RL5672 83
RL5673 83
RL5680 99
RL5728 105
RL5729 105
RL5730 104, 105
RL5733 204, 206
RL5735 206
RL5739 132
RL5742 110
RL5750 106
RL5752 106
RL5753 106
RL5754 107
RL5770 130
RL5771 130
RL5773 130
RL5780 111
RL5781 111
RL5782 111
RL5783 110
RL5810 129
RL5811 129
RL5964 97

FINISH CODES

Aged Iron	**AI**	French Rust	**FR**
Aged Iron and Alabaster	**AI/ALB**	Gilded Iron	**GI**
Antique Nickel	**AN**	Industrial Steel	**IS**
Antique Silver Leaf	**ASL**	Italian Gilt	**ITG**
Antiqued Gild	**AG**	Light Silt	**LTS**
Black	**BLK**	Macassar Ebony and Natural Brass	**MCE**
Black and Gold	**BLK**	Mahogany	**MHG**
Black Ceramic	**BLK**	Matte Bronze	**MBZ**
Black Ebony and Polished Nickel	**BKE**	Natural Bone	**BN**
Black Faux Croc with Polished Nickel	**BK**	Natural Brass	**NB**
Black Nickel	**BLK**	Natural Brass and Natural Rift Oak	**NB/NRO**
Black Porcelain	**BLK**	Natural Brass and Plaster White	**NB/PW**
Black Rattan	**BRT**	Natural Brass with Navy Leather	**NB/NVY**
Blue and White Porcelain	**BLW**	Natural Brass with Saddle Leather	**NB/SDL**
Blue and White Porcelain	**BW**	Natural Rusted Iron	**NR**
Blue Ceramic	**BC**	Polished Nickel	**PN**
Blue Ceramic	**BLC**	Polished Nickel and Black Ebony	**PN/BKE**
Bronze	**BZ**	Polished Nickel and Chocolate Leather	**NB/CHC**
Butler's Silver	**BS**	Polished Nickel and Plaster White	**PN/PW**
Chocolate Leather	**CHC**	Polished Nickel with Chocolate Leather	**PN/CHC**
Clear Carved Glass	**CCG**	Polished Silver	**PS**
Clear Glass	**CG**	Saddle Leather	**SDL**
Clear Soda Glass	**CG**	Sheffield Nickel	**SN**
Coconut	**ICO**	Vintage Oak	**VO**
Coconut Porcelain	**ICO**	Weathered Verdigris	**WVG**
Crystal	**CG**	Weathered Zinc	**WZ**
Crystal Bronze	**CBZ**	White	**WHT**
Crystal with Brass	**CG/NB**	White Leather Ceramic	**WLC**
Crystal with Polished Nickel	**CG/PN**	White Stoneware	**WHT**
Ebonized Oak	**EBO**		

CHANDELIER AND SCONCE OPTIONS

RLS201L
5" Linen Candle Clip Shade

Shade Details:
3" x 5" x 5"
Linen

RLS201SB
5" Silk Bell Candle Clip Shade

Shade Details:
3" x 5" x 5"
Silk Bell

RLS201SP
5" Silk Pleated Candle Clip Shade

Shade Details:
3" x 5" x 5"
Silk Pleat

RLS201WF
5" Wire Frame Candle Clip Shade

Shade Details:
3" x 5" x 5"
Wire Frame

RLS202L
6" Linen Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Linen

RLS202SB
6" Silk Bell Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Bell

RLS202SP
6" Silk Pleated Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Pleat

RLS202WF
6" Wire Frame Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Wire Frame

General Note: Use 40 Watt Frosted Type "B" With Clip on Shade

SHADE OPTIONS

RL15032BKP-S2
RL15032BKP-S2-EU
Gable Table Lamp in Black and Gold Porcelain with Silk Shade

Shade Details:
10" x 21" x 13"
Silk

EU INDEX

RL1020PN-EU
Height: 165.1cm - 207cm | Width: 61cm
Base: 43.2cm x 61cm U-Shaped
Socket: 3 - E14 | Wattage: 7W LED C
IP Rating: IP20

RL1090NB-L-EU
Height: 160.7cm | Width: 53.3cm
Base: 30.5cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 50.8cm x 53.3cm x 34.3cm

RL1090PN-L-EU
Height: 160.7cm | Width: 53.3cm
Base: 30.5cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 50.8cm x 53.3cm x 34.3cm

RL11094BN-EU
Height: 58.4cm - 76.2cm | Width: 31.1cm
Base: 17.8cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11094PN-EU
Height: 58.4cm - 76.2cm | Width: 31.1cm
Base: 17.8cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11102BN-S-EU
Height: 158.1cm - 168.9cm | Width: 50.8cm
Base: 25.4cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 27.9cm x 50.8cm x 35.6cm

RL11102PS-S-EU
Height: 158.1cm - 168.9cm | Width: 50.8cm
Base: 25.4cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 27.9cm x 50.8cm x 35.6cm

RL11165BN-EU
Height: 104.1cm - 142.2cm | Extension: 38.1cm
Base: 25.4cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11165PN-EU
Height: 104.1cm - 142.2cm | Extension: 38.1cm
Base: 25.4cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11167BN-P-EU
Height: 76.2cm - 83.8cm | Width: 66cm
Base: 23.5cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 17.8cm x 66cm x 36.8cm

RL11167BZ-P-EU
Height: 76.2cm - 83.8cm | Width: 66cm
Base: 23.5cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 17.8cm x 66cm x 36.8cm

RL11167PS-P-EU
Height: 76.2cm - 83.8cm | Width: 66cm
Base: 23.5cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 17.8cm x 66cm x 36.8cm

RL11170BLK-EU
Height: 111.8cm - 167.6cm | Extension: 83.8cm
Base: 28.6cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11170PN-EU
Height: 111.8cm - 167.6cm | Extension: 83.8cm
Base: 28.6cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

EU INDEX

RL11173BLK-EU
Height: 114.3cm | Extension: 96.5cm
Base: 20.3cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11173PN-EU
Height: 114.3cm | Extension: 96.5cm
Base: 20.3cm Round
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11180EBO-EU
Height: 165.1cm - 196.8cm | Width: 61cm
Base: 61cm Tripod
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11180PN-EU
Height: 165.1cm - 196.8cm | Width: 61cm
Base: 61cm Tripod
Socket: E27 | Wattage: 15W LED A
IP Rating: IP20

RL11182PN-PN-EU
Height: 181cm | Width: 35.6cm
Base: 30.5cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20

RL1145CG/NB-EU
Height: 102.9cm - 136.5cm | Width: 42.5cm
Base: 27.3cm x 31.8cm T - Shaped
Socket: E14 | Wattage: 40 T
IP Rating: IP20

RL1145CG/PN-EU
Height: 102.9cm - 136.5cm | Width: 42.5cm
Base: 27.3cm x 31.8cm T - Shaped
Socket: E14 | Wattage: 40 T
IP Rating: IP20

RL1151BLK-P-EU
Height: 115.6cm - 160cm | Extension: cm
Base: 30.5cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 35.6cm x 48.3cm x 29.2cm

RL1151PN-P-EU
Height: 115.6cm - 160cm | Extension: cm
Base: 30.5cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 35.6cm x 48.3cm x 29.2cm

RL1250NB-EU
Height: 134.6cm - 160cm | Width: 20.3cm
Extension: 16.5cm - 27.9cm
Base: 20.3cm Round
Socket: E14 | Wattage: 40 C
IP Rating: IP20

RL1250PN-EU
Height: 134.6cm - 160cm | Width: 20.3cm
Extension: 16.5cm - 27.9cm
Base: 20.3cm Round
Socket: E14 | Wattage: 40 C
IP Rating: IP20

RL1320NB-CA-EU
Height: 112.4cm - 145.4cm | Width: 27.9cm
Extension: 33.7cm
Base: 27.9cm Round
LED: 9w | IP Rating: IP20
Note: Memory Dimmer Switch

RL1320PN-CA-EU
Height: 112.4cm - 145.4cm | Width: 27.9cm
Extension: 33.7cm
Base: 27.9cm Round
LED: 9w | IP Rating: IP20
Note: Memory Dimmer Switch

RL1345NB-EU
Height: 117.5cm | Width: 65.4cm
Base: 25.4cm Round
LED:12w | IP Rating: IP20

EU INDEX

RL1345PN-EU
Height: 117.5cm | Width: 65.4cm
Base: 25.4cm Round
LED:12w | IP Rating: IP20

RL1388BZ-EU
Height: 182.9cm | Width: 61cm
Extension: 40cm
Base: 35.6cm x 61cm Rec.
LED: 9w | IP Rating: IP20
Note: Dimmer on Cord

RL1388NB-EU
Height: 182.9cm | Width: 61cm
Extension: 40cm
Base: 35.6cm x 61cm Rec.
LED: 9w | IP Rating: IP20
Note: Dimmer on Cord

RL1388PN-EU
Height: 182.9cm | Width: 61cm
Extension: 40cm
Base: 35.6cm x 61cm Rec.
LED: 9w | IP Rating: IP20
Note: Dimmer on Cord

RL14021BN-EU
Height: 27.9cm | Extension: 17.8cm
Backplate: 6.4cm x 12.7cm Rec.
Socket: E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 13.3cm

RL14021BZ-EU
Height: 27.9cm | Extension: 17.8cm
Backplate: 6.4cm x 12.7cm Rec.
Socket: E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 13.3cm

RL14021PN-EU
Height: 27.9cm | Extension: 17.8cm
Backplate: 6.4cm x 12.7cm Rec.
Socket: E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 13.3cm

RL14028BN-EU
Height: -168.9cm | Extension: 77.5cm
Base: 25.4cm Round
Socket: E14 | Wattage: 9W LED C
IP Rating: IP20

RL14028BZ-EU
Height: -168.9cm | Extension: 77.5cm
Base: 25.4cm Round
Socket: E14 | Wattage: 9W LED C
IP Rating: IP20

RL14028PN-EU
Height: -168.9cm | Extension: 77.5cm
Base: 25.4cm Round
Socket: E14 | Wattage: 9W LED C
IP Rating: IP20

RL14029BN-EU
Height: 22.9cm - 43.2cm
Extension: 30.48cm - 81.3cm
Backplate: 12.7cm Round
Socket: E14 | Wattage: 40 A
IP Rating: IP20

RL14029BZ-EU
Height: 22.9cm - 43.2cm
Extension: 30.48cm - 81.3cm
Backplate: 12.7cm Round
Socket: E14 | Wattage: 40 A
IP Rating: IP20

RL14029PN-EU
Height: 22.9cm - 43.2cm
Extension: 30.48cm - 81.3cm
Backplate: 12.7cm Round
Socket: E14 | Wattage: 40 A
IP Rating: IP20

RL14030BN-EU
Height: 88.9cm | Extension: 71.1cm
Base: 20.3cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

EU INDEX

RL14030BZ-EU
Height: 88.9cm | Extension: 71.1cm
Base: 20.3cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL14030PN-EU
Height: 88.9cm | Extension: 71.1cm
Base: 20.3cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL14034NB-EU
Height: 31.8cm | Extension: 58.4cm
Backplate: 12.7cm Round
Socket: E14 | Wattage: 40 A
IP Rating: IP20

RL14034OB-EU
Height: 31.8cm | Extension: 58.4cm
Backplate: 12.7cm Round
Socket: E14 | Wattage: 40 A
IP Rating: IP20

RL14034PN-EU
Height: 31.8cm | Extension: 58.4cm
Backplate: 12.7cm Round
Socket: E14 | Wattage: 40 A
IP Rating: IP20

RL14040PN-S-EU
Height: 71.1cm - 81.3cm | Width: 53.3cm
Base: 17.8cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 25.4cm x 53.3cm x 33.7cm

RL14042BK-L-EU
Height: 58.4cm - 64.8cm | Width: 38.1cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 35.6cm x 38.1cm x 25.4cm

RL14042PNCH-L-EU
Height: 58.4cm - 64.8cm | Width: 38.1cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 35.6cm x 38.1cm x 25.4cm

RL14042PN-L-EU
Height: 58.4cm - 64.8cm | Width: 38.1cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 35.6cm x 38.1cm x 25.4cm

RL1450NB-NVY-EU
Height: 135.3cm | Width: 25.4cm
Extension: 43.2cm - 50.8cm
Base: 25.4cm Round
Socket: E27 | Wattage: 40 A

RL1450NB-SDL-EU
Height: 135.3cm | Width: 25.4cm
Extension: 43.2cm - 50.8cm
Base: 25.4cm Round
Socket: E27 | Wattage: 40 A

RL1450PN-CHC-EU
Height: 135.3cm | Width: 25.4cm
Extension: 43.2cm - 50.8cm
Base: 25.4cm Round
Socket: E27 | Wattage: 40 A

RL1491NB/NVY-P-EU
Height: 137.2cm - 177.8cm | Width: 55.9cm
Base: 25.4cm Round
Socket: 2 - E27 | Wattage: 2 - 40 B
Shade Details: 17.1cm x 55.9cm x 31.1cm

RL1491NB/SDL-P-EU
Height: 137.2cm - 177.8cm | Width: 55.9cm
Base: 25.4cm Round
Socket: 2 - E27 | Wattage: 2 - 40 B
Shade Details: 17.1cm x 55.9cm x 31.1cm

RALPH LAUREN

EU INDEX

RL1491PN/CHC-P-EU
Height: 137.2cm - 177.8cm | Width: 55.9cm
Base: 25.4cm Round
Socket: 2 - E27 | Wattage: 2 - 40 B
Shade Details: 17.1cm x 55.9cm x 31.1cm

RL15032BKP-EU
Height: 86.4cm | Width: 53.3cm
Base: 24.8cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 25.4cm x 53.3cm x 33cm

RL1533NB/NVY-L-EU
Height: 161.3cm | Width: 55.9cm
Socket: 2 - E27 | Wattage: 2 - 60 A
Shade Details: 50.8cm x 55.9cm x 33.7cm Closed Top

RL1533NB/SDL-L-EU
Height: 161.3cm | Width: 55.9cm
Socket: 2 - E27 | Wattage: 2 - 60 A
Shade Details: 50.8cm x 55.9cm x 33.7cm Closed Top

RL1533PN/CHC-L-EU
Height: 161.3cm | Width: 55.9cm
Socket: 2 - E27 | Wattage: 2 - 60 A
Shade Details: 50.8cm x 55.9cm x 33.7cm Closed Top

RL1716VO-WP-EU
Height: 191.8cm | Width: 76.2cm
Base: 55.2cm Tripod
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 50.8cm x 76.2cm x 45.7cm Round

RL1730PN-EU
Height: 184.2cm | Width: 82.6cm
Base: 85.1cm Tripod
Socket: Dedicated LED | Wattage: 12w (1000lm)

RL19022PN-EU
Height: 10.8cm | Width: 32.4cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20



RL19023PN-EU
Height: 11.4cm | Width: 45.7cm
Socket: 3 - E27 | Wattage: 60 A
IP Rating: IP20

RL19024BN-EU
Height: 14cm | Width: 40.6cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL19024PN-EU
Height: 14cm | Width: 40.6cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL19025BN-EU
Height: 12.7cm | Width: 31.8cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL19025PN-EU
Height: 12.7cm | Width: 31.8cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL19026BN-EU
Height: 11.4cm | Width: 24.1cm
Socket: E27 | Wattage: 60 A
IP Rating: IP20

EU INDEX

RL19026PN-EU
Height: 11.4cm | Width: 24.1cm
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2003AN-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 10.8cm Square
Socket: E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL2003BZ-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 10.8cm Square
Socket: E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL2003NB-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 10.8cm Square
Socket: E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL2003PN-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 10.8cm Square
Socket: E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL2004AN-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

RL2004BZ-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

RL2004NB-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

RL2004PN-P-EU
Height: 24.1cm | Width: 12.7cm
Extension: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

RL2005CG-EU
Height: 59.7cm | Width: 47cm
Extension: 31.8cm | Backplate: 14cm Round
Socket: 2 - E14 | Wattage: 60 C
IP Rating: IP20

RL2007AN-P-EU
Height: 24.1cm | Width: 32.4cm
Extension: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

RL2007BZ-P-EU
Height: 24.1cm | Width: 32.4cm
Extension: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

RL2007NB-P-EU
Height: 24.1cm | Width: 32.4cm
Extension: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

RL2007PN-P-EU
Height: 24.1cm | Width: 32.4cm
Extension: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 | Wattage: 25 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 11.4cm

EU INDEX

RL2010AN-P-EU
Height: 32.4cm | Width: 25.4cm
Extension: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 | Wattage: 60 A | IP Rating: IP20
Shade Details: 20.3cm x 25.4cm x 19cm Nordy

RL2010BZ-P-EU
Height: 32.4cm | Width: 25.4cm
Extension: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 | Wattage: 60 A | IP Rating: IP20
Shade Details: 20.3cm x 25.4cm x 19cm Nordy

RL2010NB-P-EU
Height: 32.4cm | Width: 25.4cm
Extension: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 | Wattage: 60 A | IP Rating: IP20
Shade Details: 20.3cm x 25.4cm x 19cm Nordy

RL2010PN-P-EU
Height: 32.4cm | Width: 25.4cm
Extension: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 | Wattage: 60 A | IP Rating: IP20
Shade Details: 20.3cm x 25.4cm x 19cm Nordy

RL2025BZ-WG-EU
Height: 43.2cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 33cm Rec.
Socket: 2 - E27 | Wattage: 60 C
IP Rating: IP20

RL2025NB-WG-EU
Height: 43.2cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 33cm Rec.
Socket: 2 - E27 | Wattage: 60 C
IP Rating: IP20

RL2025PN-WG-EU
Height: 43.2cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 33cm Rec.
Socket: 2 - E27 | Wattage: 60 C
IP Rating: IP20

RL2026BZ-WG-EU
Height: 66cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 55.9cm Rec.
Socket: 3 - E27 | Wattage: 60 C
IP Rating: IP20



RL2026NB-WG-EU
Height: 66cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 55.9cm Rec.
Socket: 3 - E27 | Wattage: 60 C
IP Rating: IP20

RL2026PN-WG-EU
Height: 66cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 55.9cm Rec.
Socket: 3 - E27 | Wattage: 60 C
IP Rating: IP20

RL2027BZ-WG-EU
Height: 86.4cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 77.5cm Rec.
Socket: 4 - E27 | Wattage: 60 C
IP Rating: IP20

RL2027NB-WG-EU
Height: 86.4cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 77.5cm Rec.
Socket: 4 - E27 | Wattage: 60 C
IP Rating: IP20

RL2027PN-WG-EU
Height: 86.4cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 10.2cm x 77.5cm Rec.
Socket: 4 - E27 | Wattage: 60 C
IP Rating: IP20

RL2031BZ-EC-EU
Height: 33cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 35.6cm Rec.
LED: 12w | IP Rating: IP20

EU INDEX

RL2031NB-EC-EU
Height: 33cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 35.6cm Rec.
LED: 12w | IP Rating: IP20

RL2031PN-EC-EU
Height: 33cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 35.6cm Rec.
LED: 12w | IP Rating: IP20

RL2032BZ-EC-EU
Height: 40.6cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 33.7cm Rec.
LED: 18w | IP Rating: IP20

RL2032NB-EC-EU
Height: 40.6cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 33.7cm Rec.
LED: 18w | IP Rating: IP20

RL2032PN-EC-EU
Height: 40.6cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 33.7cm Rec.
LED: 18w | IP Rating: IP20

RL2033BZ-EC-EU
Height: 61cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 52.7cm Rec.
LED: 24w | IP Rating: IP20

RL2033NB-EC-EU
Height: 61cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 52.7cm Rec.
LED: 24w | IP Rating: IP20

RL2033PN-EC-EU
Height: 61cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 52.7cm Rec.
LED: 24w | IP Rating: IP20

RL2034BZ-EC-EU
Height: 76.2cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 66.7cm Rec.
LED: 24w | IP Rating: IP20

RL2034NB-EC-EU
Height: 76.2cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 66.7cm Rec.
LED: 24w | IP Rating: IP20

RL2034PN-EC-EU
Height: 76.2cm | Width: 7cm
Extension: 10.2cm
Backplate: 6.4cm x 66.7cm Rec.
LED: 24w | IP Rating: IP200

RL2035BZ-EC-EU
Height: 33cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 12.7cm Round
LED: 9w | IP Rating: IP20

RL2035NB-EC-EU
Height: 33cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 12.7cm Round
LED: 9w | IP Rating: IP20

RL2035PN-EC-EU
Height: 33cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 12.7cm Round
LED: 9w | IP Rating: IP20

RALPH LAUREN

EU INDEX

RL2042NB-WG-EU
Height: 29.2cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 12.7cm Round
LED: 11w | IP Rating: IP20

RL2042PN-WG-EU
Height: 29.2cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 12.7cm Round
LED: 11w | IP Rating: IP20

RL2043NB-WG-EU
Height: 45.7cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 12.7cm Round
LED: 18w (1500lm) | IP Rating: IP20

RL2043PN-WG-EU
Height: 45.7cm | Width: 12.7cm
Extension: 10.2cm
Backplate: 12.7cm Round
LED: 18w (1500lm) | IP Rating: IP20

RL2064BZ-EU
Height: 31.1cm | Width: 25.4cm
Extension: 12.7cm | Backplate: 10.8cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2064NB-EU
Height: 31.1cm | Width: 25.4cm
Extension: 12.7cm | Backplate: 10.8cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2064PN-EU
Height: 31.1cm | Width: 25.4cm
Extension: 12.7cm | Backplate: 10.8cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2066BZ-EU
Height: 31.8cm | Width: 15.2cm
Extension: 19cm | Backplate: 12.7cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2066NB-EU
Height: 31.8cm | Width: 15.2cm
Extension: 19cm | Backplate: 12.7cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2066PN-EU
Height: 31.8cm | Width: 15.2cm
Extension: 19cm | Backplate: 12.7cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2077NB-EU
Height: 23.5cm | Width: 26.7cm
Extension: 11.4cm
Backplate: 10.8cm Round
Socket: 2 - E14 Candelabra | Wattage: 2 - 40 B
IP Rating: IP20

RL2077PN-EU
Height: 23.5cm | Width: 26.7cm
Extension: 11.4cm
Backplate: 10.8cm Round
Socket: 2 - E14 Candelabra | Wattage: 2 - 40 B
IP Rating: IP20

RL2078NB-EU
Height: 24.1cm | Width: 45.7cm
Extension: 14cm
Backplate: 10.8cm Round
Socket: 3 - E14 Candelabra | Wattage: 3 - 40 B
IP Rating: IP20

RL2078PN-EU
Height: 24.1cm | Width: 45.7cm
Extension: 14cm
Backplate: 10.8cm Round
Socket: 3 - E14 Candelabra | Wattage: 3 - 40 B
IP Rating: IP20

EU INDEX

RL2080NB-EU
Height: 27.9cm | Width: 11.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: E27 | Wattage: 40 T | IP Rating: IP20

RL2080PN-EU
Height: 27.9cm | Width: 11.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: E27 | Wattage: 40 T | IP Rating: IP20

RL2082NB-EU
Height: 11.4cm | Width: 44.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E27 | Wattage: 40 T | IP Rating: IP20

RL2082PN-EU
Height: 11.4cm | Width: 44.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E27 | Wattage: 40 T | IP Rating: IP20

RL2084NB-EU
Height: 30.5cm | Width: 15.2cm
Extension: 12.7cm
Backplate: 10.8cm x 53.3cm
Socket: 2 - E27 | Wattage: 60 C
IP Rating: IP20

RL2084PN-EU
Height: 30.5cm | Width: 15.2cm
Extension: 12.7cm
Backplate: 10.8cm x 53.3cm
Socket: 2 - E27 | Wattage: 60 C
IP Rating: IP20

RL2085NB-EU
Height: 47cm | Width: 15.2cm
Extension: 12.7cm
Backplate: 10.8cm x 45.7cm Rec.
Socket: 2 - E27 | Wattage: 60 C | IP Rating: IP20

RL2085PN-EU
Height: 47cm | Width: 15.2cm
Extension: 12.7cm
Backplate: 10.8cm x 45.7cm Rec.
Socket: 2 - E27 | Wattage: 60 C | IP Rating: IP20

RL2086NB-EU
Height: 69.8cm | Width: 15.2cm
Extension: 12.7cm
Backplate: 10.8cm x 53.3cm Rec.
Socket: 3 - E27 | Wattage: 60 C | IP Rating: IP20

RL2086PN-EU
Height: 69.8cm | Width: 15.2cm
Extension: 12.7cm
Backplate: 10.8cm x 53.3cm Rec.
Socket: 3 - E27 | Wattage: 60 C | IP Rating: IP20

RL2092NB-EU
Height: 28.6cm | Width: 11.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: E27 | Wattage: 40 T

RL2092PN-EU
Height: 28.6cm | Width: 11.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: E27 | Wattage: 40 T

RL2093NB-EU
Height: 45.1cm | Width: 11.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E27 | Wattage: 2 - 40 T

RL2093PN-EU
Height: 45.1cm | Width: 11.4cm
Extension: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E27 | Wattage: 2 - 40 T

EU INDEX

RL2105BS-S-EU
Height: 25.4cm | Width: 17.8cm
Extension: 30.5cm
Backplate: 15.2cm Round
Socket: E14 | Wattage: 60 C | IP Rating: IP20
Shade Details: 10.2cm x 17.8cm x 14cm

RL2120IS-BK-EU
Height: 21cm | Width: 17.1cm
Extension: 23.5cm
Backplate: 10.8cm Round
Socket: E27 | Wattage: 25 A | IP Rating: IP20

RL2120PN-PN-EU
Height: 21cm | Width: 17.1cm
Extension: 23.5cm
Backplate: 10.8cm Round
Socket: E27 | Wattage: 25 A | IP Rating: IP20

RL2120PN-WT-EU
Height: 21cm | Width: 17.1cm
Extension: 23.5cm
Backplate: 10.8cm Round
Socket: E27 | Wattage: 25 A | IP Rating: IP20

RL2160NB-EU
Height: 27.9cm | Width: 19.7cm
Extension: 10.8cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: E27 | Wattage: 60 A | IP Rating: IP20

RL2160PN-EU
Height: 27.9cm | Width: 19.7cm
Extension: 10.8cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: E27 | Wattage: 60 A | IP Rating: IP20

RL2162BZ-WG-EU
Height: 30.5cm | Width: 15.2cm
Extension: 9.5cm
Backplate: 11.4cm Round
Socket: 2 - E14 | Wattage: 40 C | IP Rating: IP20

RL2162NB-WG-EU
Height: 30.5cm | Width: 15.2cm
Extension: 9.5cm
Backplate: 11.4cm Round
Socket: 2 - E14 | Wattage: 40 C | IP Rating: IP20

RL2162PN-WG-EU
Height: 30.5cm | Width: 15.2cm
Extension: 9.5cm
Backplate: 11.4cm Round
Socket: 2 - E14 | Wattage: 40 C | IP Rating: IP20

RL2164NB-WG-EU
Height: 60.3cm | Width: 12.7cm
Backplate: 8.3cm x 53.3cm Rec.
Socket: 2 - E27 | Wattage: 60 T
IP Rating: IP44

RL2164PN-WG-EU
Height: 60.3cm | Width: 12.7cm
Backplate: 8.3cm x 53.3cm Rec.
Socket: 2 - E27 | Wattage: 60 T
IP Rating: IP44

RL2165NB-WG-EU
Height: 90.8cm | Width: 12.7cm
Backplate: 8.3cm x 83.8cm Rec.
Socket: 4 - E27 | Wattage: 25 T
IP Rating: IP44

RL2165PN-WG-EU
Height: 90.8cm | Width: 12.7cm
Backplate: 8.3cm x 83.8cm Rec.
Socket: 4 - E27 | Wattage: 25 T
IP Rating: IP44

RL2175BZ-EU
Height: 33.7cm | Width: 19cm
Extension: 22.9cm
Backplate: 12.7cm Round
Socket: E27 | Wattage: 60 T | IP Rating: IP20

EU INDEX

RL2175PN-EU
Height: 33.7cm | Width: 19cm
Extension: 22.9cm
Backplate: 12.7cm Round
Socket: E27 | Wattage: 60 T | IP Rating: IP20

RL2180BZ-EU
Height: 19cm | Width: 13.3cm
Extension: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 | Wattage: 60 C
IP Rating: IP20

RL2180NB-EU
Height: 19cm | Width: 13.3cm
Extension: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 | Wattage: 60 C
IP Rating: IP20

RL2180PN-EU
Height: 19cm | Width: 13.3cm
Extension: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 | Wattage: 60 C
IP Rating: IP20

RL2180WZ-EU
Height: 19cm | Width: 13.3cm
Extension: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 | Wattage: 60 C
IP Rating: IP20

RL2181BZ-EU
Height: 26.7cm | Width: 19cm
Extension: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2181NB-EU
Height: 26.7cm | Width: 19cm
Extension: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2181PN-EU
Height: 26.7cm | Width: 19cm
Extension: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2181WZ-EU
Height: 26.7cm | Width: 19cm
Extension: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2220NB-EU
Height: 31.8cm | Width: 17.8cm
Extension: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 | Wattage: 40 T
IP Rating: IP20

RL2220NB-NB-EU
Height: 31.8cm | Width: 17.8cm
Extension: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 | Wattage: 40 T
IP Rating: IP20

RL2220PN-EU
Height: 31.8cm | Width: 17.8cm
Extension: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 | Wattage: 40 T
IP Rating: IP20

RL2220PN-PN-EU
Height: 31.8cm | Width: 17.8cm
Extension: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 | Wattage: 40 T
IP Rating: IP20

RL2231AG-S-EU
Height: 63.5cm | Width: 35.6cm
Extension: 25.4cm
Backplate: 14cm x 19cm Oval
Socket: 2 - E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

EU INDEX

RL2231ASL-S-EU
Height: 63.5cm | Width: 35.6cm
Extension: 25.4cm
Backplate: 14cm x 19cm Oval
Socket: 2 - E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL2231GI-S-EU
Height: 63.5cm | Width: 35.6cm
Extension: 25.4cm
Backplate: 14cm x 19cm Oval
Socket: 2 - E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL2232AG-S-EU
Height: 69.8cm | Width: 41.9cm
Extension: 28.6cm
Backplate: 14cm x 19cm Oval
Socket: 3 - E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL2232ASL-S-EU
Height: 69.8cm | Width: 41.9cm
Extension: 28.6cm
Backplate: 14cm x 19cm Oval
Socket: 3 - E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL2232GI-S-EU
Height: 69.8cm | Width: 41.9cm
Extension: 28.6cm
Backplate: 14cm x 19cm Oval
Socket: 3 - E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL2250NB-EU
Height: 25.4cm | Width: 17.1cm
Extension: 29.8cm - 41.3cm
Backplate: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL2250PN-EU
Height: 25.4cm | Width: 17.1cm
Extension: 29.8cm - 41.3cm
Backplate: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL2252NB-EU
Height: 25.4cm | Width: 38.1cm - 47cm
Extension: 17.8cm - 26cm
Backplate: 12.1cm Round
Socket: 2 - E14 | Wattage: 8W LED B
IP Rating: IP20

RL2252PN-EU
Height: 25.4cm | Width: 38.1cm - 47cm
Extension: 17.8cm - 26cm
Backplate: 12.1cm Round
Socket: 2 - E14 | Wattage: 8W LED B
IP Rating: IP20

RL2260NB-EU
Height: 25.4cm | Width: 17.1cm
Extension: 44.5cm - 59cm
Backplate: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL2260PN-EU
Height: 25.4cm | Width: 17.1cm
Extension: 44.5cm - 59cm
Backplate: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL2262CG-L-EU
Height: 67.3cm | Width: 60.3cm
Extension: 27.3cm
Backplate: 15.2cm Semi-Circle
Socket: 2 - E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14cm

RL2270NB-EU
Height: 30.5cm | Width: 17.1cm
Extension: 38.1cm - 69.2cm
Backplate: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL2270PN-EU
Height: 30.5cm | Width: 17.1cm
Extension: 38.1cm - 69.2cm
Backplate: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

EU INDEX

RL2275BZ-EU
Height: 5.7cm | Width: 22.9cm
Extension: 31.1cm
Backplate: 5.1cm x 8.9cm Rec.
Socket: E27 | Wattage: 25 T
IP Rating: IP20

RL2275NB-EU
Height: 5.7cm | Width: 22.9cm
Extension: 31.1cm
Backplate: 5.1cm x 8.9cm Rec.
Socket: E27 | Wattage: 25 T
IP Rating: IP20

RL2275PN-EU
Height: 5.7cm | Width: 22.9cm
Extension: 31.1cm
Backplate: 5.1cm x 8.9cm Rec.
Socket: E27 | Wattage: 25 T
IP Rating: IP20

RL2276BZ-EU
Height: 5.7cm | Width: 40.6cm
Extension: 31.1cm
Backplate: 5.1cm x 28.6cm Rec.
Socket: 2 - E27 | Wattage: 25 T
IP Rating: IP20

RL2276NB-EU
Height: 5.7cm | Width: 40.6cm
Extension: 31.1cm
Backplate: 5.1cm x 28.6cm Rec.
Socket: 2 - E27 | Wattage: 25 T
IP Rating: IP20

RL2276PN-EU
Height: 5.7cm | Width: 40.6cm
Extension: 31.1cm
Backplate: 5.1cm x 28.6cm Rec.
Socket: 2 - E27 | Wattage: 25 T
IP Rating: IP20

RL2277BZ-EU
Height: 5.7cm | Width: 61cm
Extension: 31.1cm
Backplate: 5.1cm x 49.5cm Rec.
Socket: 2 - E27 | Wattage: 25 T
IP Rating: IP20

RL2277NB-EU
Height: 5.7cm | Width: 61cm
Extension: 31.1cm
Backplate: 5.1cm x 49.5cm Rec.
Socket: 2 - E27 | Wattage: 25 T
IP Rating: IP20

RL2277PN-EU
Height: 5.7cm | Width: 61cm
Extension: 31.1cm
Backplate: 5.1cm x 49.5cm Rec.
Socket: 2 - E27 | Wattage: 25 T
IP Rating: IP20

RL2280AG-CG-EU
Height: 61.6cm | Width: 31.8cm
Extension: 20.3cm
Backplate: 12.7cm Round
Socket: 2 - E14 | Wattage: 40 C
IP Rating: IP20

RL2280ASL-CG-EU
Height: 61.6cm | Width: 31.8cm
Extension: 20.3cm
Backplate: 12.7cm Round
Socket: 2 - E14 | Wattage: 40 C
IP Rating: IP20

RL2280GI-CG-EU
Height: 61.6cm | Width: 31.8cm
Extension: 20.3cm
Backplate: 12.7cm Round
Socket: 2 - E14 | Wattage: 40 C
IP Rating: IP20

RL2311NB-EU
Height: 62.9cm | Width: 43.2cm
Extension: 33cm
Backplate: 12.7cm Round
Socket: 2 - E14 | Wattage: 40 C
IP Rating: IP20

RL2320NB-CG-EU
Height: 30.5cm | Width: 10.8cm
Extension: 6.4cm
Backplate: 10.8cm x 29.2cm Rec.
LED: 7w

EU INDEX

RL2320PN-CG-EU
Height: 30.5cm | Width: 10.8cm
Extension: 6.4cm
Backplate: 10.8cm x 29.2cm Rec.
LED: 7w

RL2321NB-CG-EU
Height: 45.7cm | Width: 10.8cm
Extension: 8.3cm
Backplate: 10.8cm x 44.4cm Rec.
LED: 10w

RL2321PN-CG-EU
Height: 45.7cm | Width: 10.8cm
Extension: 8.3cm
Backplate: 10.8cm x 44.4cm Rec.
LED: 10w

RL2329AI-L-EU
Height: 88.9cm | Width: 33cm
Extension: 19.7cm
Backplate: 12.7cm x 13.3cm Rec.
Socket: E27 | Wattage: 40 A | IP Rating: IP20
Shade Details: 19.7cm x 31.8cm x 22.2cm Shield

RL2330CG/NB-L-EU
Height: 38.7cm | Width: 12.7cm
Extension: 17.8cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Wattage: 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm

RL2330CG/PN-L-EU
Height: 38.7cm | Width: 12.7cm
Extension: 17.8cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Wattage: 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm

RL2370AI-CG-EU
Height: 58.4cm | Width: 24.1cm
Extension: 27.9cm
Backplate: 12.7cm Round
Socket: E27 | Wattage: 60 A | IP Rating: IP22

RL2452NB-NVY-EU
Height: 17.8cm - 34.3cm | Width: 12.7cm
Extension: 35.6cm - 45.7cm
Backplate: 12.1cm Round
Socket: E26 On/Off | Wattage: 40 A

RL2452NB-SDL-EU
Height: 17.8cm - 34.3cm | Width: 12.7cm
Extension: 35.6cm - 45.7cm
Backplate: 12.1cm Round
Socket: E26 On/Off | Wattage: 40 A

RL2452PN-CHC-EU
Height: 17.8cm - 34.3cm | Width: 12.7cm
Extension: 35.6cm - 45.7cm
Backplate: 12.1cm Round
Socket: E26 On/Off | Wattage: 40 A

RL2454NB-NVY-EU
Height: 17.8cm - 36.8cm | Width: 12.7cm
Extension: 27.9cm - 69.2cm
Backplate: 12.1cm Round
Socket: E27 | Wattage: 40 A

RL2454NB-SDL-EU
Height: 17.8cm - 36.8cm | Width: 12.7cm
Extension: 27.9cm - 69.2cm
Backplate: 12.1cm Round
Socket: E27 | Wattage: 40 A

RL2454PN-CHC-EU
Height: 17.8cm - 36.8cm | Width: 12.7cm
Extension: 27.9cm - 69.2cm
Backplate: 12.1cm Round
Socket: E27 | Wattage: 40 A

RL2500BZ-L-EU
Height: 47.6cm | Width: 35.6cm
Extension: cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 | Wattage: 60 A | IP Rating: IP20
Shade Details: 15.2cm x 35.6cm x 22.9cm

EU INDEX

RL2500NB-L-EU
Height: 47.6cm | Width: 35.6cm
Extension: cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 | Wattage: 60 A | IP Rating: IP20
Shade Details: 15.2cm x 35.6cm x 22.9cm

RL2500PN-L-EU
Height: 47.6cm | Width: 35.6cm
Extension: cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 | Wattage: 60 A | IP Rating: IP20
Shade Details: 15.2cm x 35.6cm x 22.9cm

RL2530BZ-EU
Height: 33cm | Width: 15.2cm
Extension: 19cm
Backplate: 10.2cm Round
Socket: E27 | Wattage: 60 C | IP Rating: IP20

RL2530NB-EU
Height: 33cm | Width: 15.2cm
Extension: 19cm
Backplate: 10.2cm Round
Socket: E27 | Wattage: 60 C | IP Rating: IP20

RL2530PN-EU
Height: 33cm | Width: 15.2cm
Extension: 19cm
Backplate: 10.2cm Round
Socket: E27 | Wattage: 60 C | IP Rating: IP20

RL2533NB-WG-EU
Height: 30.5cm | Width: 13.3cm
Extension: 11.4cm
Backplate: 10.2cm x 30.5cm Rec.
LED: 6w | IP Rating: IP20

RL2533PN-WG-EU
Height: 30.5cm | Width: 13.3cm
Extension: 11.4cm
Backplate: 10.2cm x 30.5cm Rec.
LED: 6w | IP Rating: IP20

RL2534NB-WG-EU
Height: 30.5cm | Width: 13.3cm
Extension: 11.4cm
Backplate: 10.2cm x 30.5cm Rec.
LED: 6w | IP Rating: IP20

RL2534PN-WG-EU
Height: 59.1cm | Width: 13.3cm
Extension: 11.4cm
Backplate: 10.2cm x 59.1cm Rec
LED: 12w | IP Rating: IP20

RL2535NB-WG-EU
Height: 59.1cm | Width: 13.3cm
Extension: 11.4cm
Backplate: 10.2cm x 59.1cm Rec
LED: 12w | IP Rating: IP20

RL2535PN-WG-EU
Height: 87.6cm | Width: 13.3cm
Extension: 11.4cm
Backplate: 10.2cm x 86.4cm Rec.
LED: 18w | IP Rating: IP20

RL2550BZ-WG-EU
Height: 50.8cm | Width: 20.3cm
Extension: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL2550NB-WG-EU
Height: 50.8cm | Width: 20.3cm
Extension: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL2550PN-WG-EU
Height: 50.8cm | Width: 20.3cm
Extension: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

EU INDEX

RL2551BZ-WG-EU
Height: 38.7cm | Width: 20.3cm
Extension: 27.9cm
Backplate: 13.3cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2551NB-WG-EU
Height: 38.7cm | Width: 20.3cm
Extension: 27.9cm
Backplate: 13.3cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2551PN-WG-EU
Height: 38.7cm | Width: 20.3cm
Extension: 27.9cm
Backplate: 13.3cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL2570NB/NRO-L-EU
Height: 34.9cm | Width: 18.4cm
Extension: 21cm
Backplate: 11.4cm Round
Socket: E14 | Wattage: 40
Shade Details: 7.6cm x 19.7cm x 12.1cm

RL2570PN/BKE-L-EU
Height: 34.9cm | Width: 18.4cm
Extension: 21cm
Backplate: 11.4cm Round
Socket: E14 | Wattage: 40
Shade Details: 7.6cm x 19.7cm x 12.1cm

RL2590NB/NRO-L-EU
Height: 76.2cm | Width: 31.8cm
Extension: 20.3cm
Backplate: 10.8cm Square
Socket: E26 Keyless | Wattage: 40 A
Shade Details: 29.8cm x 31.8cm x 21cm

RL2590PN/BKE-L-EU
Height: 76.2cm | Width: 31.8cm
Extension: 20.3cm
Backplate: 10.8cm Square
Socket: E26 Keyless | Wattage: 40 A
Shade Details: 29.8cm x 31.8cm x 21cm

RL2611NB/NVY-L-EU
Height: 31.1cm | Width: 15.2cm
Extension: 19.7cm
Backplate: 13.3cm Round
Socket: E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14.6cm

RL2611NB/SDL-L-EU
Height: 31.1cm | Width: 15.2cm
Extension: 19.7cm
Backplate: 13.3cm Round
Socket: E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14.6cm

RL2611PN/CHC-L-EU
Height: 31.1cm | Width: 15.2cm
Extension: 19.7cm
Backplate: 13.3cm Round
Socket: E14 | Wattage: 40 C | IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14.6cm

RL2620NB-ALB-EU
Height: 45.7cm | Width: 26.7cm
Extension: 21.6cm
Backplate: 11.4cm x 38.7cm Rec
Socket: E14 | Wattage: 9w LED B
IP Rating: IP20

RL2620PN-ALB-EU
Height: 45.7cm | Width: 26.7cm
Extension: 21.6cm
Backplate: 11.4cm x 38.7cm Rec
Socket: E14 | Wattage: 9w LED B
IP Rating: IP20

RL2721NB-EU
Height: 17.8cm - 22.9cm | Width: 7.6cm
Extension: 16.5cm - 47cm
Backplate: 7.6cm x 12.1cm Rec.
LED: 9w

RL2721PN-EU
Height: 17.8cm - 22.9cm | Width: 7.6cm
Extension: 16.5cm - 47cm
Backplate: 7.6cm x 12.1cm Rec.
LED: 9w

EU INDEX

RL2722NB-EU
Height: 10.8cm | Width: 30.5cm
Extension: 21.6cm
Backplate: 10.8cm Round
LED: 14w

RL2722PN-EU
Height: 10.8cm | Width: 30.5cm
Extension: 21.6cm
Backplate: 10.8cm Round
LED: 14w

RL2723NB-EU
Height: 10.8cm | Width: 45.7cm
Extension: 21.6cm
Backplate: 10.8cm Round
LED: 23w

RL2723PN-EU
Height: 10.8cm | Width: 45.7cm
Extension: 21.6cm
Backplate: 10.8cm Round
LED: 23w

RL2724NB-EU
Height: 10.8cm | Width: 61cm
Extension: 21.6cm
Backplate: 10.8cm Round
LED: 32w

RL2724PN-EU
Height: 10.8cm | Width: 61cm
Extension: 21.6cm
Backplate: 10.8cm Round
LED: 32w

RL2729NB-EU
Height: 14.6cm - 21cm | Width: 7.6cm
Extension: 21.6cm - 23.5cm
Backplate: 7.6cm x 12.1cm Rec.
LED: 9w

RL2729PN-EU
Height: 14.6cm - 21cm | Width: 7.6cm
Extension: 21.6cm - 23.5cm
Backplate: 7.6cm x 12.1cm Rec.
LED: 9w

RL2732FR-CG-EU
Height: 47cm | Width: 26cm
Extension: 18.4cm
Backplate: 22.9cm x 27.9cm Rec.
Socket: E14 | Wattage: 60 C
IP Rating: IP44

RL2732WVG-CG-EU
Height: 47cm | Width: 26cm
Extension: 18.4cm
Backplate: 22.9cm x 27.9cm Rec.
Socket: E14 | Wattage: 60 C
IP Rating: IP44

RL2733FR-CG-EU
Height: 61.6cm | Width: 34.3cm
Extension: 23.5cm
Backplate: 21.6cm x 34.3cm Trapezoid
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL2733WVG-CG-EU
Height: 61.6cm | Width: 34.3cm
Extension: 23.5cm
Backplate: 21.6cm x 34.3cm Trapezoid
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL2770AI/ALB-EU
Height: 45.7cm | Width: 25.4cm
Extension: 14cm
Backplate: 22.9cm x 45.7cm Rec.
LED: 9w

RL2780NB-EU
Height: 6.4cm | Width: 30.5cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 12w

EU INDEX

RL2780PN-EU
Height: 6.4cm | Width: 30.5cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 12w

RL2781NB-EU
Height: 6.4cm | Width: 61cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 36w

RL2781PN-EU
Height: 6.4cm | Width: 61cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 36w

RL2782NB-EU
Height: 6.4cm | Width: 81.3cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 36w

RL2782PN-EU
Height: 6.4cm | Width: 81.3cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 36w

RL2783NB-EU
Height: 6.4cm | Width: 101.6cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 36w

RL2783PN-EU
Height: 6.4cm | Width: 101.6cm
Extension: 20.3cm
Backplate: 7.6cm x 21cm Rec.
LED: 36w

RL2786BZ-EU
Height: 6.4cm | Width: 33cm
Extension: 12.7cm - 14.6cm
Backplate: 12.1cm x 6.4cm Rec.
LED: 9w | IP Rating: IP20

RL2786NB-EU
Height: 6.4cm | Width: 33cm
Extension: 12.7cm - 14.6cm
Backplate: 12.1cm x 6.4cm Rec.
LED: 9w | IP Rating: IP20

RL2786PN-EU
Height: 6.4cm | Width: 33cm
Extension: 12.7cm - 14.6cm
Backplate: 12.1cm x 6.4cm Rec.
LED: 9w | IP Rating: IP20

RL2787BZ-EU
Height: 6.4cm | Width: 61cm
Extension: 12.7cm - 14.6cm
Backplate: 30.5cm x 6.4cm Rec.
LED: 18w | IP Rating: IP20

RL2787NB-EU
Height: 6.4cm | Width: 61cm
Extension: 12.7cm - 14.6cm
Backplate: 30.5cm x 6.4cm Rec.
LED: 18w | IP Rating: IP20

RL2787PN-EU
Height: 6.4cm | Width: 61cm
Extension: 12.7cm - 14.6cm
Backplate: 30.5cm x 6.4cm Rec.
LED: 18w | IP Rating: IP20

RL2788BZ-EU
Height: 6.4cm | Width: 91.4cm
Extension: 12.7cm - 14.6cm
Backplate: 61cm x 6.4cm Rec.
LED: 27w | IP Rating: IP20

EU INDEX

RL2788NB-EU
Height: 6.4cm | Width: 91.4cm
Extension: 12.7cm - 14.6cm
Backplate: 61cm x 6.4cm Rec.
LED: 27w | IP Rating: IP20

RL2788PN-EU
Height: 6.4cm | Width: 91.4cm
Extension: 12.7cm - 14.6cm
Backplate: 61cm x 6.4cm Rec.
LED: 27w | IP Rating: IP20

RL2810BZ-CG-EU
Height: 41.9cm | Width: 20.3cm
Extension: 22.2cm
Backplate: 17.8cm x 39.4cm Rec.
LED: 12w

RL2969NB/Q-EU
Height: 47.6cm | Width: 12.7cm
Extension: 7.6cm
Backplate: 12.7cm x 47.6cm Rec.
LED: 18w | IP Rating: IP20

RL2969PN/Q-EU
Height: 47.6cm | Width: 12.7cm
Extension: 7.6cm
Backplate: 12.7cm x 47.6cm Rec.
LED: 18w | IP Rating: IP20

RL3031BZ/EC-BZ-EU
Height: 51.4cm | Width: 39.4cm
Base: 20.3cm Round
LED: 11w | IP Rating: IP20
Shade Details: 39.4cm x 39.4cm x 19cm

RL3031NB/EC-NB-EU
Height: 51.4cm | Width: 39.4cm
Base: 20.3cm Round
LED: 11w | IP Rating: IP20
Shade Details: 39.4cm x 39.4cm x 19cm

RL3031PN/EC-PN-EU
Height: 51.4cm | Width: 39.4cm
Base: 20.3cm Round
LED: 11w | IP Rating: IP20
Shade Details: 39.4cm x 39.4cm x 19cm

RL3040BZ-PW-EU
Height: 53.3cm | Width: 45.7cm
Base: 20.3cm Round
LED: 12w | IP Rating: IP20

RL3040NB-PW-EU
Height: 53.3cm | Width: 45.7cm
Base: 20.3cm Round
LED: 12w | IP Rating: IP20

RL3040PN-PW-EU
Height: 53.3cm | Width: 45.7cm
Base: 20.3cm Round
LED: 12w | IP Rating: IP20

RL3082NB-WP-EU
Height: 76.2cm | Width: 45.7cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 40.6cm x 45.7cm x 30.5cm

RL3082PN-WP-EU
Height: 76.2cm | Width: 45.7cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 40.6cm x 45.7cm x 30.5cm

RL3094NB-L-EU
Height: 72.4cm | Width: 44.4cm
Base: 22.9cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 42.5cm x 44.4cm x 28.6cm

EU INDEX

RL3094PN-L-EU
Height: 72.4cm | Width: 44.4cm
Base: 22.9cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 42.5cm x 44.4cm x 28.6cm

RL3183NB-L-EU
Height: 64.8cm | Width: 42.5cm
Base: 16.5cm x 25.4cm Oval
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 38.1cm x 42.5cm x 26.7cm Oval

RL3183PN-L-EU
Height: 64.8cm | Width: 42.5cm
Base: 16.5cm x 25.4cm Oval
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 38.1cm x 42.5cm x 26.7cm Oval

RL3250NB-EU
Height: 48.9cm - 62.2cm | Width: 17.1cm
Extension: cm
Base: 12.7cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL3250PN-EU
Height: 48.9cm - 62.2cm | Width: 17.1cm
Extension: cm
Base: 12.7cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL3320NB-CA-EU
Height: 63.5cm - 91.4cm | Width: 20.3cm
Extension: 86.4cm
Base: 20.3cm Round
LED: 8w | IP Rating: IP20
Note: Memory Dimmer Switch

RL3320PN-CA-EU
Height: 63.5cm - 91.4cm | Width: 20.3cm
Extension: 86.4cm
Base: 20.3cm Round
LED: 8w | IP Rating: IP20
Note: Memory Dimmer Switch

RL3345NB-EU
Height: 57.2cm | Width: 91.4cm
Base: 22.9cm Round
LED: 24w | IP Rating: IP20

RL3345PN-EU
Height: 57.2cm | Width: 91.4cm
Base: 22.9cm Round
LED: 24w | IP Rating: IP20

RL3346NB-EU
Height: 24.1cm - 44.4cm | Width: 14.6cm
Extension: 19.7cm - 27.3cm
Base: 12.7cm Round
LED: 9w

RL3346PN-EU
Height: 24.1cm - 44.4cm | Width: 14.6cm
Extension: 19.7cm - 27.3cm
Base: 12.7cm Round
LED: 9w

RL3388BZ-EU
Height: 74.9cm | Width: 30.5cm
Extension: 24.1cm - 26cm
Base: 20.3cm x 25.4cm Rec.
LED: 9w | IP Rating: IP20
Note: Dimmer on Cord

RL3388NB-EU
Height: 74.9cm | Width: 30.5cm
Extension: 24.1cm - 26cm
Base: 20.3cm x 25.4cm Rec.
LED: 9w | IP Rating: IP20
Note: Dimmer on Cord

RL3388PN-EU
Height: 74.9cm | Width: 30.5cm
Extension: 24.1cm - 26cm
Base: 20.3cm x 25.4cm Rec.
LED: 9w | IP Rating: IP20
Note: Dimmer on Cord

EU INDEX

RL3393NB-NB-EU
Height: 83.8cm | Width: 29.2cm
Base: 17.8cm Round
Socket: E26 Dimmer | Wattage: 60 A
IP Rating: IP20
Shade Details: 10.2cm x 29.2cm x 17.8cm

RL3393PN-PN-EU
Height: 83.8cm | Width: 29.2cm
Base: 17.8cm Round
Socket: E26 Dimmer | Wattage: 60 A
IP Rating: IP20
Shade Details: 10.2cm x 29.2cm x 17.8cm

RL3450NB-NVY-EU
Height: 48.3cm - 74.3cm | Width: 17.8cm
Extension: 43.2cm - 58.4cm
Base: 17.8cm Round
Socket: E27 | Wattage: 40 A

RL3450NB-SDL-EU
Height: 48.3cm - 74.3cm | Width: 17.8cm
Extension: 43.2cm - 58.4cm
Base: 17.8cm Round
Socket: E27 | Wattage: 40 A

RL3450PN-CHC-EU
Height: 48.3cm - 74.3cm | Width: 17.8cm
Extension: 43.2cm - 58.4cm
Base: 17.8cm Round
Socket: E27 | Wattage: 40 A

RL3467BZ-L-EU
Height: 64.8cm | Width: 38.1cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 35.6cm x 38.1cm x 25.4cm

RL3473CG/PN-P-EU
Height: 83.8cm | Width: 48.3cm
Base: 19.7cm X-Base
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 35.6cm x 48.3cm x 35.6cm Closed Top

RL3491NB/NVY-P-EU
Height: 76.8cm | Width: 50.8cm
Base: 19cm Round
Socket: 2 - E27 | Wattage: 2 - 40 B
Shade Details: 15.2cm x 50.8cm x 28.6cm

RL3491NB/SDL-P-EU
Height: 76.8cm | Width: 50.8cm
Base: 19cm Round
Socket: 2 - E27 | Wattage: 2 - 40 B
Shade Details: 15.2cm x 50.8cm x 28.6cm

RL3491PN/CHC-P-EU
Height: 76.8cm | Width: 50.8cm
Base: 19cm Round
Socket: 2 - E27 | Wattage: 2 - 40 B
Shade Details: 15.2cm x 50.8cm x 28.6cm

RL3501BZ-L-EU
Height: 50.8cm - 76.2cm | Width: 35.6cm
Extension: 54.6cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A | IP Rating: IP20
Shade Details: 15.2cm x 35.6cm x 22.9cm

RL3501NB-L-EU
Height: 50.8cm - 76.2cm | Width: 35.6cm
Extension: 54.6cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A | IP Rating: IP20
Shade Details: 15.2cm x 35.6cm x 22.9cm

RL3501PN-L-EU
Height: 50.8cm - 76.2cm | Width: 35.6cm
Extension: 54.6cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A | IP Rating: IP20
Shade Details: 15.2cm x 35.6cm x 22.9cm

RL3533NB/NVY-L-EU
Height: 72.4cm | Width: 48.3cm
Base: 22.9cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 43.2cm x 48.3cm x 30.5cm Closed Top

EU INDEX

RL3533NB/SDL-L-EU
Height: 72.4cm | Width: 48.3cm
Base: 22.9cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 43.2cm x 48.3cm x 30.5cm Closed Top

RL3533PN/CHC-L-EU
Height: 72.4cm | Width: 48.3cm
Base: 22.9cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 43.2cm x 48.3cm x 30.5cm Closed Top

RL3542BRT
Height: 68.6cm | Width: 53.3cm
Base: 21.6cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 40.6cm x 53.3cm x 38.1cm Closed Top

RL3543BRT
Height: 82.6cm | Width: 61cm
Base: 20.3cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 45.7cm x 61cm x 36.2cm Closed Top

RL3570NB/NRO-L-EU
Height: 90.2cm | Width: 31.8cm
Base: 16.5cm Round
Socket: E14 | Wattage: 40 B
Shade Details: 7.6 cm x 31.8cm x 18.4cm

RL3570PN/BKE-L-EU
Height: 90.2cm | Width: 31.8cm
Base: 16.5cm Round
Socket: E14 | Wattage: 40 B
Shade Details: 7.6 cm x 31.8cm x 18.4cm

RL3592BKE/PN-P-EU
Height: 66.7cm | Width: 46.4cm
Base: 12.7cm Square
Socket: E27 | Wattage: 100 A
Shade Details: 41.9cm x 45.7cm x 26cm Rec.

RL3592MCE/NB-P-EU
Height: 66.7cm | Width: 46.4cm
Base: 12.7cm Square
Socket: E27 | Wattage: 100 A
Shade Details: 41.9cm x 45.7cm x 26cm Rec.

RL3622CBZ-L-EU
Height: 71.1cm | Width: 48.3cm
Base: 19cm Square
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 43.2cm x 48.3cm x 30.5cm

RL3622WLC-L-EU
Height: 71.1cm | Width: 48.3cm
Base: 19cm Square
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 43.2cm x 48.3cm x 30.5cm

RL3625BLK-WP-EU
Height: 71.1cm | Width: 48.3cm
Base: 17.8cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 35.6cm x 48.3cm x 33cm

RL3625WT-WP-EU
Height: 71.1cm | Width: 48.3cm
Base: 17.8cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 35.6cm x 48.3cm x 33cm

RL3627BLK-WP-EU
Height: 92.7cm | Width: 55.9cm
Base: 30.5cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 48.3cm x 55.9cm x 38.1cm

RL3627WT-WP-EU
Height: 92.7cm | Width: 55.9cm
Base: 30.5cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 48.3cm x 55.9cm x 38.1cm

EU INDEX

RL3633BC-WP-EU
Height: 69.8cm | Width: 43.2cm
Base: 27.3cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 30.5cm x 43.2cm x 30.5cm

RL3633BLK-WP-EU
Height: 69.8cm | Width: 43.2cm
Base: 27.3cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 30.5cm x 43.2cm x 30.5cm

RL3633ICO-WP-EU
Height: 69.8cm | Width: 43.2cm
Base: 27.3cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 30.5cm x 43.2cm x 30.5cm

RL3634BC-WP-EU
Height: 91.4cm | Width: 63.5cm
Base: 35.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 48.3cm x 63.5cm x 45.7cm

RL3634BLK-WP-EU
Height: 91.4cm | Width: 63.5cm
Base: 35.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 48.3cm x 63.5cm x 45.7cm

RL3634ICO-WP-EU
Height: 91.4cm | Width: 63.5cm
Base: 35.6cm Round
Socket: E27 | Wattage: 100 A
IP Rating: IP20
Shade Details: 48.3cm x 63.5cm x 45.7cm

RL3649BW-S-EU
Height: 68.6cm | Width: 53.3cm
Base: 22.9cm Round
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 17.8cm x 53.3cm x 33cm

RL3651BW
Height: 68.6cm | Width: 42.5cm
Base: 19cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 21.6cm x 42.5cm x 33cm

RL3652BW
Height: 91.4cm | Width: 55.2cm
Base: 25.4cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 29.8cm x 55.2cm x 40.6cm

RL3653BW
Height: 81.3cm | Width: 48.9cm
Base: 20.3cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 24.8cm x 48.9cm x 38.1cm

RL3660LTS-L-EU
Height: 81.3cm | Width: 54.6cm
Base: 17.1cm Round
Socket: E27 Dimmer | Wattage: 100 A
IP Rating: IP20
Shade Details: 41.9cm x 54.6cm x 35.6cm

RL3660MBZ-L-EU
Height: 81.3cm | Width: 54.6cm
Base: 17.1cm Round
Socket: E27 Dimmer | Wattage: 100 A
IP Rating: IP20
Shade Details: 41.9cm x 54.6cm x 35.6cm

RL3677BLK-L-EU
Height: 62.2cm | Width: 49.5cm
Base: 17.8cm Square
Socket: E27 | Wattage: 100 A
Shade Details: 36.8cm x 45.7cm x 30.5xm Closed Top

RL3677WHT-L-EU
Height: 62.2cm | Width: 49.5cm
Base: 17.8cm Square
Socket: E27 | Wattage: 100 A
Shade Details: 36.8cm x 45.7cm x 30.5xm Closed Top

RALPH LAUREN

EU INDEX

RL3678BLK-L-EU
Height: 85.1cm | Width: 55.9cm
Base: 12.7cm Square
Socket: E27 | Wattage: 100 A
Shade Details: 45.7cm x 55.9cm x 13.4cm Closed Top

RL3678WHT-L-EU
Height: 85.1cm | Width: 55.9cm
Base: 12.7cm Square
Socket: E27 | Wattage: 100 A
Shade Details: 45.7cm x 55.9cm x 13.4cm Closed Top

RL3770AI/ALB
Height: 55.2cm | Width: 45.7cm
Base: 29.2cm Decorative
Socket: E27 | Wattage: 100 A
Shade Details: 40.6cm x 45.7cm x 26.7cm

RL3805NB-EU
Height: 41.3cm - 51.4cm | Width: 22.2cm
Base: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL3805PN-EU
Height: 41.3cm - 51.4cm | Width: 22.2cm
Base: 12.1cm Round
Socket: E14 | Wattage: 8W LED C
IP Rating: IP20

RL3920CG-WP-EU
Height: 73.7cm | Width: 45.7cm
Base: 30.5cm Square
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 43.2cm x 45.7cm x 26.7cm

RL3921CCG-P-EU
Height: 54.6cm | Width: 45.7cm
Base: 19.7cm Round
Socket: E27 | Wattage: 100 A
Shade Details: 38.1cm x 45.7cm x 25.4cm

RL3936CG-S-EU
Height: 73.7cm | Width: 53.3cm
Base: 20.3cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 17.8cm x 53.3cm x 33cm

RL3941CG/NB-P-EU
Height: 83.2cm | Width: 38.1cm
Base: 16.5cm Square
Socket: E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 17.8cm x 38.1cm x 27.9cm

RL3941CG/PN-P-EU
Height: 83.2cm | Width: 38.1cm
Base: 16.5cm Square
Socket: E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 17.8cm x 38.1cm x 27.9cm

RL3965NB/Q-P-EU
Height: 57.2cm | Width: 38.1cm
Base: 16.5cm x 24.1cm Rec.
Socket: E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 35.6cm x 38.1cm x 25.4cm Rec.

RL3965PN/Q-P-EU
Height: 57.2cm | Width: 38.1cm
Base: 16.5cm x 24.1cm Rec.
Socket: E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 35.6cm x 38.1cm x 25.4cm Rec.

RL3966NB/Q-P-EU
Height: 77.5cm | Width: 43.2cm
Base: 15.2cm Square
Socket: E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 40.6cm x 43.2cm x 30.5cm Square

RL3966PN/Q-P-EU
Height: 77.5cm | Width: 43.2cm
Base: 15.2cm Square
Socket: E27 | Wattage: 60 A
IP Rating: IP20
Shade Details: 40.6cm x 43.2cm x 30.5cm Square

EU INDEX

RL4072NB-FA-EU
Height: 10.2cm | Width: 35.6cm
Socket: 4 - E27 | Wattage: 40 T
IP Rating: IP20

RL4072PN-FA-EU
Height: 10.2cm | Width: 35.6cm
Socket: 4 - E27 | Wattage: 40 T
IP Rating: IP20

RL4090NB-WG-EU
Height: 15.2cm | Width: 35.6cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL4090PN-WG-EU
Height: 15.2cm | Width: 35.6cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL4127BZ-EU
Height: 3.8cm | Width: 11.4cm
Canopy: 11.4cm Round
LED: 12w

RL4127NB-EU
Height: 3.8cm | Width: 11.4cm
Canopy: 11.4cm Round
LED: 12w

RL4127PN-EU
Height: 3.8cm | Width: 11.4cm
Canopy: 11.4cm Round
LED: 12w

RL4128BZ-EU
Height: 4.4cm | Width: 15.9cm
Canopy: 15.9cm Round
LED: 15w

RL4128NB-EU
Height: 4.4cm | Width: 15.9cm
Canopy: 15.9cm Round
LED: 15w

RL4128PN-EU
Height: 4.4cm | Width: 15.9cm
Canopy: 15.9cm Round
LED: 15w

RL4143AI-CG-EU
Height: 21cm | Width: 33cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL4143PN-CG-EU
Height: 21cm | Width: 33cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL4143PN-WG-EU
Height: 21cm | Width: 33cm
Socket: 2 - E27 | Wattage: 60 A
IP Rating: IP20

RL4460BZ-WG-EU
Height: 29.8cm | Width: 20.3cm
Canopy: 16.5cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

EU INDEX

RL4460NB-WG-EU
Height: 29.8cm | Width: 20.3cm
Canopy: 16.5cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4460PN-WG-EU
Height: 29.8cm | Width: 20.3cm
Canopy: 16.5cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4461BZ-WG-EU
Height: 40.6cm | Width: 30.5cm
Canopy: 16.5cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4461NB-WG-EU
Height: 40.6cm | Width: 30.5cm
Canopy: 16.5cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4461PN-WG-EU
Height: 40.6cm | Width: 30.5cm
Canopy: 16.5cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4462BZ-WG-EU
Height: 52.7cm | Width: 41.3cm
Canopy: 19.7cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4462NB-WG-EU
Height: 52.7cm | Width: 41.3cm
Canopy: 19.7cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4462PN-WG-EU
Height: 52.7cm | Width: 41.3cm
Canopy: 19.7cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL4800NB-EU
Height: 19cm | Width: 31.1cm
Socket: 3 - E27 | Wattage: 40 A
IP Rating: IP20

RL4800PN-EU
Height: 19cm | Width: 31.1cm
Socket: 3 - E27 | Wattage: 40 A
IP Rating: IP20

RL4801NB-EU
Height: 11.4cm | Width: 30.5cm
Socket: 2 - E27 | Wattage: 60 C
IP Rating: IP20

RL4801PN-EU
Height: 11.4cm | Width: 30.5cm
Socket: 2 - E27 | Wattage: 60 C
IP Rating: IP20

RL4802NB-EU
Height: 17.8cm | Width: 45.7cm
Socket: 3 - E27 | Wattage: 60 T
IP Rating: IP20

RL4802PN-EU
Height: 17.8cm | Width: 45.7cm
Socket: 3 - E27 | Wattage: 60 T
IP Rating: IP20

EU INDEX

RL4803NB-EU
Height: 11.4cm | Width: 31.1cm
Socket: 2 - E27 | Wattage: 60 T
IP Rating: IP20

RL4803PN-EU
Height: 11.4cm | Width: 31.1cm
Socket: 2 - E27 | Wattage: 60 T
IP Rating: IP20

RL4804NB-EU
Height: 23.5cm | Width: 61cm
Socket: 6 - E27 Keyless | Wattage: 6 - 40 T
IP Rating: IP20

RL4804PN-EU
Height: 23.5cm | Width: 61cm
Socket: 6 - E27 Keyless | Wattage: 6 - 40 T
IP Rating: IP20

RL4967NB/Q-EU
Height: 7.6cm | Width: 12.7cm
LED: 6w
IP Rating: IP20

RL4967PN/Q-EU
Height: 7.6cm | Width: 12.7cm
LED: 6w
IP Rating: IP20

RL5004CG-EU
Height: 77.5cm | Width: 53.3cm
Canopy: 19cm Round
Socket: 4 - E14 | Wattage: 40 C
IP Rating: IP20

RL5005CG-EU
Height: 104.1cm | Width: 69.2cm
Canopy: 19cm Round
Socket: 6 - E14 | Wattage: 40 C
IP Rating: IP20

RL5006CG-EU
Height: 127.6cm | Width: 79.4cm
Canopy: 19cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20

RL5007CG-EU
Height: 104.1cm | Width: 79.4cm
Canopy: 19cm Round
Socket: 6 - E14 | Wattage: 40 C
IP Rating: IP20

RL5008CG-EU
Fixture Height: 127.6cm | Width: 115.6cm
Canopy: 19cm Round
Socket: 12 - E14 | Wattage: 40 A
IP Rating: IP20

RL5010CG-EU
Height: 153.7cm | Width: 127cm
Canopy: 19cm Round
Socket: 24 - E14 | Wattage: 40 C
IP Rating: IP20

RL5030BZ-EC-EU
O/A Height: 121.9cm | Fixture Height: 33cm
Min. Custom Height: 53.3cm | Width: 7cm
Canopy: 11.4cm Round
LED: 12w | IP Rating: IP20

RL5030NB-EC-EU
O/A Height: 121.9cm | Fixture Height: 33cm
Min. Custom Height: 53.3cm | Width: 7cm
Canopy: 11.4cm Round
LED: 12w | IP Rating: IP20

RALPH LAUREN

EU INDEX

RL5030PN-EC-EU
O/A Height: 121.9cm | Fixture Height: 33cm
Min. Custom Height: 53.3cm | Width: 7cm
Canopy: 11.4cm Round
LED: 12w | IP Rating: IP20

RL5032BN-EU
O/A Height: 141cm | Fixture Height: 66cm
Min. Custom Height: 109.2cm | Width: 169.5cm
Canopy: 20.3cm Round
Socket: 6 - E27 | Wattage: 40 A
IP Rating: IP20

RL5032BZ-EU
O/A Height: 141cm | Fixture Height: 66cm
Min. Custom Height: 109.2cm | Width: 169.5cm
Canopy: 20.3cm Round
Socket: 6 - E27 | Wattage: 40 A
IP Rating: IP20

RL5032PN-EU
O/A Height: 141cm | Fixture Height: 66cm
Min. Custom Height: 109.2cm | Width: 169.5cm
Canopy: 20.3cm Round
Socket: 6 - E27 | Wattage: 40 A
IP Rating: IP20

RL5041BZ-PW-EU
O/A Height: 86.4cm | Min. Custom Height: 58.4cm
Width: 71.1cm
Canopy: 15.9cm Round
LED: 18w | IP Rating: IP20

RL5041NB-PW-EU
O/A Height: 86.4cm | Min. Custom Height: 58.4cm
Width: 71.1cm
Canopy: 15.9cm Round
LED: 18w | IP Rating: IP20

RL5041PN-PW-EU
O/A Height: 86.4cm | Min. Custom Height: 58.4cm
Width: 71.1cm
Canopy: 15.9cm Round
LED: 18w | IP Rating: IP20

RL5042BZ-PW-EU
O/A Height: 121.3cm | Min. Custom Height: 78.7cm
Width: 101.6cm
Canopy: 17.8cm Round
LED: 18w | IP Rating: IP20

RL5042NB-PW-EU
O/A Height: 121.3cm | Min. Custom Height: 78.7cm
Width: 101.6cm
Canopy: 17.8cm Round
LED: 18w | IP Rating: IP20

RL5042PN-PW-EU
O/A Height: 121.3cm | Min. Custom Height: 78.7cm
Width: 101.6cm
Canopy: 17.8cm Round
LED: 18w | IP Rating: IP20

RL5060BZ-WG-EU
Height: 77.5cm | Width: 55.9cm
Canopy: 15.2cm Oct.
Socket: 4 - E27 | Wattage: 40 A
IP Rating: IP20

RL5060PN-WG-EU
Height: 77.5cm | Width: 55.9cm
Canopy: 15.2cm Oct.
Socket: 4 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064BZ-AM-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064BZ-CG-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

EU INDEX

RL5064BZ-WG-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064NB-AM-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064NB-CG-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064NB-WG-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064PN-CG-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064PN-MG-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5064PN-WG-EU
O/A Height: 95.2cm | Fixture Height: 31.8cm
Min. Custom Height: 73.7cm | Width: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5065BZ-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5065BZ-CG-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5065BZ-WG-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5065NB-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5065NB-CG-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5065NB-WG-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5065PN-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

EU INDEX

RL5065PN-CG-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5065PN-WG-EU
O/A Height: 113.7cm | Fixture Height: 40.6cm
Min. Custom Height: 76.2cm | Width: 106.7cm
Canopy: 20.3cm Round
Socket: 10 - E27 | Wattage: 60 A
IP Rating: IP20

RL5067BZ-AM-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067BZ-CG-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067BZ-WG-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067NB-AM-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067NB-CG-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067NB-WG-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067PN-CG-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067PN-MG-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5067PN-WG-EU
O/A Height: 118.1cm | Fixture Height: 59.7cm
Min. Custom Height: 88.9cm | Width: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 | Wattage: 40 A
IP Rating: IP20

RL5075NB-FA-EU
O/A Height: 63.5cm | Fixture Height: 12.7cm
Min. Custom Height: 25.4cm | Width: 139.7cm
Canopy: 17.8cm x 64.8cm Rec.
Socket: 16 - E27 | Wattage: 40 T
IP Rating: IP20

RL5075PN-FA-EU
O/A Height: 63.5cm | Fixture Height: 12.7cm
Min. Custom Height: 25.4cm | Width: 139.7cm
Canopy: 17.8cm x 64.8cm Rec.
Socket: 16 - E27 | Wattage: 40 T
IP Rating: IP20

RL5080NB-EU
O/A Height: 114.3cm | Fixture Height: 27.9cm
Min. Custom Height: 43.2cm | Width: 8.3cm
Canopy: 11.4cm Round
Socket: E27 | Wattage: 40 T
IP Rating: IP20

EU INDEX

RL5080PN-EU
O/A Height: 114.3cm | Fixture Height: 27.9cm
Min. Custom Height: 43.2cm | Width: 8.3cm
Canopy: 11.4cm Round
Socket: E27 | Wattage: 40 T
IP Rating: IP20

RL5081NB-EU
O/A Height: 120.6cm | Fixture Height: 33.7cm
Min. Custom Height: 41.3cm | Width: 13.3cm
Canopy: 11.4cm Round
Socket: E27 Keyless | Wattage: 60 T
IP Rating: IP20

RL5081PN-EU
O/A Height: 120.6cm | Fixture Height: 33.7cm
Min. Custom Height: 41.3cm | Width: 13.3cm
Canopy: 11.4cm Round
Socket: E27 Keyless | Wattage: 60 T
IP Rating: IP20

RL5082NB-EU
O/A Height: 111.8cm | Fixture Height: 40.6cm
Min. Custom Height: 53.3cm | Width: 45.7cm
Canopy: 11.4cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5082PN-EU
O/A Height: 111.8cm | Fixture Height: 40.6cm
Min. Custom Height: 53.3cm | Width: 45.7cm
Canopy: 11.4cm Round
Socket: 8 - E27 | Wattage: 40 A
IP Rating: IP20

RL5086NB-EU
O/A Height: 122.6cm | Fixture Height: 33cm
Min. Custom Height: 53.3cm | Width: 81.3cm
Canopy: 31.1cm Round
Socket: 20 - E14 | Wattage: 25 T
IP Rating: IP20

RL5086PN-EU
O/A Height: 122.6cm | Fixture Height: 33cm
Min. Custom Height: 53.3cm | Width: 81.3cm
Canopy: 31.1cm Round
Socket: 20 - E14 | Wattage: 25 T
IP Rating: IP20

RL5087NB-EU
O/A Height: 118.1cm | Fixture Height: 52.1cm
Min. Custom Height: 59.1cm | Width: 31.1cm
Canopy: 11.4cm Round
Socket: 6 - E27 Keyless | Wattage: 6 - 60 T
IP Rating: IP20

RL5087PN-EU
O/A Height: 118.1cm | Fixture Height: 52.1cm
Min. Custom Height: 59.1cm | Width: 31.1cm
Canopy: 11.4cm Round
Socket: 6 - E27 Keyless | Wattage: 6 - 60 T
IP Rating: IP20

RL5089NB-EU
O/A Height: 106.7cm | Fixture Height: 20.3cm
Min. Custom Height: 26.7cm
Width: 122.6cm x 20.3cm
Canopy: 11.4cm x 51.4cm Oval
Socket: 6 - E27 Keyless | Wattage: 6 - 40 T
IP Rating: IP20

RL5089PN-EU
O/A Height: 106.7cm | Fixture Height: 20.3cm
Min. Custom Height: 26.7cm
Width: 122.6cm x 20.3cm
Canopy: 11.4cm x 51.4cm Oval
Socket: 6 - E27 Keyless | Wattage: 6 - 40 T
IP Rating: IP20

RL5101BS-CG-EU
Height: 40.6cm | Width: 36.2cm
Canopy: 12.7cm Round
Socket: 3 - E14 | Wattage: 60 C
IP Rating: IP20

RL5101NB-CG-EU
Height: 40.6cm | Width: 36.2cm
Canopy: 12.7cm Round
Socket: 3 - E14 | Wattage: 60 C
IP Rating: IP20

RL5103BS-CG-EU
Height: 97.8cm | Width: 48.9cm
Canopy: 17.8cm Round
Socket: 6 - E14 | Wattage: 60 C
IP Rating: IP20

EU INDEX

RL5103NB-CG-EU
Height: 97.8cm | Width: 48.9cm
Canopy: 17.8cm Round
Socket: 6 - E14 | Wattage: 60 C
IP Rating: IP20

RL5114BS-EU
Height: 120.6cm | Width: 91.4cm
Canopy: 10.2cm Round
Socket: 12 - E14 | Wattage: 60 C
IP Rating: IP20

RL5114SN-EU
Height: 120.6cm | Width: 91.4cm
Canopy: 10.2cm Round
Socket: 12 - E14 | Wattage: 60 C
IP Rating: IP20

RL5119IS-BK-EU
O/A Height: 118.1cm | Fixture Height: 20.3cm
Min. Custom Height: 45.7cm
Width: 17.1cm | Canopy: 15.9cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL5119PN-PN-EU
O/A Height: 118.1cm | Fixture Height: 20.3cm
Min. Custom Height: 45.7cm
Width: 17.1cm | Canopy: 15.9cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL5119PN-WT-EU
O/A Height: 118.1cm | Fixture Height: 20.3cm
Min. Custom Height: 45.7cm
Width: 17.1cm | Canopy: 15.9cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL5120IS-BK-EU
O/A Height: 124.5cm | Fixture Height: 33cm
Min. Custom Height: 48.9cm | Width: 33cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A | IP Rating: IP20

RL5120PN-PN-EU
O/A Height: 124.5cm | Fixture Height: 33cm
Min. Custom Height: 48.9cm | Width: 33cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A | IP Rating: IP20

RL5120PN-WT-EU
O/A Height: 124.5cm | Fixture Height: 33cm
Min. Custom Height: 48.9cm | Width: 33cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A | IP Rating: IP20

RL5121IS-BK-EU
O/A Height: 144.8cm | Fixture Height: 45.7cm
Min. Custom Height: 73.7cm | Width: 43.2cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A | IP Rating: IP20

RL5121PN-PN-EU
O/A Height: 144.8cm | Fixture Height: 45.7cm
Min. Custom Height: 73.7cm | Width: 43.2cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A | IP Rating: IP20

RL5121PN-WT-EU
O/A Height: 144.8cm | Fixture Height: 45.7cm
Min. Custom Height: 73.7cm | Width: 43.2cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A | IP Rating: IP20

RL5122IS-BK-EU
O/A Height: 158.8cm | Fixture Height: 58.4cm
Min. Custom Height: 87.6cm | Width: 55.9cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A
IP Rating: IP20

RL5122PN-PN-EU
O/A Height: 158.8cm | Fixture Height: 58.4cm
Min. Custom Height: 87.6cm | Width: 55.9cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A
IP Rating: IP20

EU INDEX

RL5122PN-WT-EU
O/A Height: 158.8cm | Fixture Height: 58.4cm
Min. Custom Height: 87.6cm | Width: 55.9cm
Canopy: 15.9cm Round
Socket: E27 | Wattage: 75 A
IP Rating: IP20

RL5130AI-EU
Height: 48.3cm | Width: 50.8cm
Canopy: 16.5cm Round
Socket: 12 - E27 | Wattage: 40 A
IP Rating: IP20

RL5130NB-EU
Height: 48.3cm | Width: 50.8cm
Canopy: 16.5cm Round
Socket: 12 - E27 | Wattage: 40 A
IP Rating: IP20

RL5130PN-EU
Height: 48.3cm | Width: 50.8cm
Canopy: 16.5cm Round
Socket: 12 - E27 | Wattage: 40 A
IP Rating: IP20

RL5131AI-EU
Height: 54.6cm | Width: 76.2cm
Canopy: 16.5cm Round
Socket: 16 - E27 | Wattage: 40 A
IP Rating: IP20

RL5131NB-EU
Height: 54.6cm | Width: 76.2cm
Canopy: 16.5cm Round
Socket: 16 - E27 | Wattage: 40 A
IP Rating: IP20

RL5131PN-EU
Height: 54.6cm | Width: 76.2cm
Canopy: 16.5cm Round
Socket: 16 - E27 | Wattage: 40 A
IP Rating: IP20

RL5132AI-EU
Height: 62.2cm | Width: 101.6cm
Canopy: 16.5cm Round
Socket: 20 - E27 | Wattage: 40 A
IP Rating: IP20

RL5132NB-EU
Height: 62.2cm | Width: 101.6cm
Canopy: 16.5cm Round
Socket: 20 - E27 | Wattage: 40 A
IP Rating: IP20

RL5132PN-EU
Height: 62.2cm | Width: 101.6cm
Canopy: 16.5cm Round
Socket: 20 - E27 | Wattage: 40 A
IP Rating: IP20

RL5133AI-EU
Height: 80cm | Width: 127cm
Canopy: 16.5cm Round
Socket: 24 - E27 | Wattage: 40 A
IP Rating: IP20

RL5133NB-EU
Height: 80cm | Width: 127cm
Canopy: 16.5cm Round
Socket: 24 - E27 | Wattage: 40 A
IP Rating: IP20

RL5133PN-EU
Height: 80cm | Width: 127cm
Canopy: 16.5cm Round
Socket: 24 - E27 | Wattage: 40 A
IP Rating: IP20

RL5134AI-EU
Height: 71.1cm | Width: 114.3cm x 41.9cm
Canopy: 15.2cm Round
Socket: 24 - E27 | Wattage: 40 A
IP Rating: IP20

EU INDEX

RL5134NB-EU
Height: 71.1cm | Width: 114.3cm x 41.9cm
Canopy: 15.2cm Round
Socket: 24 - E27 | Wattage: 40 A
IP Rating: IP20

RL5134PN-EU
Height: 71.1cm | Width: 114.3cm x 41.9cm
Canopy: 15.2cm Round
Socket: 24 - E27 | Wattage: 40 A
IP Rating: IP20

RL5147BZ-CG-EU
O/A Height: 111.8cm | Fixture Height: 32.4cm
Min. Custom Height: 68.6cm | Width: 33.7cm
Canopy: 14.6cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5147NB-CG-EU
O/A Height: 111.8cm | Fixture Height: 32.4cm
Min. Custom Height: 68.6cm | Width: 33.7cm
Canopy: 14.6cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5147PN-CG-EU
O/A Height: 111.8cm | Fixture Height: 32.4cm
Min. Custom Height: 68.6cm | Width: 33.7cm
Canopy: 14.6cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5148BZ-CG-EU
O/A Height: 111.8cm | Fixture Height: 43.2cm
Min. Custom Height: 81.3cm | Width: 47cm
Canopy: 17.8cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5148NB-CG-EU
O/A Height: 111.8cm | Fixture Height: 43.2cm
Min. Custom Height: 81.3cm | Width: 47cm
Canopy: 17.8cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5148PN-CG-EU
O/A Height: 111.8cm | Fixture Height: 43.2cm
Min. Custom Height: 81.3cm | Width: 47cm
Canopy: 17.8cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5156BZ-EU
O/A Height: 198.1cm | Fixture Height: 72.4cm
Min. Custom Height: 91.4cm | Width: 35.6cm
Canopy: 20.3cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5156PN-EU
O/A Height: 198.1cm | Fixture Height: 72.4cm
Min. Custom Height: 91.4cm | Width: 35.6cm
Canopy: 20.3cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5161NB-L-EU
Height: 56.5cm | Width: 61cm
Canopy: 19cm Round
Socket: 3 - E27 | Wattage: 75 A
IP Rating: IP20
Shade Details: 61cm x 61cm x 27.9cm

RL5161PN-L-EU
Height: 56.5cm | Width: 61cm
Canopy: 19cm Round
Socket: 3 - E27 | Wattage: 75 A
IP Rating: IP20
Shade Details: 61cm x 61cm x 27.9cm

RL5162NB-L-EU
Height: 71.8cm | Width: 81.3cm
Canopy: 19cm Round
Socket: 4 - E27 | Wattage: 75 A
IP Rating: IP20
Shade Details: 81.3cm x 81.3cm x 35.6cm

RL5162PN-L-EU
Height: 71.8cm | Width: 81.3cm
Canopy: 19cm Round
Socket: 4 - E27 | Wattage: 75 A
IP Rating: IP20
Shade Details: 81.3cm x 81.3cm x 35.6cm

EU INDEX

RL5175BZ-EU
O/A Height: 140.3cm | Fixture Height: 43.2cm
Min. Custom Height: 58.4cm | Width: 22.9cm
Canopy: 15.2cm Round
Socket: 3 - E14 | Wattage: 60 C
IP Rating: IP20

RL5175NB-EU
O/A Height: 140.3cm | Fixture Height: 43.2cm
Min. Custom Height: 58.4cm | Width: 22.9cm
Canopy: 15.2cm Round
Socket: 3 - E14 | Wattage: 60 C
IP Rating: IP20

RL5175PN-EU
O/A Height: 140.3cm | Fixture Height: 43.2cm
Min. Custom Height: 58.4cm | Width: 22.9cm
Canopy: 15.2cm Round
Socket: 3 - E14 | Wattage: 60 C
IP Rating: IP20

RL5177BZ-EU
O/A Height: 181.6cm | Fixture Height: 78.7cm
Min. Custom Height: 99.1cm | Width: 38.7cm
Canopy: 17.8cm Round
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5177NB-EU
O/A Height: 181.6cm | Fixture Height: 78.7cm
Min. Custom Height: 99.1cm | Width: 38.7cm
Canopy: 17.8cm Round
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5177PN-EU
O/A Height: 181.6cm | Fixture Height: 78.7cm
Min. Custom Height: 99.1cm | Width: 38.7cm
Canopy: 17.8cm Round
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5180NB-EU
Height: 91.4cm | Width: 40.6cm
Canopy: 19cm Round
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5180PN-EU
Height: 91.4cm | Width: 40.6cm
Canopy: 19cm Round
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5181NB-L-EU
Height: 78.7cm | Width: 76.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL5181PN-L-EU
Height: 78.7cm | Width: 76.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL5183NB-L-EU
Height: 114.3cm | Width: 109.2cm
Canopy: 16.5cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL5183PN-L-EU
Height: 114.3cm | Width: 109.2cm
Canopy: 16.5cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL5184NB-L-EU
Height: 144.8cm | Width: 144.8cm
Canopy: 16.5cm Round
Socket: 24 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

RL5184PN-L-EU
Height: 144.8cm | Width: 144.8cm
Canopy: 16.5cm Round
Socket: 24 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 15.2cm x 12.7cm

EU INDEX

RL5197IS-EU
Fixture Height: 106.7cm | Width: 123.2cm
Canopy: 22.9cm Round
Socket: 16 - E27 | Wattage: 40 A
IP Rating: IP20

RL5197PN-EU
Fixture Height: 106.7cm | Width: 123.2cm
Canopy: 22.9cm Round
Socket: 16 - E27 | Wattage: 40 A
IP Rating: IP20

RL5205BS-EU
Height: 87.6cm | Width: 111.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20

RL5205NB-EU
Height: 87.6cm | Width: 111.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20

RL5220NB-CG-EU
O/A Height: 142.2cm | Fixture Height: 53.3cm |
Min. Custom Height: 76.2cm
Width: 33cm | Canopy: 15.2cm Round
Socket: E27 | Wattage: 60 T | IP Rating: IP20
Shade Details:

RL5220PN-CG-EU
O/A Height: 142.2cm | Fixture Height: 53.3cm |
Min. Custom Height: 76.2cm
Width: 33cm | Canopy: 15.2cm Round
Socket: E27 | Wattage: 60 T | IP Rating: IP20
Shade Details:

RL5222NB-CG-EU
O/A Height: 137.2cm | Fixture Height: 48.3cm
Min. Custom Height: 71.1cm | Width: 17.8cm
Canopy: 15.2cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5222PN-CG-EU
O/A Height: 137.2cm | Fixture Height: 48.3cm
Min. Custom Height: 71.1cm | Width: 17.8cm
Canopy: 15.2cm Round
Socket: E27 | Wattage: 60 T
IP Rating: IP20

RL5224NB-EU
O/A Height: 118.7cm | Fixture Height: 67.9cm
Min. Custom Height: 106.7cm | Width: 91.4cm
Canopy: 15.2cm Round
Socket: 9 - E14 | Wattage: 40 T
IP Rating: IP20

RL5224NB-NB-EU
O/A Height: 118.7cm | Fixture Height: 67.9cm
Min. Custom Height: 106.7cm | Width: 91.4cm
Canopy: 15.2cm Round
Socket: 9 - E14 | Wattage: 40 T
IP Rating: IP20

RL5224PN-EU
O/A Height: 118.7cm | Fixture Height: 67.9cm
Min. Custom Height: 106.7cm | Width: 91.4cm
Canopy: 15.2cm Round
Socket: 9 - E14 | Wattage: 40 T
IP Rating: IP20

RL5224PN-PN-EU
O/A Height: 118.7cm | Fixture Height: 67.9cm
Min. Custom Height: 106.7cm | Width: 91.4cm
Canopy: 15.2cm Round
Socket: 9 - E14 | Wattage: 40 T
IP Rating: IP20

RL5225NB-EU
O/A Height: 118.7cm | Fixture Height: 38.1cm
Min. Custom Height: 118.7cm | Width: 95.9cm
Canopy: 15.2cm Round
Socket: 15 - E12 Candelabra | Wattage: 15 - 40 T
IP Rating: IP20

RL5225NB-NB-EU
O/A Height: 118.7cm | Fixture Height: 38.1cm
Min. Custom Height: 118.7cm | Width: 95.9cm
Canopy: 15.2cm Round
Socket: 15 - E12 Candelabra | Wattage: 15 - 40 T
IP Rating: IP20

EU INDEX

RL5225PN-EU
O/A Height: 118.7cm | Fixture Height: 38.1cm
Min. Custom Height: 118.7cm | Width: 95.9cm
Canopy: 15.2cm Round
Socket: 15 - E12 Candelabra | Wattage: 15 - 40 T
IP Rating: IP20

RL5225PN-PN-EU
O/A Height: 118.7cm | Fixture Height: 38.1cm
Min. Custom Height: 118.7cm | Width: 95.9cm
Canopy: 15.2cm Round
Socket: 15 - E12 Candelabra | Wattage: 15 - 40 T
IP Rating: IP20

RL5226NB-EU
O/A Height: 96.5cm | Fixture Height: 20.3cm
Min. Custom Height: 95.2cm | Width: 135.9cm
Canopy: 15.2cm x 108.6cm Oval
Socket: 5 - E12 Candelabra | Wattage: 5 - 40 C
IP Rating: IP20

RL5226NB-NB-EU
O/A Height: 96.5cm | Fixture Height: 20.3cm
Min. Custom Height: 95.2cm | Width: 135.9cm
Canopy: 15.2cm x 108.6cm Oval
Socket: 5 - E12 Candelabra | Wattage: 5 - 40 C
IP Rating: IP20



RL5226PN-EU
O/A Height: 96.5cm | Fixture Height: 20.3cm
Min. Custom Height: 95.2cm | Width: 135.9cm
Canopy: 15.2cm x 108.6cm Oval
Socket: 5 - E12 Candelabra | Wattage: 5 - 40 C
IP Rating: IP20

RL5226PN-PN-EU
O/A Height: 96.5cm | Fixture Height: 20.3cm
Min. Custom Height: 95.2cm | Width: 135.9cm
Canopy: 15.2cm x 108.6cm Oval
Socket: 5 - E12 Candelabra | Wattage: 5 - 40 C
IP Rating: IP20

RL5230AG-S-EU
Height: 87cm | Width: 73.7cm
Canopy: 17.1cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5230ASL-S-EU
Height: 87cm | Width: 73.7cm
Canopy: 17.1cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5230GI-S-EU
Height: 87cm | Width: 73.7cm
Canopy: 17.1cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5231AG-S-EU
Height: 111.8cm | Width: 95.9cm
Canopy: 17.1cm Round
Socket: 18 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5231ASL-S-EU
Height: 111.8cm | Width: 95.9cm
Canopy: 17.1cm Round
Socket: 18 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5231GI-S-EU
Height: 111.8cm | Width: 95.9cm
Canopy: 17.1cm Round
Socket: 18 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5233AG-S-EU
Height: 137.2cm | Width: 111.8cm
Canopy: 17.1cm Round
Socket: 24 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5233ASL-S-EU
Height: 137.2cm | Width: 111.8cm
Canopy: 17.1cm Round
Socket: 24 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

EU INDEX

RL5233GI-S-EU
Height: 137.2cm | Width: 111.8cm
Canopy: 17.1cm Round
Socket: 24 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 7.6cm x 12.7cm x 10.2cm

RL5252BZ-SP-EU
Height: 40.6cm | Width: 76.2cm
Canopy: 17.8cm Round
Socket: 8 - E14 | Wattage: 60 C
IP Rating: IP20

RL5252NB-SP-EU
Height: 40.6cm | Width: 76.2cm
Canopy: 17.8cm Round
Socket: 8 - E14 | Wattage: 60 C
IP Rating: IP20

RL5252PN-SP-EU
Height: 40.6cm | Width: 76.2cm
Canopy: 17.8cm Round
Socket: 8 - E14 | Wattage: 60 C
IP Rating: IP20

RL5262CG-L-EU
Height: 101.6cm | Width: 104.8cm
Canopy: 14.6cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14cm

RL5311NB-EU
Fixture Height: 95.9cm | Width: 88.9cm
Canopy: 12.7cm Round
Socket: 18 - E14 | Wattage: 40 C
IP Rating: IP20

RL5321NB-CA-EU
O/A Height: 126.4cm | Fixture Height: 31.1cm
Min. Custom Height: 41.9cm | Width: 139.7cm
Canopy: 20.3cm Round
LED: 30w

RL5321PN-CA-EU
O/A Height: 126.4cm | Fixture Height: 31.1cm
Min. Custom Height: 41.9cm | Width: 139.7cm
Canopy: 20.3cm Round
LED: 30w

RL5322NB-CA-EU
O/A Height: 135.9cm | Fixture Height: 40.6cm
Min. Custom Height: 55.9cm | Width: 101.6cm
Canopy: 20.3cm Round
LED: 33w

RL5322PN-CA-EU
O/A Height: 135.9cm | Fixture Height: 40.6cm
Min. Custom Height: 55.9cm | Width: 101.6cm
Canopy: 20.3cm Round
LED: 33w

RL5330CG/NB-L-EU
Height: 59.7cm | Width: 74.9cm
Canopy: 15.2cm Round
Socket: 8 - E14 | Wattage: 8 - 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm

RL5330CG/PN-L-EU
Height: 59.7cm | Width: 74.9cm
Canopy: 15.2cm Round
Socket: 8 - E14 | Wattage: 8 - 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm

RL5332CG/NB-L-EU
Height: 73.7cm | Width: 100.3cm
Canopy: 15.2cm Round
Socket: 8 - E14 | Wattage: 8 - 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm

RL5332CG/PN-L-EU
Height: 73.7cm | Width: 100.3cm
Canopy: 15.2cm Round
Socket: 8 - E14 | Wattage: 8 - 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm

EU INDEX

RL5340NB/PW-CG-EU
Height: 132.7cm | Width: 40.6cm
Canopy: 14cm Round
Socket: 3 - E14 | Wattage: 3 - 60 T
IP Rating: IP20

RL5340PN/PW-CG-EU
Height: 132.7cm | Width: 40.6cm
Canopy: 14cm Round
Socket: 3 - E14 | Wattage: 3 - 60 T
IP Rating: IP20

RL5341NB/PW-CG-EU
Height: 148.6cm | Width: 81.3cm
Canopy: 26.7cm Round
Socket: 6 - E14 | Wattage: 6 - 60 T
IP Rating: IP20

RL5341PN/PW-CG-EU
Height: 148.6cm | Width: 81.3cm
Canopy: 26.7cm Round
Socket: 6 - E14 | Wattage: 6 - 60 T
IP Rating: IP20

RL5400NB-WG-EU
O/A Height: 124.5cm | Fixture Height: 41.9cm
Min. Custom Height: 53.3cm | Width: 30.5cm
Canopy: 17.1cm Round
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5400PN-WG-EU
O/A Height: 124.5cm | Fixture Height: 41.9cm
Min. Custom Height: 53.3cm | Width: 30.5cm
Canopy: 17.1cm Round
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5402NB-WG-EU
O/A Height: 139.7cm | Fixture Height: 58.4cm
Min. Custom Height: 68.6cm | Width: 45.7cm
Canopy: 17.1cm Round
Socket: 4 - E27 | Wattage: 60 C
IP Rating: IP20

RL5402PN-WG-EU
O/A Height: 139.7cm | Fixture Height: 58.4cm
Min. Custom Height: 68.6cm | Width: 45.7cm
Canopy: 17.1cm Round
Socket: 4 - E27 | Wattage: 60 C
IP Rating: IP20

RL5415BS-WG-EU
Height: 59.7cm | Width: 35.6cm
Canopy: 12.1cm Round
Socket: E27 | Wattage: 40 A
IP Rating: IP20

RL5415BZ-WG-EU
Height: 59.7cm | Width: 35.6cm
Canopy: 12.1cm Round
Socket: E27 | Wattage: 40 A
IP Rating: IP20

RL5415NB-WG-EU
Height: 59.7cm | Width: 35.6cm
Canopy: 12.1cm Round
Socket: E27 | Wattage: 40 A
IP Rating: IP20

RL5460BZ-WG-EU
O/A Height: 118.1cm | Fixture Height: 43.8cm
Min. Custom Height: 66cm | Width: 30.5cm
Canopy: 14cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL5460NB-WG-EU
O/A Height: 118.1cm | Fixture Height: 43.8cm
Min. Custom Height: 66cm | Width: 30.5cm
Canopy: 14cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

RL5460PN-WG-EU
O/A Height: 118.1cm | Fixture Height: 43.8cm
Min. Custom Height: 66cm | Width: 30.5cm
Canopy: 14cm Round
Socket: E27 | Wattage: 60 A
IP Rating: IP20

EU INDEX

RL5470BZ-WG-EU
O/A Height: 140.3cm | Fixture Height: 74.9cm
Min. Custom Height: 99.1cm | Width: 91.4cm
Canopy: 14cm Round
Socket: 5 - E27 | Wattage: 60 A
IP Rating: IP20

RL5470NB-WG-EU
O/A Height: 140.3cm | Fixture Height: 74.9cm
Min. Custom Height: 99.1cm | Width: 91.4cm
Canopy: 14cm Round
Socket: 5 - E27 | Wattage: 60 A
IP Rating: IP20

RL5470PN-WG-EU
O/A Height: 140.3cm | Fixture Height: 74.9cm
Min. Custom Height: 99.1cm | Width: 91.4cm
Canopy: 14cm Round
Socket: 5 - E27 | Wattage: 60 A
IP Rating: IP20

RL5528BN-EU
Height: 91.4cm | Width: 91.4cm
Canopy: 17.1cm Round
Socket: 8 - E12 Candelabra | Wattage: 8 - 60 C

RL5528BN-CG-EU
Height: 91.4cm | Width: 91.4cm
Canopy: 17.1cm Round
Socket: 8 - E12 Candelabra | Wattage: 8 - 60 C

RL5529BN-EU
Height: 111.8cm | Width: 106.7cm
Canopy: 17.1cm Round
Socket: 12 - E12 Candelabra | Wattage: 12 - 40 C

RL5529BN-CG-EU
Height: 111.8cm | Width: 106.7cm
Canopy: 17.1cm Round
Socket: 12 - E12 Candelabra | Wattage: 12 - 40 C

RL5530BN-EU
Height: 142.2cm | Width: 134.6cm
Canopy: 17.1cm Round
Socket: 18 - E12 Candelabra | Wattage: 18 - 40 C

RL5530BN-CG-EU
Height: 142.2cm | Width: 134.6cm
Canopy: 17.1cm Round
Socket: 18 - E12 Candelabra | Wattage: 18 - 40 C

RL5531BN-EU
Height: 88.9cm | Width: 144.8cm
Canopy: 17.1cm Round
Socket: 12 - E12 Candelabra | Wattage: 12 - 40 C

RL5531BN-CG-EU
Height: 88.9cm | Width: 144.8cm
Canopy: 17.1cm Round
Socket: 12 - E12 Candelabra | Wattage: 12 - 40 C

RL5532NB-SDL-EU
Height: 129.5cm | Width: 76.8cm
Canopy: 14.6cm Round
Socket: 3 - E27 | Wattage: 60 A
IP Rating: IP20

RL5532PN-CHC-EU
Height: 129.5cm | Width: 76.8cm
Canopy: 14.6cm Round
Socket: 3 - E27 | Wattage: 60 A
IP Rating: IP20

RL5533NB/NVY-L/NVY-EU
O/A Height: 105.4cm | Min. Custom Height: 63.5cm
Width: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Wattage: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm

EU INDEX

RL5533NB/SDL-L/SDL-EU
O/A Height: 105.4cm | Min. Custom Height: 63.5cm
Width: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Wattage: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm

RL5533PN/CHC-L/CHC-EU
O/A Height: 105.4cm | Min. Custom Height: 63.5cm
Width: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Wattage: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm

RL5534NB/NVY-L/NVY-EU
O/A Height: 109.2cm | Height: 52.7cm
Min. Custom Height: 67.9cm | Width: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Wattage: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm

RL5534NB/SDL-L/SDL-EU
O/A Height: 109.2cm | Height: 52.7cm
Min. Custom Height: 67.9cm | Width: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Wattage: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm

RL5534PN/CHC-L/CHC-EU
O/A Height: 109.2cm | Height: 52.7cm
Min. Custom Height: 67.9cm | Width: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Wattage: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm

RL5540NR-EU
Height: 69.8cm | Width: 109.2cm
Canopy: 20.3cm Oct.
Socket: 8 - E14 | Wattage: 60 C
IP Rating: IP20

RL5542NR-EU
Fixture Height: 102.2cm | Width: 167cm
Canopy: 20.3cm Oct.
Socket: 16 - E14 | Wattage: 60 C
IP Rating: IP20

RL5545NR-EU
Height: 66cm | Width: 137.2cm
Canopy: 19cm Round
Socket: 10 - E14 | Wattage: 40 C
IP Rating: IP20

RL5571NB/NRO-L-EU
Height: 61cm | Width: 76.2cm
Canopy: 14cm Round
Socket: 6 - E14 | Wattage: 25
Shade Details: 7.6cm x 19.7cm x 12.1cm

RL5571PN/BKE-L-EU
Height: 61cm | Width: 76.2cm
Canopy: 14cm Round
Socket: 6 - E14 | Wattage: 25
Shade Details: 7.6cm x 19.7cm x 12.1cm

RL5572NB/NRO-L-EU
Height: 71.1cm | Width: 104.8cm
Canopy: 14cm Round
Socket: 12 - E14 | Wattage: 25
Shade Details: 7.6cm x 19.7cm x 12.1cm

RL5572PN/BKE-L-EU
Height: 71.1cm | Width: 104.8cm
Canopy: 14cm Round
Socket: 12 - E14 | Wattage: 25
Shade Details: 7.6cm x 19.7cm x 12.1cm

RL5610NB/NVY-L-EU
Fixture Height: 99.1cm | Width: 91.4cm
Canopy: 16.5cm Round
Socket: 6 - E14 | Wattage: 40 C
IP Rating: IP20

RL5610NB/SDL-L-EU
Fixture Height: 99.1cm | Width: 91.4cm
Canopy: 16.5cm Round
Socket: 6 - E14 | Wattage: 40 C
IP Rating: IP20

EU INDEX

RL5610PN/CHC-L-EU
Fixture Height: 99.1cm | Width: 91.4cm
Canopy: 16.5cm Round
Socket: 6 - E14 | Wattage: 40 C
IP Rating: IP20

RL5612NB/NVY-L-EU
Fixture Height: 101.6cm | Width: 121.3cm
Canopy: 16.5cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14.6cm

RL5612NB/SDL-L-EU
Fixture Height: 101.6cm | Width: 121.3cm
Canopy: 16.5cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14.6cm

RL5612PN/CHC-L-EU
Fixture Height: 101.6cm | Width: 121.3cm
Canopy: 16.5cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20
Shade Details: 10.2cm x 15.2cm x 14.6cm

RL5614NB/NVY-L-EU
Fixture Height: 137.2cm | Width: 114.3cm
Canopy: 16.5cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20

RL5614NB/SDL-L-EU
Fixture Height: 137.2cm | Width: 114.3cm
Canopy: 16.5cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20

RL5614PN/CHC-L-EU
Fixture Height: 137.2cm | Width: 114.3cm
Canopy: 16.5cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20

RL5620NB-ALB-EU
Height: 97.8cm | Width: 52.1cm
Canopy: 15.9cm Round
Socket: 2 - E14 | Wattage: 2 - 9w LED B
IP Rating: IP20

RL5620PN-ALB-EU
Height: 97.8cm | Width: 52.1cm
Canopy: 15.9cm Round
Socket: 2 - E14 | Wattage: 2 - 9w LED B
IP Rating: IP20

RL5621NB-ALB-EU
Fixture Height: 135.9cm | Width: 71.1cm
Canopy: 15.9cm Round
Socket: 3 - E14 | Wattage: 3 - 9w LED B
IP Rating: IP20

RL5621PN-ALB-EU
Fixture Height: 135.9cm | Width: 71.1cm
Canopy: 15.9cm Round
Socket: 3 - E14 | Wattage: 3 - 9w LED B
IP Rating: IP20

RL5630NB-EU
Height: 118.7cm | Width: 93.3cm
Canopy: 15.2cm Round
Socket: 8 - E14 | Wattage: 8 - 60 C
IP Rating: IP20

RL5630PN-EU
Height: 118.7cm | Width: 93.3cm
Canopy: 15.2cm Round
Socket: 8 - E14 | Wattage: 8 - 60 C
IP Rating: IP20

RL5642BZ-CG-EU
Height: 87.6cm | Width: 60.3cm
Canopy: 17.8cm Octagon
Socket: 4 - E14 | Wattage: 4 - 60 C

EU INDEX

RL5642NB-CG-EU
Height: 87.6cm | Width: 60.3cm
Canopy: 17.8cm Octagon
Socket: 4 - E14 | Wattage: 4 - 60 C

RL5642PN-CG-EU
Height: 87.6cm | Width: 60.3cm
Canopy: 17.8cm Octagon
Socket: 4 - E14 | Wattage: 4 - 60 C

RL5643BZ-CG-EU
Height: 110.5cm | Width: 78.7cm
Canopy: 17.8cm Octagon
Socket: 6 - E14 | Wattage: 6 - 60 C

RL5643NB-CG-EU
Height: 110.5cm | Width: 78.7cm
Canopy: 17.8cm Octagon
Socket: 6 - E14 | Wattage: 6 - 60 C

RL5643PN-CG-EU
Height: 110.5cm | Width: 78.7cm
Canopy: 17.8cm Octagon
Socket: 6 - E14 | Wattage: 6 - 60 C

RL5652NB/SDL-CG-EU
Height: 64.8cm | Width: 35.6cm
Canopy: 15.2cm Round
Socket: 3 - E14 | Wattage: 3 - 60 B

RL5652PN/CHC-CG-EU
Height: 64.8cm | Width: 35.6cm
Canopy: 15.2cm Round
Socket: 3 - E14 | Wattage: 3 - 60 B

RL5653NB/SDL-CG-EU
Height: 85.1cm | Width: 47cm
Canopy: 15.2cm Round
Socket: 3 - E27 | Wattage: 3 - 60 T

RL5653PN/CHC-CG-EU
Height: 85.1cm | Width: 47cm
Canopy: 15.2cm Round
Socket: 3 - E27 | Wattage: 3 - 60 T

RL5670NB-EU
Height: 7.6cm | Width: 61cm
LED: 55w

RL5670PN-EU
Height: 7.6cm | Width: 61cm
LED: 55w

RL5671NB-EU
Height: 7.6cm | Width: 81.3cm
LED: 65w

RL5671PN-EU
Height: 7.6cm | Width: 81.3cm
LED: 65w

RL5672NB-EU
Height: 7.6cm | Width: 101.6cm
LED: 85w

EU INDEX

RL5672PN-EU
Height: 7.6cm | Width: 101.6cm
LED: 85w

RL5673NB-EU
Height: 7.6cm | Width: 121.9cm
LED: 95w

RL5673PN-EU
Height: 7.6cm | Width: 121.9cm
LED: 95w

RL5680ITG-S-EU
Height: 109.2cm | Width: 101cm
Canopy: 20.3cm Round
Socket: 6 - E14 | Wattage: 6 - 40 B
Shade Details: 10.2cm x 15.2cm x 14cm

RL5728AI-EU
Height: 66.7cm | Width: 84.5cm
Canopy: 14cm Round
Socket: 6 - E14 | Wattage: 40 C
IP Rating: IP20

RL5729AI-EU
Height: 88.9cm | Width: 111.8cm
Canopy: 14cm Round
Socket: 6 - E14 | Wattage: 40 C
IP Rating: IP20

RL5730AI-EU
Height: 95.2cm | Width: 175.3cm
Canopy: 14cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20

RL5733FR-CG-EU
Fixture Height: 87.6cm | Width: 40.6cm
Canopy: 13.3cm Square
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5733WVG-CG-EU
Fixture Height: 87.6cm | Width: 40.6cm
Canopy: 13.3cm Square
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5735FR-CG-EU
Fixture Height: 123.2cm | Width: 57.2cm
Canopy: 17.1cm Square
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5735WVG-CG-EU
Fixture Height: 123.2cm | Width: 57.2cm
Canopy: 17.1cm Square
Socket: 4 - E14 | Wattage: 60 C
IP Rating: IP20

RL5739AI-EU
O/A Height: 102.2cm | Fixture Height: 30.5cm
Min. Custom Height: 62.9cm | Width: 67.3cm
Canopy: 14cm Round
Socket: 3 - E14 | Wattage: 60 C
IP Rating: IP20

RL5742AI-RG-EU
Height: 105.4cm | Width: 61cm
Canopy: 20.3cm Round
Socket: 4 - E14 | Wattage: 40 C
IP Rating: IP20

RL5742GI-RG-EU
Height: 105.4cm | Width: 61cm
Canopy: 20.3cm Round
Socket: 4 - E14 | Wattage: 40 C
IP Rating: IP20

EU INDEX

RL5750AI-EU
Height: 77.5cm | Width: 71.8cm
Canopy: 19cm Round
Socket: 8 - E14 | Wattage: 40 C
IP Rating: IP20

RL5752AI-EU
Height: 138.4cm | Width: 123.2cm
Canopy: 19cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20

RL5753AI-EU
Height: 97.2cm | Width: 173.4cm
Canopy: 19cm Round
Socket: 12 - E14 | Wattage: 40 C
IP Rating: IP20

RL5754AI-EU
Fixture Height: 160cm | Min. Custom Height: 190.5cm
Width: 174cm
Canopy: 20.3cm Round
Socket: 20 - E14 | Wattage: 60 C
IP Rating: IP20

RL5770AI/ALB-EU
Height: 52.1cm | Width: 45.7cm
Canopy: 15.2cm Square
LED: 27w

RL5771AI/ALB-EU
Height: 116.8cm | Width: 45.7cm
Canopy: 15.2cm Square
LED: 27w

RL5773AI/ALB-EU
Height: 99.1cm | Width: 71.1cm
Canopy: 15.2cm Square
LED: 36w

RL5780AI-EU
Height: 53.3cm | Width: 30.5cm
Canopy: 14.6cm Round
Socket: 3 - E14 | Wattage: 3 - 60 C

RL5781AI-EU
Height: 79.4cm | Width: 43.8cm
Canopy: 14.6cm Round
Socket: 4 - E14 | Wattage: 4 - 60 C

RL5782AI-EU
Height: 104.1cm | Width: 58.4cm
Canopy: 14.6cm Round
Socket: 6 - E14 | Wattage: 6 - 60 C

RL5783AI-EU
Height: 154.9cm | Width: 88.3cm
Canopy: 14.6cm Round
Socket: 6 - E14 | Wattage: 6 - 60 C

RL5810BZ-CG-EU
Height: 71.1cm | Width: 30.5cm
Canopy: 14.6cm Round
LED: 18w

RL5811BZ-CG-EU
Height: 90.2cm | Width: 46.4cm
Canopy: 14.6cm Round
LED: 30w

RL5964CG-EU
Height: 127cm | Width: 110.5cm
Canopy: 14cm Round
Socket: 6 - E12 Candelabra | Wattage: 6 - 40 C

NOTES

NOTES

VISUAL COMFORT
22400 Northwest Lake Drive
Houston, Texas 77095
TEL: (713) 686-5999
FAX: (713) 686-7444
info@visualcomfort.com